



User Inputs for Installation

This appendix provides information on the user inputs during Common Services installation.

This appendix contains:

- [User Inputs for Typical Installation, page D-1](#)
- [User Inputs for Custom Installation, page D-3](#)

User Inputs for Typical Installation

Enter the following information while installing in Typical mode:

Table D-1 **User Inputs for New Installation: Typical**

Settings	Value
Components to install	Select the components you want to install.
Password for <i>admin</i> user	No default values. Enter the admin password. For more information on passwords, see Appendix C, “Password Information.”
Password for system identity account	No default values. Enter the system identity account password. For more information on passwords, see Appendix C, “Password Information.”

Enter the following information during an upgrade installation in Typical mode:

Table D-2 *User Inputs for Upgrade Installation: Typical*

Settings	Value
Backup folder	Enter or browse and select a folder for backup data.
Password for system identity account	No default values. Enter the system identity account password. For more information on passwords, see Appendix C, "Password Information."
Components to install	Select the components you want to install. The Select Components dialog box will appear if you have a different set of components in the previous version.

Enter the following information while reinstalling in Typical mode.

Table D-3 *User Inputs for Reinstallation: Typical*

Settings	Value
Backup folder	Enter or browse and select a folder for backup data.
Components to install	Select the components you want to install.

User Inputs for Custom Installation

Enter the following information while installing in Custom mode:

Table D-4 *User Inputs for a New Installation: Custom*

Setting	Value
Destination folder	The default location is /opt/CSCOPx. Select another location if you want to install in a specific location. We recommend that you specify a short path for the destination folder.
Components to install	Select the components you want to install.
Password for users <i>admin</i> and <i>guest</i>	No default values. Enter the admin and guest passwords. For more information on passwords, see Appendix C, “Password Information.”
Password for system identity account	No default values. Enter the system identity account password. For more information on passwords, see Appendix C, “Password Information.”

Table D-4 *User Inputs for a New Installation: Custom (continued)*

Setting	Value
Password for the CiscoWorks Common Services Database	By default, a random password is generated. For more information on passwords, see Appendix C, “Password Information.”
Apache certificate settings: <ul style="list-style-type: none"> • SMTP server • Host name • Administrator’s e-mail address • Country • State • City • Company • Organization 	Host name is mandatory. Press Enter to skip prompts for other values.

Enter the following information during an upgrade installation in Custom mode:

Table D-5 *Use inputs for an Upgrade Installation: Custom*

Setting	Value
Backup folder	Enter or browse and select a folder for backup data.
Destination folder	The default location is /opt/CSCOpX. Select another location if you want to install in a specific location.
Components to install	Select the components you want to install. The Select Components dialog box will appear if you have a different set of components in the previous version.

Table D-5 Use inputs for an Upgrade Installation: Custom (continued)

Setting	Value
Password for users admin and guest (optional)	Enter the admin and guest passwords. Press Enter to keep the existing passwords. For more information on passwords, see Appendix C, “Password Information.”
Password for system identity account	No default values. Enter the system identity account password. For more information on passwords, see Appendix C, “Password Information.”
Password for the CiscoWorks Common Services Database	By default, a random password is generated. For more information on passwords, see Appendix C, “Password Information.”
Apache certificate settings: <ul style="list-style-type: none"> • SMTP server • Host name • Administrator’s e-mail address • Country • State • City • Company • Organization 	Host name is mandatory. Press Enter to skip prompts for other values.

Enter the following information while reinstalling in Custom mode:

Table D-6 *User Inputs for Reinstallation: Custom*

Settings	Value
Backup folder	Enter or browse and select a folder for backup data.
Components to install	Select the components you want to install.
Password for users <i>admin</i> and <i>guest</i> (optional)	You may change the passwords for the admin and guest users. To retain the existing passwords, press Enter .
Password for the CiscoWorks Common Services Database (optional)	Press Enter to keep the existing password.
Apache certificate settings: <ul style="list-style-type: none"> • SMTP server • Host name • Administrator's e-mail address • Country • State • City • Company • Organization 	Host name is mandatory. Press Enter to skip prompts for other values.