



A

Admin password rules [C-2](#)
audience for this document [vii](#)

B

backing up data before an upgrade [2-16](#)
 using Common Services Admin [2-16](#)
 using the CLI [2-17](#)
browser
 configuring on client [3-3](#)
 software
 client [1-7](#)
 server (optional) [1-3](#)

C

cautions, significance of [viii](#)
cautions regarding
 daemon manager, starting and stopping [A-3](#)
 JAVA_OPTIONS environment variable, and
 nonstandard options [1-3](#)
 link to installation directory, removing [2-11](#)
 network inconsistencies

new installations [2-6](#)
upgrades [2-17,2-27](#)
uninstallation method [2-37](#)

CLI, using for backups [2-17](#)
client

 configuring [3-2](#)
 browser [3-3](#)
 display fonts [3-2](#)
 Integration Utility [3-8](#)
requirements [1-6](#)
 browser software [1-7](#)
 hardware [1-6](#)
 Java console, enabling [1-8](#)
 memory (RAM) [1-7](#)
 software [1-6](#)

D

database password rules [C-3](#)
DCR (Device and Credentials Repository),
 using [3-8](#)
Device Center, using [3-7](#)
device support information [1-9](#)
display fonts, setting [3-2](#)
documentation

audience for this [vii](#)
 specific to this product [ix](#)
 typographical conventions in [vii](#)
 drive space requirements for server [1-3](#)

F

files modified during installation [2-5](#)
 fonts for display, setting [3-2](#)

G

Guest password rules [C-3](#)

H

hardware requirements
 client [1-6](#)
 server [1-3](#)

I

installation [2-1](#)
 (see also post-installation steps) [3-1](#)
 (see also prerequisites) [1-1](#)
 (see also troubleshooting installation) [A-1](#)
 before installation [2-3](#)
 server IP address, using [2-3](#)

 system files modified during installation [2-5](#)
 TCP and UDP ports used [2-4](#)
 errors, checking for [2-11](#)
 new installations [2-5](#)
 custom [2-11](#)
 mounted directory, from [2-15](#)
 password rules for [C-1](#)
 procedure [2-6](#)
 typical [2-9](#)
 reinstallations [2-26](#)
 custom [2-32](#)
 typical [2-30](#)
 Service Packs, and [1-7](#)
 task overview [2-2](#)
 uninstallation [2-37](#)
 upgrades [2-16](#)
 backing up data [2-16](#)
 custom [2-22](#)
 procedure [2-17](#)
 typical [2-21](#)
 upgrade paths [1-2](#)
 user inputs for [D-1](#)
 custom installations [D-3](#)
 typical installations [D-1](#)
 verifying [2-36](#)
 Integration Utility, configuring [3-8](#)
 Internet Explorer, version to use [1-7](#)
 IP address of server, using [2-3](#)

J

JAVA_OPTIONS environment variable,
caution regarding nonstandard options
and [1-3](#)

Java console, enabling [1-8](#)

Java Plug-in, version to use [1-7](#)

M

memory (RAM) requirements

client [1-7](#)

server [1-3](#)

messages you may see during installation [A-4](#)

Microsoft software required [1-7](#)

mounting and unmounting a CD-ROM
drive [B-1](#)

mounting

local drive [B-1](#)

remote drive [B-3](#)

unmounting [B-5](#)

local drive [B-5](#)

remote drive [B-6](#)

Mozilla, version to use

on client [1-7](#)

on server [1-3](#)

N

natural languages supported [1-3](#)

Network Management Systems (NMS)
supported [1-9](#)

O

overviews of

CiscoWorks Common Services [1-1](#)

installation tasks [2-2](#)

P

password information [C-1](#)

Admin password rules [C-2](#)

CiscoWorks Common Services Database
password rules [C-3](#)

Guest password rules [C-3](#)

new installation rules [C-1](#)

patches required for installation [1-4](#)

post-installation steps [3-1](#)

client systems, configuring [3-2](#)

browser [3-3](#)

display fonts [3-2](#)

Integration Utility [3-8](#)

DCR (Device and Credentials Repository),
using [3-8](#)

Device Center, using [3-7](#)

server

access ports [3-7](#)

systems, configuring [3-1](#)

using CiscoView [3-8](#)

prerequisites for installation [1-1](#)

client [1-6](#)

browser software [1-7](#)

hardware [1-6](#)

Java console, enabling [1-8](#)

memory (RAM) [1-7](#)

software [1-6](#)

device support information [1-9](#)

NMS environments supported [1-9](#)

server [1-3](#)

drive space [1-3](#)

hardware [1-3](#)

memory (RAM) [1-3](#)

software, optional [1-3](#)

software, required [1-3](#)

Solaris patches [1-4](#)

upgrade paths [1-2](#)

requirements [1-3](#)

drive space [1-3](#)

hardware [1-3](#)

memory (RAM) [1-3](#)

software, optional [1-3](#)

software, required [1-3](#)

Solaris patches [1-4](#)

Service Packs, and installation [1-7](#)

software requirements

client [1-6](#)

patches [1-4](#)

server

optional [1-3](#)

required [1-3](#)

Solaris patches required for installation [1-4](#)

supported devices, information [1-9](#)

system files modified during installation [2-5](#)

R

reinstallations [2-26](#)

custom [2-32](#)

typical [2-30](#)

S

server

access ports used [3-7](#)

configuring [3-1](#)

T

TCP and UDP ports used [2-4](#)

Technical Assistance Center (TAC)

steps to take before calling [A-3](#)

troubleshooting installation [A-1](#)

installation errors, checking for [2-11](#)

messages, understanding [A-4](#)

processes, checking [A-1](#)

process status, viewing and changing [A-2](#)

typographical conventions in this document [vii](#)

U

UDP ports (see TCP and UDP ports) [2-4](#)

uninstallation [2-37](#)

upgrades [2-16](#)

 backing up data [2-16](#)

 using Common Services Admin [2-16](#)

 using the CLI [2-17](#)

 custom upgrades [2-22](#)

 procedure [2-17](#)

 typical upgrades [2-21](#)

 upgrade paths [1-2](#)

V

verifying successful installation [2-36](#)

