



## Supported Device Table for DFM 1.2 and DFM 1.2 Updated for Common Services Version 2.2

---

Revised: November 1, 2004

The following tables list the devices supported by Device Fault Manager (DFM) 1.2 and DFM 1.2 Updated for Common Services Version 2.2.



---

**Note** For a list of devices that were added between the releases of DFM 1.2 and DFM 1.2 Updated for Common Services Version 2.2, see the *Release Notes for Device Fault Manager 1.2 Updated for Common Services Version 2.2*, located on Cisco.com, by selecting **Products and Services > Network Management CiscoWorks > CiscoWorks Device Fault Manager > Technical Documentation > Release Notes**.

---

- [Table 1, Access Servers](#)
- [Table 2, Cable Products](#)
- [Table 3, Content Networking Devices](#)
- [Table 4, Hubs and Concentrators](#)
- [Table 5, Interfaces and Modules](#)
- [Table 6, Optical Platforms](#)
- [Table 7, Routers](#)
- [Table 8, Security and VPN Devices](#)
- [Table 9, Storage Networking Products](#)
- [Table 10, Switches](#)
- [Table 11, Universal Gateways](#)
- [Table 12, Voice Application Systems](#)



---

**Corporate Headquarters:**  
**Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA**

Copyright © 2004 Cisco Systems, Inc. All rights reserved.

- [Table 13, Voice Gateways](#)
- [Table 14, Wireless LAN Products](#)
- [Table 15, Third Party Servers](#)

The incremental device update (IDU) packages for all of these devices are installed when you install Device Fault Manager 1.2. New versions of incremental device update packages may be available at [www.cisco.com](http://www.cisco.com). To see a list of all packages installed on your CiscoWorks2000 server, select **Server Configuration > About the Server > Applications and Versions**.

Keep these points in mind when you view the device support table:

- For details of DFM behavior on specific devices, see Appendix D, “Device-Specific Information,” in the *User Guide for Device Fault Manager*, available from online help.
- The devices listed in Tables 1 through 15 may be categorized differently in the DFM display.
- This list contains the Cisco model names of all devices that are supported by DFM 1.2. Variants to the generic device (device model names that have unique extensions) are not supported unless they are specifically listed. For example, DFM 1.2 supports the Cisco 7500 series router model 7513, but not model 7513mx unless the latest DFM 1.2 IDU is installed. The device support tables provide SysObjectIDs to help you verify which devices are supported.
- Other devices (not listed in these tables) may appear in your DFM GUI but with incomplete information. This occurs when DFM polls its inventory and discovers the devices, but the devices do not have the “Certified” or “Validated” level of certification. (For more information on levels of certification, see the *User Guide for Device Fault Manager*, available from online help.)
- DFM does not support switch clusters. A switch cluster is a group of switches comprised of a master switch and slave switches. This relationship allows NMSs to query the master switch for information about the slave switches.



**Note**

The 7600 OSR has been removed because the oid2type.conf file contained the wrong OID for this device.



**Note**

The 7160 has been removed because it was being supported although it had not shipped.

**Table 1 Access Servers**

Series	Devices Supported	SysObjectID
Cisco AS5200 Series Universal Access Servers	AS5200	1.3.6.1.4.1.9.1.109

**Table 2 Cable Products**

Series	Devices Supported	SysObjectID
Cisco uBR7200 Series Broadband Routers	UBR7223	1.3.6.1.4.1.9.1.210
	UBR7246	1.3.6.1.4.1.9.1.179
	UBR7246VXR <sup>1</sup>	1.3.6.1.4.1.9.1.271

**Table 2 Cable Products (continued)**

Series	Devices Supported	SysObjectID
Cisco uBR7100 Series Universal Broadband Routers	uBR7111 <sup>1</sup>	1.3.6.1.4.1.9.1.344
	uBR7111E <sup>1</sup>	1.3.6.1.4.1.9.1.345
	uBR7114 <sup>1</sup>	1.3.6.1.4.1.9.1.346
	uBR7114E <sup>1</sup>	1.3.6.1.4.1.9.1.347
Cisco uBR 10012 Universal Broadband Routers	uBR10012 <sup>1</sup>	1.3.6.1.4.1.9.1.317
Cisco uBR 900 Series Cable Access Routers	uBR904	1.3.6.1.4.1.9.1.191
	uBR905 <sup>1</sup>	1.3.6.1.4.1.9.1.351
	uBR924	1.3.6.1.4.1.9.1.255

1. DFM supports these devices only if the latest DFM 1.2 IDU is installed. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

**Table 3 Content Networking Devices**

Series	Devices Supported <sup>1</sup>	SysObjectID
Cisco 500 Series Content Engines	CE-507 <sup>1</sup>	1.3.6.1.4.1.9.1.409
	CE-507AV <sup>1</sup>	1.3.6.1.4.1.9.1.432
	CE-510	1.3.6.1.4.1.9.1.505
	CE-560 <sup>1</sup>	1.3.6.1.4.1.9.1.410
	CE-560AV <sup>1</sup>	1.3.6.1.4.1.9.1.433
	CE-565	1.3.6.1.4.1.9.1.491
	CE-590 <sup>1</sup>	1.3.6.1.4.1.9.1.411
Cisco 4600 Series Content Distribution Managers	CDM-4630 <sup>1</sup>	1.3.6.1.4.1.9.1.486
	CDM-4650 <sup>1</sup>	1.3.6.1.4.1.9.1.487
Cisco 7300 Series Content Engines	CE-7305	1.3.6.1.4.1.9.1.504
	CE-7320 <sup>1</sup>	1.3.6.1.4.1.9.1.412
	CE-7325	1.3.6.1.4.1.9.1.492
Cisco CSS 11000 Series Content Services Switches	11050	1.3.6.1.4.1.2467.4.4
	11150	1.3.6.1.4.1.2467.4.3
Cisco CSS 11500 Series Content Services Switches	11501	1.3.6.1.4.1.2467.4.7
	11503	1.3.6.1.4.1.2467.4.5
	11506	1.3.6.1.4.1.2467.4.6
Cisco Global Site Selector Platforms	GSS-4490 <sup>1</sup>	1.3.6.1.4.1.9.1.517

1. DFM supports these devices only if the latest DFM 1.2 IDU is installed. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

**Table 4 Hubs and Concentrators**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco FastHub 100 Series Hubs	100	1.3.6.1.4.1.9.1.226
	116C	1.3.6.1.4.1.9.1.151
	116T	1.3.6.1.4.1.9.1.150
	216T	1.3.6.1.4.1.9.1.169
	316C	1.3.6.1.4.1.9.1.148
	316T	1.3.6.1.4.1.9.1.147
	1116	1.3.6.1.4.1.9.1.152
	3116	1.3.6.1.4.1.9.1.149
	FastHubBMMFX Bridge Management Module	1.3.6.1.4.1.9.1.178
	FastHubBMMTX Bridge Management Module	1.3.6.1.4.1.9.1.178
Cisco Workgroup Concentrators	1000	1.3.6.1.4.1.9.5.3
	1100	1.3.6.1.4.1.9.5.4
	1400	1.3.6.1.4.1.9.5.6
Cisco 1500 Series Micro Hubs	1502	1.3.6.1.4.1.9.1.161
	1503	1.3.6.1.4.1.9.1.160
	1538M	1.3.6.1.4.1.9.1.224
	1548M	1.3.6.1.4.1.9.1.225

**Table 5 Interfaces and Modules**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco IGX Universal Router Module	IGX-URM-2FE <sup>1</sup>	1.3.6.1.4.1.9.1.374
	IGX-URM-2FE-2V <sup>1</sup>	1.3.6.1.4.1.9.1.375
Cisco Systems Intelligent Gigabit Ethernet Switch Module (IGESM) for IBM eServer BladeCenter	IGESM <sup>1</sup>	1.3.6.1.4.1.9.1.592
Cisco Route Processor Module (RPM-PR) for Cisco MGX 8000 Series Multiservice Switches	RPM-PR <sup>1</sup>	1.3.6.1.4.1.9.1.457
Cisco 2600/3600/3700 Series Network Analysis Module	NAM <sup>1</sup>	1.3.6.1.4.1.9.1.562
Cisco 2600 Series Content Engine Modules	CE-2636 <sup>1</sup>	1.3.6.1.4.1.9.1.454
Cisco Serial Mobile Interface Cards (SMIC) for Cisco 3200 Series Mobile Access Routers	3201 <sup>1</sup>	1.3.6.1.4.1.9.1.581

**Table 5 Interfaces and Modules (continued)**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco Multiprocessor WAN Application Module (MWAM) for Cisco Catalyst 7600 Series Switches and Cisco 7600 Series Internet Routers	MWAM <sup>1</sup>	1.3.6.1.4.1.9.12.3.1.9.17.39
Firewall Services Module for Cisco Catalyst 6500 and Cisco 7600 Series	SVC-FWM-1 <sup>1</sup>	1.3.6.1.4.1.9.1.522
Cisco Catalyst 6500 and Cisco 7600 Series Communications Media Module (CMM)	WS-SVC-CMM <sup>1</sup>	1.3.6.1.4.1.9.1.573
Cisco Catalyst 6500 Series Network Analysis Module (NAM)	WS-SVC-NAM-1 <sup>1</sup>	1.3.6.1.4.1.9.5.1.3.1.1.2.914
	WS-SVC-NAM-2 <sup>1</sup>	1.3.6.1.4.1.9.5.1.3.1.1.2.291
Cisco Catalyst 6000 Series Network Analysis Module (NAM)	WS-X6380-NAM	1.3.6.1.4.1.9.5.1.3.1.1.2.223
Cisco Catalyst 4000/4500 Access Gateway Module with IP/FW Software	WS-X4604-GWY <sup>1</sup>	1.3.6.1.4.1.9.1.318
Cisco SSL Service Module for the Cisco Catalyst 6500 Series and Cisco 7600 Series	WS-SVC-SSL-1-K9 <sup>1</sup>	1.3.6.1.4.1.9.1.554

1. DFM supports these devices only if the latest DFM 1.2 IDU is installed. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

**Table 6 Optical Platforms**

Series	Devices Supported	SysObjectID	Device Operating System		
			CatOS	IOS	
				Full DFM Support	Partial DFM Support <sup>1</sup>
Cisco ONS 15500 Series	ONS-15501-AC <sup>2</sup>	1.3.6.1.4.1.1869.11.11.5.3	-	X	-
	ONS-15501-DC <sup>2</sup>	1.3.6.1.4.1.1869.11.11.5.2	-	X	-
	ONS-15530 ETSI <sup>2</sup>	1.3.6.1.4.1.9.1.462	-	X	-
	ONS-15530 <sup>2</sup>	1.3.6.1.4.1.9.1.460	-	X	-
	ONS-15530 NEBS	1.3.6.1.4.1.9.1.461	-	X	-
	ONS-15540 ESP	1.3.6.1.4.1.9.1.406	-	X	-
	ONS-15540ESP <sup>x2</sup>	1.3.6.1.4.1.9.1.481	-	X	-

1. "Partial DFM support" indicates DFM will manage the device but may not report all device attributes because (1) the device operating system does not support one or more of the MIBs polled by DFM, and/or (2) the device MIB contains information that is not correctly populated.
2. DFM supports these devices only if the latest DFM 1.2 IDU is installed. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

**Table 7 Routers**

Series	Devices Supported	SysObjectID
Cisco 12000 Series Internet Routers	12004	1.3.6.1.4.1.9.1.181
	12008	1.3.6.1.4.1.9.1.182
	12012	1.3.6.1.4.1.9.1.173
	12016	1.3.6.1.4.1.9.1.273
	12404 GSR <sup>1</sup>	1.3.6.1.4.1.9.1.423
	12406 GSR <sup>1</sup>	1.3.6.1.4.1.9.1.388
	12410 GSR <sup>1</sup>	1.3.6.1.4.1.9.1.394
	12416 GSR <sup>1</sup>	1.3.6.1.4.1.9.1.385
Cisco 10700 Series Routers	10720 <sup>1</sup>	1.3.6.1.4.1.9.1.397
Cisco 10000 Series Internet Routers	10005 ESR <sup>1</sup>	1.3.6.1.4.1.9.1.437
	10008 ESR <sup>1</sup>	1.3.6.1.4.1.9.1.438

**Table 7 Routers (continued)**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco 7600 Series Routers	7603 <sup>1</sup>	1.3.6.1.4.1.9.1.401 (IOS)
		1.3.6.1.4.1.9.5.53 (CatOS)
	7606 <sup>1</sup>	1.3.6.1.4.1.9.1.402 (IOS)
		1.3.6.1.4.1.9.5.54 (CatOS)
	7609 <sup>1</sup>	1.3.6.1.4.1.9.1.509 (IOS)
		1.3.6.1.4.1.9.5.55 (CatOS)
7613 <sup>1</sup>	1.3.6.1.4.1.9.1.528 (IOS)	
	1.3.6.1.4.1.9.5.60 (CatOS)	
Cisco 7500 Series Routers	7505	1.3.6.1.4.1.9.1.48
	7507	1.3.6.1.4.1.9.1.45
	7507mx <sup>1</sup>	1.3.6.1.4.1.9.1.290
	7507z <sup>1</sup>	1.3.6.1.4.1.9.1.288
	7513	1.3.6.1.4.1.9.1.46
	7513mx <sup>1</sup>	1.3.6.1.4.1.9.1.291
	7513z <sup>1</sup>	1.3.6.1.4.1.9.1.289
	7576	1.3.6.1.4.1.9.1.204
Cisco 7400 Series Routers	7401 <sup>1</sup>	1.3.6.1.4.1.9.1.403
Cisco 7300 Series Routers	7301 <sup>1</sup>	1.3.6.1.4.1.9.1.476
	7304 <sup>1</sup>	1.3.6.1.4.1.9.1.439
Cisco 7200 Series Routers	7202	1.3.6.1.4.1.9.1.194
	7204	1.3.6.1.4.1.9.1.125
	7204VXR	1.3.6.1.4.1.9.1.223
	7206	1.3.6.1.4.1.9.1.108
	7206VXR	1.3.6.1.4.1.9.1.222
Cisco 7000 Series Routers	7000	1.3.6.1.4.1.9.1.8
	7010	1.3.6.1.4.1.9.1.12
Cisco 6400 Series Broadband Aggregators	6400NRP	1.3.6.1.4.1.9.1.211
Cisco 4000M Series Routers	4000	1.3.6.1.4.1.9.1.7
	4500	1.3.6.1.4.1.9.1.14
	Pro4500	1.3.6.1.4.1.9.1.66
	4700	1.3.6.1.4.1.9.1.50
	Pro4700	1.3.6.1.4.1.9.1.142
Cisco MC3810 Multiservice Access Concentrators	MC3810	1.3.6.1.4.1.9.1.157
	MC3810-V3	1.3.6.1.4.1.9.1.286

**Table 7 Routers (continued)**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco 3800 Series Routers	3825 <sup>1</sup>	1.3.6.1.4.1.9.1.543
	3845 <sup>1</sup>	1.3.6.1.4.1.9.1.544
Cisco 3700 Series Multiservice Access Routers	3725 <sup>1</sup>	1.3.6.1.4.1.9.1.414
	3745 <sup>1</sup>	1.3.6.1.4.1.9.1.436
Cisco 3600 Series Multiservice Platforms	3620	1.3.6.1.4.1.9.1.122
	3631 <sup>1</sup>	1.3.6.1.4.1.9.1.425
	3640	1.3.6.1.4.1.9.1.110
	SC3640	1.3.6.1.4.1.9.1.189
	3660	1.3.6.1.4.1.9.1.205
	3661Ac	1.3.6.1.4.1.9.1.338
	3661Dc	1.3.6.1.4.1.9.1.339
	3662Ac <sup>1</sup>	1.3.6.1.4.1.9.1.340
	3662Dc <sup>1</sup>	1.3.6.1.4.1.9.1.341
	3662AcCo <sup>1</sup>	1.3.6.1.4.1.9.1.342
	3662DcCo <sup>1</sup>	1.3.6.1.4.1.9.1.343
Cisco 3200 Series Mobile Access Routers	3251 <sup>1</sup>	1.3.6.1.4.1.9.1.479
	3220 <sup>1</sup>	1.3.6.1.4.1.9.1.553
Cisco 3000 Series Routers	3000	1.3.6.1.4.1.9.1.6
	3101	1.3.6.1.4.1.9.1.32
	3102	1.3.6.1.4.1.9.1.33
	3103	1.3.6.1.4.1.9.1.34
	3104	1.3.6.1.4.1.9.1.35
	3202	1.3.6.1.4.1.9.1.36
	3204	1.3.6.1.4.1.9.1.37
Cisco 2800 Series Integrated Services Routers	2801 <sup>1</sup>	1.3.6.1.4.1.9.1.619
	2811 <sup>1</sup>	1.3.6.1.4.1.9.1.576
	2821 <sup>1</sup>	1.3.6.1.4.1.9.1.577
	2851 <sup>1</sup>	1.3.6.1.4.1.9.1.578

**Table 7 Routers (continued)**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco 2600 Series Multiservice Platforms	2610	1.3.6.1.4.1.9.1.185
	2610XM <sup>1</sup> 2610XM-DC <sup>1</sup> 2610XM-RP5 <sup>1</sup>	1.3.6.1.4.1.9.1.466
	2611 <sup>1</sup>	1.3.6.1.4.1.9.1.186
	2611XM <sup>1</sup> 2611XM-DC <sup>1</sup> 2611XM-RP5 <sup>1</sup>	1.3.6.1.4.1.9.1.467
	2612	1.3.6.1.4.1.9.1.187
	2613	1.3.6.1.4.1.9.1.195
	2620	1.3.6.1.4.1.9.1.208
	2620XM <sup>1</sup> 2620XM-DC <sup>1</sup> 2620XM-RP5 <sup>1</sup>	1.3.6.1.4.1.9.1.468
	2621	1.3.6.1.4.1.9.1.209
	2621XM <sup>1</sup> 2621XM-DC <sup>1</sup> 2621XM-RP5 <sup>1</sup>	1.3.6.1.4.1.9.1.469
	2650 <sup>1</sup>	1.3.6.1.4.1.9.1.319
	2650XM <sup>1</sup> 2650XM-DC <sup>1</sup> 2650XM-RP5 <sup>1</sup>	1.3.6.1.4.1.9.1.470
	2651 <sup>1</sup>	1.3.6.1.4.1.9.1.320
	2651XM <sup>1</sup> 2651XM-DC <sup>1</sup> 2651XM-RP5 <sup>1</sup>	1.3.6.1.4.1.9.1.471
	2691 <sup>1</sup>	1.3.6.1.4.1.9.1.413

**Table 7 Routers (continued)**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco 2500 Series Routers	2500	1.3.6.1.4.1.9.1.13
	Pro2500PCE	1.3.6.1.4.1.9.1.55
	2501	1.3.6.1.4.1.9.1.17
	2501 FRADFX	1.3.6.1.4.1.9.1.165
	2501 LANFRADFX	1.3.6.1.4.1.9.1.166
	Pro2501	1.3.6.1.4.1.9.1.56
	2502	1.3.6.1.4.1.9.1.18
	2502 LANFRADFX	1.3.6.1.4.1.9.1.167
	Pro2502	1.3.6.1.4.1.9.1.130
	2503	1.3.6.1.4.1.9.1.19
	Pro2503	1.3.6.1.4.1.9.1.57
	2504	1.3.6.1.4.1.9.1.20
	Pro2504	1.3.6.1.4.1.9.1.131
	2505	1.3.6.1.4.1.9.1.21
	Pro2505	1.3.6.1.4.1.9.1.58
	2506	1.3.6.1.4.1.9.1.22
	Pro2506	1.3.6.1.4.1.9.1.132
	2507	1.3.6.1.4.1.9.1.23
	Pro2507	1.3.6.1.4.1.9.1.59
	2508	1.3.6.1.4.1.9.1.24
	Pro2508	1.3.6.1.4.1.9.1.133
	2509	1.3.6.1.4.1.9.1.25
	Pro2509	1.3.6.1.4.1.9.1.60
	2509RJ	1.3.6.1.4.1.9.1.153
	2510	1.3.6.1.4.1.9.1.26
	Pro2510	1.3.6.1.4.1.9.1.134
	2511	1.3.6.1.4.1.9.1.27
	2511RJ	1.3.6.1.4.1.9.1.154
	Pro2511	1.3.6.1.4.1.9.1.61
	2512	1.3.6.1.4.1.9.1.28
	Pro2512	1.3.6.1.4.1.9.1.135
2513	1.3.6.1.4.1.9.1.29	
Pro2513	1.3.6.1.4.1.9.1.136	
2514	1.3.6.1.4.1.9.1.30	
Pro2514	1.3.6.1.4.1.9.1.62	
2515	1.3.6.1.4.1.9.1.31	

**Table 7 Routers (continued)**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco 2500 Series Routers (continued)	Pro2515	1.3.6.1.4.1.9.1.137
	2516	1.3.6.1.4.1.9.1.42
	Pro2516	1.3.6.1.4.1.9.1.63
	2517	1.3.6.1.4.1.9.1.67
	Pro2517	1.3.6.1.4.1.9.1.138
	2518	1.3.6.1.4.1.9.1.68
	Pro2518	1.3.6.1.4.1.9.1.139
	2519	1.3.6.1.4.1.9.1.69
	Pro2519	1.3.6.1.4.1.9.1.64
	2520	1.3.6.1.4.1.9.1.70
	2521	1.3.6.1.4.1.9.1.71
	2522	1.3.6.1.4.1.9.1.72
	2523	1.3.6.1.4.1.9.1.73
	Pro2523	1.3.6.1.4.1.9.1.140
	2524	1.3.6.1.4.1.9.1.74
	2525	1.3.6.1.4.1.9.1.75
Pro2525	1.3.6.1.4.1.9.1.141	
Cisco 2000 Series Routers	2000	1.3.6.1.4.1.9.1.10
	2102	1.3.6.1.4.1.9.1.15
	2202	1.3.6.1.4.1.9.1.16
Cisco MWR 1900 Mobile Access Routers	MWR 1900 <sup>1</sup>	1.3.6.1.4.1.9.1.398
	MWR 1941-DC <sup>1</sup>	1.3.6.1.4.1.9.1.520
Cisco 1800 Series Integrated Services Routers	1841 <sup>1</sup>	1.3.6.1.4.1.9.1.620
Cisco 1700 Series Access Routers	1701 <sup>1</sup>	1.3.6.1.4.1.9.1.550
	1710-VPN-M/K9 <sup>1</sup>	1.3.6.1.4.1.9.1.200
	1711 <sup>1</sup>	1.3.6.1.4.1.9.1.538
	1712 <sup>1</sup>	1.3.6.1.4.1.9.1.539
	1720VPN	1.3.6.1.4.1.9.1.201
	1721 <sup>1</sup>	1.3.6.1.4.1.9.1.444
	1750	1.3.6.1.4.1.9.1.216
	1751 <sup>1</sup> , 1751(V) <sup>1</sup>	1.3.6.1.4.1.9.1.326
1760(V) <sup>1</sup>	1.3.6.1.4.1.9.1.416	

**Table 7 Routers (continued)**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco 1600 Series Routers	1600	1.3.6.1.4.1.9.5.8
	1601	1.3.6.1.4.1.9.1.113
	Pro1601	1.3.6.1.4.1.9.1.117
	1602	1.3.6.1.4.1.9.1.114
	Pro1602	1.3.6.1.4.1.9.1.118
	1603	1.3.6.1.4.1.9.1.115
	Pro1603	1.3.6.1.4.1.9.1.119
	1604	1.3.6.1.4.1.9.1.116
	Pro1604	1.3.6.1.4.1.9.1.120
	1605	1.3.6.1.4.1.9.1.172
Cisco 1400 Series Routers	1401	1.3.6.1.4.1.9.1.206
	1417	1.3.6.1.4.1.9.1.250
Cisco 1000 Series Routers	1000	1.3.6.1.4.1.9.1.40
	1003	1.3.6.1.4.1.9.1.41
	Pro1003	1.3.6.1.4.1.9.1.51
	1004	1.3.6.1.4.1.9.1.44
	Pro1004	1.3.6.1.4.1.9.1.52
	1005	1.3.6.1.4.1.9.1.49
	Pro1005	1.3.6.1.4.1.9.1.53
	1020	1.3.6.1.4.1.9.1.43
Cisco 800 Series Routers	801	1.3.6.1.4.1.9.1.212
	802	1.3.6.1.4.1.9.1.213
	803	1.3.6.1.4.1.9.1.214
	804	1.3.6.1.4.1.9.1.215
	805	1.3.6.1.4.1.9.1.245
	806 <sup>1</sup>	1.3.6.1.4.1.9.1.384
	811 <sup>1</sup>	1.3.6.1.4.1.9.1.395
	813 <sup>1</sup>	1.3.6.1.4.1.9.1.396
	826 <sup>1</sup>	1.3.6.1.4.1.9.1.322
	827 <sup>1</sup>	1.3.6.1.4.1.9.1.284
	827H <sup>1</sup>	1.3.6.1.4.1.9.1.446
	827QuadV <sup>1</sup>	1.3.6.1.4.1.9.1.270
	828 <sup>1</sup>	1.3.6.1.4.1.9.1.382
	831 <sup>1</sup>	1.3.6.1.4.1.9.1.497
	836 <sup>1</sup>	1.3.6.1.4.1.9.1.499
	837 <sup>1</sup>	1.3.6.1.4.1.9.1.495

**Table 7 Routers (continued)**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco 700 Series ISDN Access Routers	751	1.3.6.1.4.1.9.1.81
	Pro751	1.3.6.1.4.1.9.1.76
	752	1.3.6.1.4.1.9.1.82
	Pro752	1.3.6.1.4.1.9.1.77
	753	1.3.6.1.4.1.9.1.82
	Pro753	1.3.6.1.4.1.9.1.78
	761	1.3.6.1.4.1.9.1.98
	762	1.3.6.1.4.1.9.1.99
	765	1.3.6.1.4.1.9.1.102
	Pro765	1.3.6.1.4.1.9.1.92
	766	1.3.6.1.4.1.9.1.103
	Pro766	1.3.6.1.4.1.9.1.93
	771	1.3.6.1.4.1.9.1.126
	772	1.3.6.1.4.1.9.1.127
	775	1.3.6.1.4.1.9.1.128
776	1.3.6.1.4.1.9.1.129	
Cisco 500 Series LRE CPE Devices	CS500	1.3.6.1.4.1.9.1.9
Cisco SOHO 90 Series Secure Broadband Routers	SOHO 91 <sup>1</sup>	1.3.6.1.4.1.9.1.498
	SOHO 96 <sup>1</sup>	1.3.6.1.4.1.9.1.500
	SOHO 97 <sup>1</sup>	1.3.6.1.4.1.9.1.496
Cisco SOHO 70 Series	SOHO 76 <sup>1</sup>	1.3.6.1.4.1.9.1.354
	SOHO 77 <sup>1</sup>	1.3.6.1.4.1.9.1.353
	SOHO 78 <sup>1</sup>	1.3.6.1.4.1.9.1.383
Cisco IGS Router Series	IGS/L, IGS/R	1.3.6.1.4.1.9.1.5

1. DFM supports these devices only if the latest DFM 1.2 IDU is installed. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

**Table 8 Security and VPN Devices**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco PIX Firewall	PixFirewall	1.3.6.1.4.1.9.1.227
	1220i	1.3.6.1.4.1.9.5.30
Cisco PIX 500 Series Firewalls	501 <sup>1</sup>	1.3.6.1.4.1.9.1.417
	506 <sup>1</sup>	1.3.6.1.4.1.9.1.389
	506E <sup>1</sup>	1.3.6.1.4.1.9.1.450
	515 <sup>1</sup>	1.3.6.1.4.1.9.1.390
	515E <sup>1</sup>	1.3.6.1.4.1.9.1.451
	520 <sup>1</sup>	1.3.6.1.4.1.9.1.391
	525 <sup>1</sup>	1.3.6.1.4.1.9.1.392
	535 <sup>1</sup>	1.3.6.1.4.1.9.1.393
Cisco VPN 3000 Series Concentrators	VPN 3000 <sup>1</sup>	1.3.6.1.4.1.3076.1.2.1.1.1.2
	VPN 3002 <sup>1</sup>	1.3.6.1.4.1.3076.1.2.1.1.3.1
Cisco 7100 Series VPN Routers	7120-4T1	1.3.6.1.4.1.9.1.259
	7120-T3	1.3.6.1.4.1.9.1.260
	7120-E3	1.3.6.1.4.1.9.1.261
	7120-AT3	1.3.6.1.4.1.9.1.262
	7120-AE3	1.3.6.1.4.1.9.1.263
	7120-SMI3	1.3.6.1.4.1.9.1.264
	7120-4T1	1.3.6.1.4.1.9.1.259
	7140-2T3	1.3.6.1.4.1.9.1.265
	7140-2E3	1.3.6.1.4.1.9.1.266
	7140-2AT3	1.3.6.1.4.1.9.1.267
	7140-2AE3	1.3.6.1.4.1.9.1.268
	7140-2FE <sup>1</sup>	1.3.6.1.4.1.9.1.277
	7140-2MM3	1.3.6.1.4.1.9.1.269

1. DFM supports these devices only if the latest DFM 1.2 IDU is installed. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

**Table 9 Storage Networking Products**

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
Cisco MDS 9000 Series Multilayer Switches	MDS-9216 <sup>1</sup>	1.3.6.1.4.1.9.12.3.1.3.380
	MDS-9506 <sup>1</sup>	1.3.6.1.4.1.9.12.3.1.3.375
	MDS-9509 <sup>1</sup>	1.3.6.1.4.1.9.12.3.1.3.376
	MDS-9120 <sup>1</sup>	1.3.6.1.4.1.9.12.3.1.3.414
	MDS-9140 <sup>1</sup>	1.3.6.1.4.1.9.12.3.1.3.411

**Table 9 Storage Networking Products (continued)**

Series	Devices Supported	SysObjectID
Cisco SN 5400 Series Storage Routers	SN-5428 <sup>1</sup>	1.3.6.1.4.1.9.1.475
	SN-5420 <sup>1</sup>	1.3.6.1.4.1.9.1.407

1. DFM supports these devices only if the latest DFM 1.2 IDU is installed. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

**Table 10 Switches**

Series	Devices Supported	SysObjectID	Device Operating System		
			CatOS	IOS	
				Full DFM Support	Partial DFM Support <sup>1</sup>
Cisco MGX 8800 Series Switches	MGX 8830	1.3.6.1.4.1.9.1.229	-	-	X
	MGX 8850	1.3.6.1.4.1.9.1.228	-	-	X
	MGX 8860	1.3.6.1.4.1.9.1.239	-	-	X
Cisco BPX 8600 Series Switches	BPX 8620	1.3.6.1.4.1.9.1.237	-	-	X
	BPX 8650	1.3.6.1.4.1.9.1.238	-	-	X
Cisco Catalyst 8500 Series Multiservice Switch Routers (MSR)	8510MSR	1.3.6.1.4.1.9.1.230	-	-	X
	8510	1.3.6.1.4.1.9.1.190	-	-	X
	8515MSR	1.3.6.1.4.1.9.1.231	-	-	X
	8515	1.3.6.1.4.1.9.1.196	-	-	X
	8540MSR	1.3.6.1.4.1.9.1.202	-	-	X
	8540	1.3.6.1.4.1.9.1.203	-	-	X
Cisco Lightstream ATM Switches	LS1010	1.3.6.1.4.1.9.1.107	-	X	-
	LS1010 Chassis	1.3.6.1.4.1.9.5.11	-	X	-
	LS1015	1.3.6.1.4.1.9.1.164	-	X	-
Cisco Catalyst 6500 Series Switches	6503 <sup>2</sup>	1.3.6.1.4.1.9.5.56	X	-	-
		1.3.6.1.4.1.9.1.449	-	X	-
	6506	1.3.6.1.4.1.9.5.45	X	-	-
		1.36.1.4.1.9.1.282.	-	X <sup>2</sup>	-
	6509	1.3.6.1.4.1.9.5.44	X	-	-
		1.3.6.1.4.1.9.1.283	-	X <sup>2</sup>	-
	6513	1.3.6.1.4.1.9.5.50	X	-	-
		1.3.6.1.4.1.9.1.400	-	X <sup>2</sup>	-
	6509-NEB	1.3.6.1.4.1.9.5.47	X	-	-
		1.3.6.1.4.1.9.1.310	-	X <sup>2</sup>	-
6509-NEBA	1.3.6.1.4.1.9.1.534	-	X <sup>2</sup>	-	

**Table 10 Switches (continued)**

Series	Devices Supported	SysObjectID	Device Operating System		
			CatOS	IOS	
				Full DFM Support	Partial DFM Support <sup>1</sup>
Cisco Catalyst 6000 Series Switches Multilayer Switch Module (MSM)	WS-X6302MSM	1.3.6.1.4.1.9.1.256	-	X	-
Cisco Catalyst 6000 Series Switches Module Switch Feature Card (MSFC)	WS-F6KMSFC	1.3.6.1.4.1.9.1.258	-	X	-
	WS-F6K-MSFC2	1.3.6.1.4.1.9.1.301	-	X	-
	WS-F6K-MSFC3	1.3.6.1.4.1.9.1.557	-	X <sup>2</sup>	-
Cisco Catalyst 6000 Series Switches	6000	1.3.6.1.4.1.9.1.241	-	X	-
	WS-C6006	1.3.6.1.4.1.9.5.38	X	-	-
		1.3.6.1.4.1.9.1.280	-	X <sup>2</sup>	-
	WS-C6009	1.3.6.1.4.1.9.5.39	X	-	-
		1.3.6.1.4.1.9.1.281	-	X <sup>2</sup>	-
	6200	1.3.6.1.4.1.9.1.192	-	X	-
6400NSP	1.3.6.1.4.1.9.1.180	-	X	-	
Cisco Catalyst 6000 Series IP DSL Switches	6015 <sup>2</sup>	1.3.6.1.4.1.9.1.299	-	X	-
	6160 <sup>2</sup>	1.3.6.1.4.1.9.1.297	-	X	-
	6260 <sup>2</sup>	1.3.6.1.4.1.9.1.253	-	X	-
Cisco Catalyst 5500 Series Switches	5500	1.3.6.1.4.1.9.5.17	X	-	-
	5505	1.3.6.1.4.1.9.5.34	X	-	-
	5509	1.3.6.1.4.1.9.5.36	X	-	-
Cisco Catalyst 5000 Series Switches	5000	1.3.6.1.4.1.9.5.7	X	-	-
	5002	1.3.6.1.4.1.9.5.29	X	-	-
Cisco Catalyst 5000 Series Switches Router Switch Module (RSM)	WS-X5302	1.3.6.1.4.1.9.1.168	-	X	-
Cisco Catalyst 5000 Series Switches Router Switch Feature Card (RSFC)	WS-F5541 (5kRsf)	1.3.6.1.4.1.9.1.257	-	X	-
Cisco Catalyst G-L3 Series Switches	4908G-L3 <sup>2</sup>	1.3.6.1.4.1.9.1.298	-	X	-
	4840G-L3	1.3.6.1.4.1.9.1.312	-	X	-
Cisco Catalyst 4500 Series Switches	4503 <sup>2,3</sup>	1.3.6.1.4.1.9.1.503	-	X	-
		1.3.6.1.4.1.9.5.58	X <sup>2</sup>		
	4506 <sup>2,3</sup>	1.3.6.1.4.1.9.1.502	-	X	-
		1.3.6.1.4.1.9.5.59	X <sup>2</sup>		
	4507 <sup>2,4</sup>	1.3.6.1.4.1.9.1.501	-	X	-
	4510 <sup>2</sup>	1.3.6.1.4.1.9.1.537	-	X	-
Cisco Catalyst 4200 Series Switches	4224	1.3.6.1.4.1.9.1.399	-	X	-

**Table 10 Switches (continued)**

Series	Devices Supported	SysObjectID	Device Operating System		
			CatOS	IOS	
				Full DFM Support	Partial DFM Support <sup>1</sup>
Cisco Catalyst 4000 Series Switches	4003	1.3.6.1.4.1.9.5.40	X	-	-
	4006 <sup>5</sup>	1.3.6.1.4.1.9.5.46	X	-	-
		1.3.6.1.4.1.9.1.448	-	X <sup>2</sup>	-
	4232L3	1.3.6.1.4.1.9.1.300	-	X	-
	4912G	1.3.6.1.4.1.9.5.41	X	-	-
	4948	1.3.6.1.4.1.9.1.626	-	X <sup>2</sup>	-
Cisco Catalyst 3900 Series Switches	3900	1.3.6.1.4.1.9.5.33	X	-	-
	3920	1.3.6.1.4.1.9.5.37	X	-	-
Cisco Catalyst 3750 Series Switches	3750-stack <sup>2</sup>	1.3.6.1.4.1.9.1.516	-	X	-
	ME-C3750-24TE-MD <sup>2</sup>	1.3.6.1.4.1.9.1.574	-	X	-
Cisco Catalyst 3560 Series Switches	3560-24PS <sup>2</sup>	1.3.6.1.4.1.9.1.563	-	X	-
	3560-48PS <sup>2</sup>	1.3.6.1.4.1.9.1.564	-	X	-
	3560G-24PS <sup>2</sup>	1.3.6.1.4.1.9.1.614	-	X	-
	3560G-24TS <sup>2</sup>	1.3.6.1.4.1.9.1.615	-	X	-
	3560G-48PS <sup>2</sup>	1.3.6.1.4.1.9.1.616	-	X	-
	3560G-48TS <sup>2</sup>	1.3.6.1.4.1.9.1.617	-	X	-
Cisco Catalyst 3550 Series Switches	3550-24 <sup>2</sup>	1.3.6.1.4.1.9.1.366	-	X	-
	3550-48 <sup>2</sup>	1.3.6.1.4.1.9.1.367	-	X	-
	3550-12T <sup>2</sup>	1.3.6.1.4.1.9.1.368	-	X	-
	3550-12G <sup>2</sup>	1.3.6.1.4.1.9.1.431	-	X	-
	3550-24Dc <sup>2</sup>	1.3.6.1.4.1.9.1.452	-	X	-
	3550-24Mmf <sup>2</sup>	1.3.6.1.4.1.9.1.453	-	X	-
	3550-24-PWR <sup>2</sup> (-SMI or -EMI)	1.3.6.1.4.1.9.1.485	-	X	-
Cisco Catalyst 3500 Series XL Switches	3524-PWR-XL	1.3.6.1.4.1.9.1.287	-	-	X
	3512XL	1.3.6.1.4.1.9.1.247	-	-	X
	3524XL	1.3.6.1.4.1.9.1.248	-	-	X
	3508G-XL	1.3.6.1.4.1.9.1.246	-	-	X
	3548XL	1.3.6.1.4.1.9.1.278	-	-	X

**Table 10 Switches (continued)**

Series	Devices Supported	SysObjectID	Device Operating System		
			CatOS	IOS	
				Full DFM Support	Partial DFM Support <sup>1</sup>
Cisco Catalyst 3000 Series Switches	3000	1.3.6.1.4.1.9.5.10	X	-	-
	3001	1.3.6.1.4.1.9.5.26	X	-	-
	3100	1.3.6.1.4.1.9.5.23	X	-	-
	3200	1.3.6.1.4.1.9.5.15	X	-	-
Cisco Catalyst 2970 Series Switches	2970-24 <sup>2</sup>	1.3.6.1.4.1.9.1.527	-	X	-
	2970-G-24TS-E <sup>2</sup>	1.3.6.1.4.1.9.1.561	-	X	-
Cisco Catalyst 2950 LRE Series Switches	2950ST-8-LRE <sup>2</sup>	1.3.6.1.4.1.9.1.483	-	X	-
	2950-ST-24-LRE <sup>2</sup>	1.3.6.1.4.1.9.1.482	-	X	-
Cisco Catalyst 2950 Series Switches	2950-12 <sup>2</sup>	1.3.6.1.4.1.9.1.323	-	X	-
	2950-24 <sup>2</sup>	1.3.6.1.4.1.9.1.324	-	X	-
	2950C-24 <sup>2</sup>	1.3.6.1.4.1.9.1.325	-	X	-
	2950G-12 <sup>2</sup>	1.3.6.1.4.1.9.1.427	-	X	-
	2950G-24 <sup>2</sup>	1.3.6.1.4.1.9.1.428	-	X	-
	2950G-48 <sup>2</sup>	1.3.6.1.4.1.9.1.429	-	X	-
	2950G-24-DC <sup>2</sup>	1.3.6.1.4.1.9.1.472	-	X	-
	2950SX-24 <sup>2</sup>	1.3.6.1.4.1.9.1.480	-	X	-
	2950SX-48 <sup>2</sup>	1.3.6.1.4.1.9.1.560	-	X	-
	2950T-24 <sup>2</sup>	1.3.6.1.4.1.9.1.359	-	X	-
	2950T-48 <sup>2</sup>	1.3.6.1.4.1.9.1.559	-	X	-
	2955C-12 <sup>2</sup>	1.3.6.1.4.1.9.1.489	-	X	-
	2955S-12 <sup>2</sup>	1.3.6.1.4.1.9.1.508	-	X	-
	2955T-12 <sup>2</sup>	1.3.6.1.4.1.9.1.488	-	X	-
Cisco Catalyst 2940 Series Switches	2940-8TF <sup>2</sup>	1.3.6.1.4.1.9.1.542	-	X	-
	2940-8TT <sup>2</sup>	1.3.6.1.4.1.9.1.540	-	X	-
Cisco Catalyst 2900 Series Switches	2900	1.3.6.1.4.1.9.5.12	X	-	-
	2926	1.3.6.1.4.1.9.5.35	X	-	-
	2948G	1.3.6.1.4.1.9.5.42	X	-	-
	2980G	1.3.6.1.4.1.9.5.49	X	-	-
	2980G-A	1.3.6.1.4.1.9.5.51	X	-	-
	2948G-GE-TX <sup>2</sup>	1.3.6.1.4.1.9.5.62	X	-	-
	2948G-L3 <sup>2</sup>	1.3.6.1.4.1.9.1.275	-	X	-

**Table 10 Switches (continued)**

Series	Devices Supported	SysObjectID	Device Operating System		
			CatOS	IOS	
				Full DFM Support	Partial DFM Support <sup>1</sup>
Cisco Catalyst 2900 Series LRE XL Switches	2912LRE-XL <sup>2</sup>	1.3.6.1.4.1.9.1.370	-	X	-
	2924LRE-XL <sup>2</sup>	1.3.6.1.4.1.9.1.369	-	X	-
Cisco Catalyst 2900 Series XL Switches	2908XL	1.3.6.1.4.1.9.1.170	-	-	X
	2912XL	1.3.6.1.4.1.9.1.219	-	-	X
	2912MF-XL	1.3.6.1.4.1.9.1.221	-	-	X
	2916M-XL	1.3.6.1.4.1.9.1.171	-	-	X
	2924XL	1.3.6.1.4.1.9.1.183	-	-	X
	2924XL-V	1.3.6.1.4.1.9.1.217	-	-	X
	2924C-XL	1.3.6.1.4.1.9.1.184	-	-	X
	2924C-XL-V	1.3.6.1.4.1.9.1.218	-	-	X
	2924M-XL	1.3.6.1.4.1.9.1.220	-	-	X
Cisco Catalyst 2800 Series Switches	2828	1.3.6.1.4.1.9.5.20	X	-	-
Cisco Catalyst 1900 Series Switches (running Switch Firmware)	wsc1900LiteFx	1.3.6.1.4.1.9.5.175	-	-	-
	cpw1900	1.3.6.1.4.1.9.5.16	-	-	-
	1900c	1.3.6.1.4.1.9.5.28	-	-	-
	1900i	1.3.6.1.4.1.9.5.31	-	-	-
	1912C	1.3.6.1.4.1.9.1.175	-	-	-
	1924	1.3.6.1.4.1.9.5.18	-	-	-
Cisco Catalyst 1600 Series Switches	cpw1600	1.3.6.1.4.1.9.5.9	-	-	-
Cisco 1420 EtherSwitch	cpw1420	1.3.6.1.4.1.9.5.21	X	-	-
Cisco 1220 EtherSwitch Series	EtherSwitch 1200	1.3.6.1.4.1.9.5.5	X	-	-
	EtherSwitch 1220	1.3.6.1.4.1.9.5.19	X	-	-
	EtherSwitch 1220C	1.3.6.1.4.1.9.5.27	X	-	-
Cisco IGX 8400 Series Switches	IGX 8410	1.3.6.1.4.1.9.1.232	-	-	X
	IGX 8420	1.3.6.1.4.1.9.1.233	-	-	X

1. "Partial DFM support" indicates DFM will manage the device but may not report all device attributes because (1) the device operating system does not support one or more of the MIBs polled by DFM, and/or (2) the device MIB contains information that is not correctly populated.
2. DFM supports these devices only if the latest DFM 1.2 IDU is installed. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)
3. On the Catalyst 4503 and 4506, DFM supports the Supervisor Engine I and II running the CatOS operating system, and the Supervisor Engine III and IV running the IOS operating system.
4. On the Catalyst 4507, DFM supports the Supervisor Engine IV running the IOS operating system.
5. On the Catalyst 4006, DFM supports the Supervisor Engine III and IV running the IOS operating system.

**Table 11 Universal Gateways**

Series	Devices Supported	SysObjectID
Cisco AS5300 Series Universal Gateways	AS5300 Access Server	1.3.6.1.4.1.9.1.162
	AS5350 Universal Gateway	1.3.6.1.4.1.9.1.313
Cisco AS5400 Series Universal Gateways	AS5400	1.3.6.1.4.1.9.1.274
Cisco AS5800 Series Universal Gateways	AS5800 Access Server	1.3.6.1.4.1.9.1.188
	AS5850 Universal Gateway	1.3.6.1.4.1.9.1.308

**Table 12 Voice Application Systems**

Series	Devices Supported	SysObjectID
Cisco 7800 Series Media Convergence Servers <sup>1</sup> <b>Note</b> These media servers are only supported when running Cisco CallManager, Customer Response Application, Personal Assistant, Cisco Emergency Responder, or Cisco Conference Connection.	MCS 7820, MCS 7822, MCS 7825, MCS 7830, MCS 7835; IBM Media Server x330, x340, x342	1.3.6.1.4.1.311.1.1.3.1.2
Cisco ICS 7700 Series Integrated Communications Systems	7750-MRP200	1.3.6.1.4.1.9.1.302
	7750-MRP300 <sup>2</sup>	1.3.6.1.4.1.9.1.456
	7750-SSP80 System Switch Processor	1.3.6.1.4.1.9.1.303
	7750-SPE	1.3.6.1.4.1.9.1.314
Unity Servers <sup>2</sup>	Windows Servers	1.3.6.1.4.1.311.1.1.3.1.2
	Domain Controllers	1.3.6.1.4.1.311.1.1.3.1.3

- DFM will also classify Windows servers and domain controllers as Media Servers. Refer to Footnote 2.
- DFM supports these applications only if the latest DFM 1.2 IDU is installed. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.) Windows Servers and Domain Controllers are classified as Media Servers if (1) CDP is enabled on them, OR (2) the HOST-RESOURCES-MIB attribute hrSWInstalledName is populated with the string *Unity*. (The latter indicates that it is a Unity Server, which DFM displays as a Media Server in the Host class.)

**Table 13 Voice Gateways**

Series	Devices Supported	SysObjectID
Cisco DPA 7600 Series Gateways	DPA 7610	1.3.6.1.4.1.9.1.381
	DPA 7630	1.3.6.1.4.1.9.1.365
Cisco IAD 2400 Series Integrated Access Devices <sup>1</sup>	IAD 2420 <sup>2</sup>	1.3.6.1.4.1.9.1.362
	IAD2431-T1/E1 <sup>2</sup>	1.3.6.1.4.1.9.1.548
	IAD2430-24FXS <sup>2</sup>	1.3.6.1.4.1.9.1.545
	IAD2431-8FXS <sup>2</sup>	1.3.6.1.4.1.9.1.546
	IAD2431-16FXS <sup>2</sup>	1.3.6.1.4.1.9.1.547
Cisco VG200 Gateway	VG200	1.3.6.1.4.1.9.1.279
	VG224 <sup>2</sup>	1.3.6.1.4.1.9.1.558
	VG248 <sup>2</sup>	1.3.6.1.4.1.9.1.404

1. DFM supports these devices from IOS version 12.3(07)XI, 12.3(06.20)T01, or higher.
2. DFM supports these devices only if the latest DFM 1.2 IDU is installed. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

**Table 14 Wireless LAN Products**

Series	Devices Supported	SysObjectID	Device Operating System		
			CatOS	IOS	
				Full DFM Support	Partial DFM Support <sup>1</sup>
Cisco Aironet 1400 Series	BR1410 <sup>2</sup>	1.3.6.1.4.1.9.1.533	-	-	X
Cisco Aironet 1300 Series	BR1300 <sup>2</sup>	1.3.6.1.4.1.9.1.565	-	-	X
Cisco Aironet 1200 Series	AP1100 <sup>2</sup>	1.3.6.1.4.1.9.1.507	-	-	X
	AP1200 <sup>2</sup>	1.3.6.1.4.1.9.1.474	-	-	X
	AP1210/1230 <sup>2</sup>	1.3.6.1.4.1.9.1.525	-	-	X
Cisco Aironet 350 Series	AP350 <sup>2,3</sup>	1.3.6.1.4.1.9.1.552	-	-	X
Cisco Aironet 340 Series	AP340 <sup>2,3</sup>	1.3.6.1.4.1.9.1.379	-	-	X
Cisco Wireless LAN Solution Engine	WLSE 2.8 <sup>2</sup>	1.3.6.1.4.1.9.1.459	-	-	X

1. "Partial DFM support" indicates DFM will manage the device but may not report all device attributes because (1) the device operating system does not support one or more of the MIBs polled by DFM, and/or (2) the device MIB contains information that is not correctly populated.
2. DFM supports these devices only if the latest DFM 1.2 IDU is installed. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)
3. DFM supports the AP340 and AP350 running VxWorks. (DFM also supports the AP350 running IOS.)

**Table 15** *Third Party Servers*

<b>Series</b>	<b>Devices Supported</b>	<b>SysObjectID</b>
IBM Media Server <b>Note</b> IBM Media Servers are only supported when running Cisco CallManager, Customer Response Application, Personal Assistant, Cisco Emergency Responder, or Cisco Conference Connection.	x330, x340, x342	1.3.6.1.4.1.311.1.1.3.1.2