



Supported Device Table for CiscoWorks Device Fault Manager 2.0.3

December 22, 2008

The following tables list the devices supported by CiscoWorks Device Fault Manager (DFM) 2.0.3. Devices are organized by device type. Each table lists the devices by family, model, and sysObjectIDs. DFM 1.x device classes are provided to help map the 1.x classes to the 2.x device types.



Note

If a minor release (such as DFM 2.0.5) or a patch (such as DFM 2.0.5 January 2007 Device Update Patch) is required to support a device, it is noted in the table with a footnote.

- [Table 1, Application Networking Services](#)
- [Table 2, Broadband Cable](#)
- [Table 3, Content Networking](#)
- [Table 4, DSL and LRE](#)
- [Table 5, Interfaces and Modules](#)
- [Table 6, Network Management](#)
- [Table 7, Optical Networking](#)
- [Table 8, Routers](#)
- [Table 9, Security and VPN](#)
- [Table 10, Server Networking and Virtualization](#)
- [Table 11, Storage Networking](#)
- [Table 12, Switches and Hubs](#)
- [Table 13, Universal Gateways and Access Servers](#)
- [Table 14, Voice and IP Communications](#)
- [Table 15, Wireless](#)
- [Table 16, Third Party Servers](#)



Americas Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

© 2007 Cisco Systems, Inc. All rights reserved.

To see a list of all packages installed on your CiscoWorks server, from the CiscoWorks home page, select **Software Center > Software Update**. Minor releases of DFM may be available at www.cisco.com; you can download minor releases from Cisco.com by logging into Cisco.com and pointing your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>. The Readmes at this site list the devices that were added in each minor release.

Keep these points in mind when you view the device support table:

- This list contains the Cisco model names of all devices that are supported by DFM 2.0.3. Variants to the generic device (device model names that have unique extensions) are not supported unless they are specifically listed. The device support tables provide SysObjectIDs to help you verify which devices are supported.
- If a device is listed as N/A in the DFM 1.x Class column, that means the device was not supported in any DFM 1.x releases, and was therefore not assigned to any DFM 1.x class.
- DFM does not support switch clusters. A switch cluster is a group of switches comprised of a master switch and slave switches. This relationship allows NMSs to query the master switch for information about the slave switches.

Table 1 **Application Networking Services**

Series	Devices Supported	SysObjectID	DFM 1.x Class
Wide Area Application (WAE) Appliances	WAE-512 ^{1,2}	1.3.6.1.4.1.9.1.759	N/A

1. DFM supports this device only if you have downloaded and installed the latest DFM 2.0.5 Update Patch. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)
2. The WAE-512 is supported when it is running ACNS 5.5.1.

Table 2 **Broadband Cable**

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco uBR 10012 Universal Broadband Routers	UBR10012	1.3.6.1.4.1.9.1.317	Router
Cisco uBR7200 Series Universal Broadband Routers	UBR7223	1.3.6.1.4.1.9.1.210	Router
	UBR7246	1.3.6.1.4.1.9.1.179	
	UBR7246VXR	1.3.6.1.4.1.9.1.271	
Cisco uBR7100 Series Universal Broadband Routers	UBR7111	1.3.6.1.4.1.9.1.344	Router
	UBR7111E	1.3.6.1.4.1.9.1.345	
	UBR7114	1.3.6.1.4.1.9.1.346	
	UBR7114E	1.3.6.1.4.1.9.1.347	
Cisco uBR900 Series Cable Access Routers	UBR904	1.3.6.1.4.1.9.1.191	Router
	UBR905	1.3.6.1.4.1.9.1.351	
	UBR924	1.3.6.1.4.1.9.1.255	

Table 3 **Content Networking**

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco CSS 11500 Series Content Services Switches ¹	CSS11501	1.3.6.1.4.1.9.9.368.4.7	Switch
	CSS11503	1.3.6.1.4.1.9.9.368.4.5	
	CSS11506	1.3.6.1.4.1.9.9.368.4.6	
Cisco CSS 11000 Series Content Services Switches	CSS11050	1.3.6.1.4.1.9.9.368.4.4	Switch
	CSS11150	1.3.6.1.4.1.9.9.368.4.3	
Cisco 7300 Series Content Engines	CE-7305	1.3.6.1.4.1.9.1.504	Host
	CE-7320	1.3.6.1.4.1.9.1.412	
	CE-7325	1.3.6.1.4.1.9.1.492	
Cisco 4600 Series Content Distribution Managers	CDM-4630	1.3.6.1.4.1.9.1.486	Host
	CDM-4650	1.3.6.1.4.1.9.1.487	
Cisco 4000 Series Routers	4700-M	1.3.6.1.4.1.9.1.50	Router
Cisco Global Site Selector Platforms	GSS-4490	1.3.6.1.4.1.9.1.517	Host
Cisco 500 Series Content Engines	CE-507	1.3.6.1.4.1.9.1.409	Host
	CE-507AV	1.3.6.1.4.1.9.1.432	
	CE-510	1.3.6.1.4.1.9.1.505	
	CE-511 ²	1.3.6.1.4.1.9.1.595	N/A
	CE-560	1.3.6.1.4.1.9.1.410	Host
	CE-560AV	1.3.6.1.4.1.9.1.433	
	CE-565	1.3.6.1.4.1.9.1.491	
	CE-566 ^{3,4}	1.3.6.1.4.1.9.1.596	N/A
	CE-590	1.3.6.1.4.1.9.1.411	Host
Cisco 500 Series LRE CPE Devices	CS500	1.3.6.1.4.1.9.1.9	Router

1. This device is supported when it is running WebNS 7.4 or later.

2. The CE-511 model has been replaced by the WAE-511. It is supported when it is running ACNS 5.3.7 or 5.4.1. See [Table 1 on page 2](#) for other WAE devices.

3. DFM supports this device only if you have downloaded and installed the latest DFM 2.0.5 Update Patch. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

4. The CE-566 is supported when it is running ACNS 5.3.7 or 5.4.1.

Table 4 *DSL and LRE*

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco Catalyst 6000 Series Switches	6200	1.3.6.1.4.1.9.1.192 (IOS)	Switch
Cisco Catalyst 6000 Series IP DSL Switches	6015	1.3.6.1.4.1.9.1.299 (IOS)	Switch
	6160	1.3.6.1.4.1.9.1.297 (IOS)	
	6260	1.3.6.1.4.1.9.1.253 (IOS)	
Cisco Catalyst 2950 LRE Series Switches	2950-ST-8-LRE	1.3.6.1.4.1.9.1.483 (IOS)	Switch
	2950-ST-24-LRE	1.3.6.1.4.1.9.1.482 (IOS)	
Cisco Catalyst 2900 Series XL Switches	2908XL	1.3.6.1.4.1.9.1.170 (IOS/partial)	Switch
	2912LRE-XL	1.3.6.1.4.1.9.1.370 (IOS)	
	2924LRE-XL	1.3.6.1.4.1.9.1.369 (IOS)	

Table 5 *Interfaces and Modules*

Series	Devices Supported	SysObjectID	DFM 1.x Class
Optical Services Module for ONS 15454	ONS-RAN-SVC ²¹	1.3.6.1.4.1.9.1.772	N/A
RPM-XF Service Module for MGX 8800 Series Switches	RPM-XF	1.3.6.1.4.1.9.1.440	N/A
Cisco IGX Universal Router Module for IGX 8400 Series Switches	IGX-URM-2FE	1.3.6.1.4.1.9.1.374	Router
	IGX-URM-2FE-2V	1.3.6.1.4.1.9.1.375	
Cisco Route Processor Module (RPM-PR) for Cisco MGX 8000 Series Multiservice Switches	RPM-PR	1.3.6.1.4.1.9.1.457	Router
Cisco 7600 Series SPA Interface Processors (for Cisco 7609)	7600-SIP-200 ²	1.3.6.1.4.1.9.1.509	N/A
Cisco Catalyst 6500 and Cisco 7600 Series Communications Media Module (CMM)	WS-SVC-CMM	1.3.6.1.4.1.9.1.573	Router
Firewall Services Module for Cisco Catalyst 6500 Series Switches and Cisco 7600 Series Routers	SVC-FWM ¹	1.3.6.1.4.1.9.1.674	N/A
	SVC-FWM-1	1.3.6.1.4.1.9.1.522	Router
Network Analysis Module (NAM) for Cisco Catalyst 6500 Series Switches and Cisco 7600 Series Routers	WS-SVC-NAM-1	1.3.6.1.4.1.9.5.1.3.1.1.2.914	Probe
	WS-SVC-NAM-2	1.3.6.1.4.1.9.5.1.3.1.1.2.291	

Table 5 Interfaces and Modules (continued)

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco SSL Service Module for Cisco Catalyst 6500 Series Switches and Cisco 7600 Series Routers	WS-SVC-SSL-1-K9	1.3.6.1.4.1.9.1.554	Router
Cisco Network Processor Modules (for Cisco 7206VSR)	NPE-G2 ²	1.3.6.1.4.1.9.1.222	N/A
Cisco ACE Application Control Engine Module (for Cisco Catalyst 6509)	ACE10-6500 ¹	N/A (not supported as an independent entity)	N/A
Cisco Network Module Supervisor Engine 720 (for Cisco Catalyst 6500 Series Switches)	WS-SUP720-3B ²	1.3.6.1.4.1.9.1.657 (IOS)	N/A
Cisco Network Module Supervisor Engine 32 (for Cisco Catalyst 6500 Series Switches)	WS-SUP32-GE-3B ²	1.3.6.1.4.1.9.1.657 (IOS)	N/A
Network Analysis Module (NAM) for Cisco Catalyst 6000 Series Switches	WS-X6380-NAM	1.3.6.1.4.1.9.5.1.3.1.1.2.223	Probe
Cisco Catalyst 6000 Series Switches Multilayer Switch Module (MSM)	WS-X6302-MSM	1.3.6.1.4.1.9.1.256 (IOS)	MSFC
Cisco Catalyst 6000 Series Switches Module Switch Feature Card (MSFC)	WS-F6K-MSFC	1.3.6.1.4.1.9.1.258 (IOS)	MSFC
	WS-F6K-MSFC2	1.3.6.1.4.1.9.1.301 (IOS)	
	WS-F6K-MSFC3	1.3.6.1.4.1.9.1.557 (IOS)	
Cisco Catalyst 5000 Series Switches Router Switch Module (RSM)	WS-X5302	1.3.6.1.4.1.9.1.168 (IOS)	RSM
Cisco Catalyst 5000 Series Switches Router Switch Feature Card (RSFC)	WS-F5541 (5kRsfc)	1.3.6.1.4.1.9.1.257 (IOS)	RSFC
Cisco Network Module Supervisor Engine V 1000BASE-T GBIC (for Cisco Catalyst 4000/4500 Series Switches)	WS-G5483-Cisco ²	1.3.6.1.4.1.9.1.537	N/A
Cisco Network Module Supervisor Engine V-10GE (for Cisco Catalyst 4000/4500 Series Switches)	WS-X4516-10GE ²	1.3.6.1.4.1.9.1.501	N/A
Cisco Branch Router Series Network Analysis Module	NME-NAM ¹	1.3.6.1.4.1.9.1.826	N/A
Cisco 2600/3600/3700 Series Network Analysis Module	NAM	1.3.6.1.4.1.9.1.562	Probe

Table 5 *Interfaces and Modules (continued)*

Series	Devices Supported	SysObjectID	DFM 1.x Class
Wireless Mobile Interface Card (WMIC) for Cisco 3200 Series Mobile Access Routers	3201	1.3.6.1.4.1.9.1.581	Router
Cisco 2600 Series Content Engine Modules	CE-2636	1.3.6.1.4.1.9.1.454	Host
Cisco Service Application Module for IP (SAMI)	SAMI-BB ¹	1.3.6.1.4.1.9.1.744	N/A

- DFM supports this device only if you have downloaded and installed the latest DFM 2.0.5 Update Patch. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)
- DFM supports this device only if you have downloaded and installed the latest DFM minor release. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

Table 6 *Network Management*

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco Wireless LAN Solution Engine	2.8	1.3.6.1.4.1.9.1.459	Host
CiscoWorks for Wireless LAN Solution Engine	1030	1.3.6.1.4.1.9.1.631	N/A
	1130	1.3.6.1.4.1.9.1.630	N/A
	1133 ¹	1.3.6.1.4.1.9.1.752	N/A

- DFM supports this device only if you have downloaded and installed the latest DFM minor release. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

Table 7 *Optical Networking*

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco ONS 15500 Series	ONS-15501-AC	1.3.6.1.4.1.1869.11.11.5.3 (IOS)	Switch
	ONS-15501-DC	1.3.6.1.4.1.1869.11.11.5.1 (IOS)	
	ONS-15530-ETSI	1.3.6.1.4.1.9.1.462 (IOS)	
	ONS-15530	1.3.6.1.4.1.9.1.460 (IOS)	
	ONS-15530-NEBS	1.3.6.1.4.1.9.1.461 (IOS)	
	ONS-15540-ESP	1.3.6.1.4.1.9.1.406 (IOS)	
	ONS-15540-ESPx	1.3.6.1.4.1.9.1.481 (IOS)	
Cisco ONS 15400 Series	ONS-15454	1.3.6.1.4.1.3607.1.20.10.10 (IOS)	N/A

Table 8 Routers

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco 12000 Series Routers	12004	1.3.6.1.4.1.9.1.181	Router
	12008	1.3.6.1.4.1.9.1.182	
	12010 GSR	1.3.6.1.4.1.9.1.348	N/A
	12012	1.3.6.1.4.1.9.1.173	Router
	12016	1.3.6.1.4.1.9.1.273	
	12404 GSR	1.3.6.1.4.1.9.1.423	
	12406 GSR	1.3.6.1.4.1.9.1.388	
	12410 GSR	1.3.6.1.4.1.9.1.394	
	12416 GSR	1.3.6.1.4.1.9.1.385	
	12816 GSR ¹	1.3.6.1.4.1.9.1.477	
Cisco 10700 Series Routers	10720	1.3.6.1.4.1.9.1.397	Router
Cisco 10000 Series Routers	10005 ESR	1.3.6.1.4.1.9.1.437	Router
	10008 ESR	1.3.6.1.4.1.9.1.438	
Cisco 7600 Series Routers	7603	1.3.6.1.4.1.9.1.401 (IOS)	Router
		1.3.6.1.4.1.9.5.53 (CatOS)	
	7606	1.3.6.1.4.1.9.1.402 (IOS)	
		1.3.6.1.4.1.9.5.54 (CatOS)	
	7609	1.3.6.1.4.1.9.1.509 (IOS)	
		1.3.6.1.4.1.9.5.55 (CatOS)	
	7613	1.3.6.1.4.1.9.1.528 (IOS)	
		1.3.6.1.4.1.9.5.60 (CatOS)	
Cisco 7500 Series Routers	7505	1.3.6.1.4.1.9.1.48	Router
	7507	1.3.6.1.4.1.9.1.45	
	7507mx	1.3.6.1.4.1.9.1.290	
	7507z	1.3.6.1.4.1.9.1.288	
	7513	1.3.6.1.4.1.9.1.46	
	7513mx	1.3.6.1.4.1.9.1.291	
	7513z	1.3.6.1.4.1.9.1.289	
	7576	1.3.6.1.4.1.9.1.204	
Cisco 7400 Series Routers	7401	1.3.6.1.4.1.9.1.403	Router
Cisco 7300 Series Routers	7301	1.3.6.1.4.1.9.1.476	Router
	7304	1.3.6.1.4.1.9.1.439	

Table 8 Routers (continued)

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco 7200 Series Routers	7202	1.3.6.1.4.1.9.1.194	Router
	7204	1.3.6.1.4.1.9.1.125	
	7204VXR	1.3.6.1.4.1.9.1.223	
	7206	1.3.6.1.4.1.9.1.108	
	7206VXR	1.3.6.1.4.1.9.1.222	
Cisco 7000 Series Routers	7000	1.3.6.1.4.1.9.1.8	Router
	7010	1.3.6.1.4.1.9.1.12	
Cisco 6400 Series Broadband Aggregators	6400NRP	1.3.6.1.4.1.9.1.211	Router
Cisco Catalyst 6000 Series Switches	6400NSP	1.3.6.1.4.1.9.1.180 (IOS)	Switch
Cisco 4000M Series Routers	4500	1.3.6.1.4.1.9.1.14	Router
	MC3810	1.3.6.1.4.1.9.1.157	
Cisco MC3810 Multiservice Access Concentrators	MC3810	1.3.6.1.4.1.9.1.157	Router
	MC3810-V3	1.3.6.1.4.1.9.1.286	
Cisco 3800 Series Routers	3825	1.3.6.1.4.1.9.1.543	Router
	3845	1.3.6.1.4.1.9.1.544	
Cisco 3700 Series Multiservice Access Routers	3725	1.3.6.1.4.1.9.1.414	Router
	3745	1.3.6.1.4.1.9.1.436	
Cisco 3600 Series Multiservice Platforms	3620	1.3.6.1.4.1.9.1.122	Router
	3631	1.3.6.1.4.1.9.1.425	
	3640	1.3.6.1.4.1.9.1.110	
	SC3640	1.3.6.1.4.1.9.1.189	
	3660	1.3.6.1.4.1.9.1.205	
	3661Ac	1.3.6.1.4.1.9.1.338	
	3661Dc	1.3.6.1.4.1.9.1.339	
	3662Ac	1.3.6.1.4.1.9.1.340	
	3662Dc	1.3.6.1.4.1.9.1.341	
	3662AcCo	1.3.6.1.4.1.9.1.342	
	3662DcCo	1.3.6.1.4.1.9.1.343	
Cisco 3200 Series Wireless and Mobile Routers	3220	1.3.6.1.4.1.9.1.553	Router
	3251	1.3.6.1.4.1.9.1.479	
	3270 ²	1.3.6.1.4.1.9.1.690	N/A

Table 8 Routers (continued)

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco 3000 Series Routers	3000	1.3.6.1.4.1.9.1.6	Router
	3101	1.3.6.1.4.1.9.1.32	
	3102	1.3.6.1.4.1.9.1.33	
	3103	1.3.6.1.4.1.9.1.34	
	3104	1.3.6.1.4.1.9.1.35	
	3202	1.3.6.1.4.1.9.1.36	
	3203	1.3.6.1.4.1.9.1.37	
Cisco 2800 Series Integrated Services Routers	2801	1.3.6.1.4.1.9.1.619	Router
	2811	1.3.6.1.4.1.9.1.576	
	2821	1.3.6.1.4.1.9.1.577	
	2851	1.3.6.1.4.1.9.1.578	
Cisco 2600 Series Multiservice Platforms	2610	1.3.6.1.4.1.9.1.185	Router
	2610XM 2610XM-DC 2610XM-RP5	1.3.6.1.4.1.9.1.466	Router
	2611	1.3.6.1.4.1.9.1.186	Router
	2611XM 2611XM-DC 2611XM-RP5	1.3.6.1.4.1.9.1.467	Router
	2612	1.3.6.1.4.1.9.1.187	Router
	2613	1.3.6.1.4.1.9.1.195	Router
	2620	1.3.6.1.4.1.9.1.208	Router
	2620XM 2620XM-DC 2620XM-RP5	1.3.6.1.4.1.9.1.468	Router
	2621	1.3.6.1.4.1.9.1.209	Router
	2621XM 2621XM-DC 2621XM-RP5	1.3.6.1.4.1.9.1.469	Router
	2650	1.3.6.1.4.1.9.1.319	Router
	2650XM 2650XM-DC 2650XM-RP5	1.3.6.1.4.1.9.1.470	Router
	2651	1.3.6.1.4.1.9.1.320	Router
	2651XM 2651XM-DC 2651XM-RP5	1.3.6.1.4.1.9.1.471	Router
	2691	1.3.6.1.4.1.9.1.413	Router

Table 8 Routers (continued)

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco 2500 Series Routers	2500	1.3.6.1.4.1.9.1.13	Router
	2501	1.3.6.1.4.1.9.1.17	
	2501 FRADFX	1.3.6.1.4.1.9.1.165	
	2501 LANFRADFX	1.3.6.1.4.1.9.1.166	
	2502	1.3.6.1.4.1.9.1.18	
	2502 LANFRADFX	1.3.6.1.4.1.9.1.167	
	2503	1.3.6.1.4.1.9.1.19	
	2504	1.3.6.1.4.1.9.1.20	
	2505	1.3.6.1.4.1.9.1.21	
	2506	1.3.6.1.4.1.9.1.22	
	2507	1.3.6.1.4.1.9.1.23	
	2508	1.3.6.1.4.1.9.1.24	
	2509	1.3.6.1.4.1.9.1.25	
	2511	1.3.6.1.4.1.9.1.27	
	2513	1.3.6.1.4.1.9.1.29	
	2514	1.3.6.1.4.1.9.1.30	
	2515	1.3.6.1.4.1.9.1.31	
	2516	1.3.6.1.4.1.9.1.42	
	2517	1.3.6.1.4.1.9.1.67	
	2518	1.3.6.1.4.1.9.1.68	
	2519	1.3.6.1.4.1.9.1.69	
	2520	1.3.6.1.4.1.9.1.70	
	2521	1.3.6.1.4.1.9.1.71	
	2522	1.3.6.1.4.1.9.1.72	
	2523	1.3.6.1.4.1.9.1.73	
2524	1.3.6.1.4.1.9.1.74		
2525	1.3.6.1.4.1.9.1.75		
Cisco 2000 Series Routers	2000	1.3.6.1.4.1.9.1.10	Router
	2102	1.3.6.1.4.1.9.1.15	
	2202	1.3.6.1.4.1.9.1.16	
Cisco MWR 1900 Mobile Access Routers	MWR 1900	1.3.6.1.4.1.9.1.398	Router
	MWR 1941-DC	1.3.6.1.4.1.9.1.520	
	MWR 1941-DC-A ²	1.3.6.1.4.1.9.1.732	N/A

Table 8 Routers (continued)

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco 1800 Series Integrated Services Routers	1801 ¹	1.3.6.1.4.1.9.1.638	N/A
	1802 ¹	1.3.6.1.4.1.9.1.639	
	1803 ¹	1.3.6.1.4.1.9.1.640	
	1811 ¹	1.3.6.1.4.1.9.1.641	
	1812 ¹	1.3.6.1.4.1.9.1.642	
	1841	1.3.6.1.4.1.9.1.620	
Cisco 1700 Series Access Routers	1701	1.3.6.1.4.1.9.1.550	Router
	1710-VPN-M/K9	1.3.6.1.4.1.9.1.200	
	1711	1.3.6.1.4.1.9.1.538	
	1712	1.3.6.1.4.1.9.1.539	
	1720VPN	1.3.6.1.4.1.9.1.201	
	1721	1.3.6.1.4.1.9.1.444	
	1750	1.3.6.1.4.1.9.1.216	
	1751, 1751(V)	1.3.6.1.4.1.9.1.326	
	1760(V)	1.3.6.1.4.1.9.1.416	
Cisco 1600 Series Routers	1601	1.3.6.1.4.1.9.1.113	Router
	1602	1.3.6.1.4.1.9.1.114	
	1603	1.3.6.1.4.1.9.1.115	
	1604	1.3.6.1.4.1.9.1.116	
	1605	1.3.6.1.4.1.9.1.172	
Cisco 1400 Series Routers	1401	1.3.6.1.4.1.9.1.206	Router
	1417	1.3.6.1.4.1.9.1.250	
Cisco 1000 Series Routers	1000	1.3.6.1.4.1.9.1.40	Router
	1003	1.3.6.1.4.1.9.1.41	
	1004	1.3.6.1.4.1.9.1.44	
	1005	1.3.6.1.4.1.9.1.49	
	1020	1.3.6.1.4.1.9.1.43	

Table 8 Routers (continued)

Series	Devices Supported	SysObjectID	DFM 1.x Class	
Cisco 800 Series Routers	801	1.3.6.1.4.1.9.1.212	Router	
	802	1.3.6.1.4.1.9.1.213		
	803	1.3.6.1.4.1.9.1.214		
	804	1.3.6.1.4.1.9.1.215		
	805	1.3.6.1.4.1.9.1.245		
	806	1.3.6.1.4.1.9.1.384		
	811	1.3.6.1.4.1.9.1.395		
	813	1.3.6.1.4.1.9.1.396		
	815 ²	1.3.6.1.4.1.9.1.733		N/A
	826	1.3.6.1.4.1.9.1.322		Router
	827	1.3.6.1.4.1.9.1.284		
	827H	1.3.6.1.4.1.9.1.446		
	827QuadV	1.3.6.1.4.1.9.1.270		
	828	1.3.6.1.4.1.9.1.382		
	831	1.3.6.1.4.1.9.1.497		
	836	1.3.6.1.4.1.9.1.499		
	837	1.3.6.1.4.1.9.1.495		
	857	1.3.6.1.4.1.9.1.567	N/A	
	871 ¹	1.3.6.1.4.1.9.1.571		
	876 ¹	1.3.6.1.4.1.9.1.568		
877	1.3.6.1.4.1.9.1.569			
878 ¹	1.3.6.1.4.1.9.1.570	N/A		
Cisco 700 Series ISDN Access Routers	751	1.3.6.1.4.1.9.1.81	Router	
	752	1.3.6.1.4.1.9.1.82		
	753	1.3.6.1.4.1.9.1.83		
	761	1.3.6.1.4.1.9.1.98		
	762	1.3.6.1.4.1.9.1.99		
	765	1.3.6.1.4.1.9.1.102		
	766	1.3.6.1.4.1.9.1.103		
	771	1.3.6.1.4.1.9.1.126		
	772	1.3.6.1.4.1.9.1.127		
	775	1.3.6.1.4.1.9.1.128		
	776	1.3.6.1.4.1.9.1.129		
Cisco Carrier Routing System	CRS-1 ¹	1.3.6.1.4.1.9.1.643	N/A	

Table 8 Routers (continued)

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco Small Business Routers	SB-101	1.3.6.1.4.1.9.1.627	N/A
	SB-106	1.3.6.1.4.1.9.1.628	
	SB-107	1.3.6.1.4.1.9.1.629	
Cisco SOHO 90 Series Secure Broadband Routers	SOHO 91	1.3.6.1.4.1.9.1.498	Router
	SOHO 96	1.3.6.1.4.1.9.1.500	
	SOHO 97	1.3.6.1.4.1.9.1.496	
Cisco SOHO 70 Series	SOHO 76	1.3.6.1.4.1.9.1.354	Router
	SOHO 77H	1.3.6.1.4.1.9.1.353	
	SOHO 78	1.3.6.1.4.1.9.1.383	
Cisco IGS Router Series	IGS/L, IGS/R	1.3.6.1.4.1.9.1.5	Router
Cisco Multiprocessor WAN Application Module (MWAM) for Cisco Catalyst 7600 Series Switches and Cisco 7600 Series Internet Routers	MWAM	1.3.6.1.4.1.9.12.3.1.9.17.39	Router

- DFM supports this device only if you have downloaded and installed the latest DFM minor release. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)
- DFM supports this device only if you have downloaded and installed the latest DFM 2.0.5 Device Update Patch. To download this support, log into Cisco.com and point your browser to <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>

Table 9 Security and VPN

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco VPN 3000 Series Concentrators	VPN 3000	1.3.6.1.4.1.3076.1.2.1.1.1.2	Router
	VPN 3002	1.3.6.1.4.1.3076.1.2.1.1.3.1	
Cisco 7100 Series VPN Routers	7120-T3	1.3.6.1.4.1.9.1.260	Router
	7120-E3	1.3.6.1.4.1.9.1.261	
	7120-AT3	1.3.6.1.4.1.9.1.262	
	7120-AE3	1.3.6.1.4.1.9.1.263	
	7120-SMI3	1.3.6.1.4.1.9.1.264	
	7120-4T1	1.3.6.1.4.1.9.1.259	
	7140-2T3	1.3.6.1.4.1.9.1.265	
	7140-2E3	1.3.6.1.4.1.9.1.266	
	7140-2FE	1.3.6.1.4.1.9.1.277	
	7140-2AT3	1.3.6.1.4.1.9.1.267	
	7140-2AE3	1.3.6.1.4.1.9.1.268	
	7140-2MM3	1.3.6.1.4.1.9.1.269	
	7160	1.3.6.1.4.1.9.1.358	N/A

Table 9 Security and VPN (continued)

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco ASA 5500 Series Adaptive Security Appliances	ASA5505 ¹	1.3.6.1.4.1.9.1.745	N/A
	ASA5510 (single and multi-mode) ²	1.3.6.1.4.1.9.1.669 1.3.6.1.4.1.9.1.773	
	ASA5520 ²	1.3.6.1.4.1.9.1.671	
	ASA5540 (single and multi-mode) ²	1.3.6.1.4.1.9.1.672 1.3.6.1.4.1.9.1.673	
	ASA5550 (single and multi-mode) ²	1.3.6.1.4.1.9.1.753 1.3.6.1.4.1.9.1.763	
Cisco PIX 500 Series Firewalls	501	1.3.6.1.4.1.9.1.417	Firewall
	506	1.3.6.1.4.1.9.1.389	
	506E	1.3.6.1.4.1.9.1.450	
	515	1.3.6.1.4.1.9.1.390	
	515E	1.3.6.1.4.1.9.1.451	
		1.3.6.1.4.1.9.1.677 (multi-mode) ²	
	520	1.3.6.1.4.1.9.1.391	Firewall
	525	1.3.6.1.4.1.9.1.392	
535	1.3.6.1.4.1.9.1.393		
Cisco PIX Firewall	PixFirewall	1.3.6.1.4.1.9.1.227	Router

- DFM supports this device only if you have downloaded and installed the latest DFM minor release. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)
- DFM supports this device only if you have downloaded and installed the latest DFM 2.0.5 Update Patch. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

Table 10 Server Networking and Virtualization

Series	Devices Supported	SysObjectID	DFM 1.x Class
SFS 7000 Series Infiniband Server Switches	SFS7000D ¹	1.3.6.1.4.1.6203.19	N/A
SFS 3000 Series Infiniband Server Switches	SFS3012 ¹	1.3.6.1.4.1.6203.20	

- DFM supports this device only if you have downloaded and installed the latest DFM 2.0.5 Update Patch. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

Table 11 Storage Networking

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco MDS 9000 Series Multilayer Switches	MDS-9120	1.3.6.1.4.1.9.12.3.1.3.414	Switch
	MDS-9140	1.3.6.1.4.1.9.12.3.1.3.411	
	MDS-9216	1.3.6.1.4.1.9.12.3.1.3.380	
	MDS-9216A	1.3.6.1.4.1.9.12.3.1.3.442	N/A
	MDS-9506	1.3.6.1.4.1.9.12.3.1.3.375	Switch
	MDS-9509	1.3.6.1.4.1.9.12.3.1.3.376	
Cisco SN 5400 Series Storage Routers	SN-5428	1.3.6.1.4.1.9.1.475	Switch
	SN-5420	1.3.6.1.4.1.9.1.407	

Table 12 Switches and Hubs

Series	Devices Supported	SysObjectID	Device Operating System			DFM 1.x Class
			CatOS	IOS		
				Full Support	Partial Support ¹	
Cisco MGX 8800 Series Switches	MGX 8830	1.3.6.1.4.1.9.1.229	-	-	X	Switch
	MGX 8850	1.3.6.1.4.1.9.1.228	-	-	X	
	MGX 8860	1.3.6.1.4.1.9.1.239	-	-	X	
Cisco BPX 8600 Series Switches	BPX 8620	1.3.6.1.4.1.9.1.237	-	-	X	Switch
	BPX 8650	1.3.6.1.4.1.9.1.238	-	-	X	
Cisco Catalyst 8500 Series Multiservice Switch Routers (MSR)	8510MSR	1.3.6.1.4.1.9.1.230	-	-	X	Switch
	8510	1.3.6.1.4.1.9.1.190	-	-	X	
	8515MSR	1.3.6.1.4.1.9.1.231	-	-	X	
	8515	1.3.6.1.4.1.9.1.196	-	-	X	
	8540MSR	1.3.6.1.4.1.9.1.202	-	-	X	
	8540	1.3.6.1.4.1.9.1.203	-	-	X	
Cisco IGX 8400 Series Switches	IGX 8410	1.3.6.1.4.1.9.1.232	-	-	X	Switch
	IGX 8420	1.3.6.1.4.1.9.1.233	-	-	X	
Cisco ME 6500 Series Ethernet Switches	ME-C6524-GT-8S ²	1.3.6.1.4.1.9.1.719	-	-	X	N/A
	ME-C6524-3 ² / ME-C6524-GS-8S ²	1.3.6.1.4.1.9.1.720	-	-	X	

Table 12 Switches and Hubs (continued)

Series	Devices Supported	SysObjectID	Device Operating System			DFM 1.x Class
			CatOS	IOS		
				Full Support	Partial Support ¹	
Cisco Catalyst 6500 Series Switches	6503	1.3.6.1.4.1.9.5.56	X	-	-	Switch
		1.3.6.1.4.1.9.1.449	-	X	-	
	6504-E	1.3.6.1.4.1.9.5.64 ³	X	-	-	N/A
		1.3.6.1.4.1.9.1.657 ²	-	X	-	
	6506	1.3.6.1.4.1.9.5.45	X	-	-	Switch
		1.36.1.4.1.9.1.282	-	X	-	
	6509	1.3.6.1.4.1.9.5.44	X	-	-	Switch
		1.3.6.1.4.1.9.1.283	-	X	-	
	6509-NEBA	1.3.6.1.4.1.9.1.534	-	X	-	Switch
	6513	1.3.6.1.4.1.9.5.50	X	-	-	Switch
1.3.6.1.4.1.9.1.400		-	X	-		
6509-NEB	1.3.6.1.4.1.9.5.47	X	-	-	Switch	
	1.3.6.1.4.1.9.1.310	-	X	-	Router	
Cisco Catalyst 6000 Series Switches	6000	1.3.6.1.4.1.9.1.241	-	X	-	Switch
	WS-C6006	1.3.6.1.4.1.9.5.38	X	-	-	Switch
		1.3.6.1.4.1.9.1.280	-	X	-	
	WS-C6009	1.3.6.1.4.1.9.5.39	X	-	-	Switch
1.3.6.1.4.1.9.1.281		-	X	-		
Cisco Catalyst 5500 Series Switches	5500	1.3.6.1.4.1.9.5.17	X	-	-	Switch
	5505	1.3.6.1.4.1.9.5.34	X	-	-	
	5509	1.3.6.1.4.1.9.5.36	X	-	-	
Cisco Catalyst 5000 Series Switches	5000	1.3.6.1.4.1.9.5.7	X	-	-	Switch
	5002	1.3.6.1.4.1.9.5.29	X	-	-	
Cisco Catalyst 4000 Series	4948	1.3.6.1.4.1.9.1.626	-	X	-	Switch
	4948-10GE ³	1.3.6.1.4.1.9.1.659	-	X	-	N/A
Cisco Catalyst GL-3 Series Switches	4840G-L3	1.3.6.1.4.1.9.1.312	-	X	-	Switch
	4908G-L3	1.3.6.1.4.1.9.1.298	-	X	-	
Access Gateway Module with IP/FW Software for Cisco Catalyst 4000 and Catalyst 4500 Series Switches	WS-X4604-GWY	1.3.6.1.4.1.9.1.318	-	X	-	Router

Table 12 Switches and Hubs (continued)

Series	Devices Supported	SysObjectID	Device Operating System			DFM 1.x Class
			CatOS	IOS		
				Full Support	Partial Support ¹	
Cisco Catalyst 4500 Series Switches	4503 ⁴	1.3.6.1.4.1.9.1.503	-	X	-	Switch
		1.3.6.1.4.1.9.5.58	X			
	4506 ⁴	1.3.6.1.4.1.9.1.502	-	X	-	
		1.3.6.1.4.1.9.5.59	X			
	4507 ⁵	1.3.6.1.4.1.9.1.501	-	X	-	
4510	1.3.6.1.4.1.9.1.537	-	X	-		
Cisco Catalyst 4200 Series Switches	4224	1.3.6.1.4.1.9.1.399	-	X	-	Router
Cisco Catalyst 4000 Series Switches	4003	1.3.6.1.4.1.9.5.40	X	-	-	Switch
	4006 ⁶	1.3.6.1.4.1.9.5.46	X	-	-	
		1.3.6.1.4.1.9.1.448	-	X	-	
	4232L3	1.3.6.1.4.1.9.1.300	-	X	-	
Cisco 4000M Series Routers	4000	1.3.6.1.4.1.9.1.7	-	X	-	Router
	Pro4500	1.3.6.1.4.1.9.1.66	-	X	-	
	Pro4700	1.3.6.1.4.1.9.1.142	-	X	-	
Cisco Catalyst 3900 Series Switches	3900	1.3.6.1.4.1.9.5.33	X	-	-	Switch
	3920	1.3.6.1.4.1.9.5.37	X	-	-	
Cisco Catalyst 3750 Series Switches	3750-stack	1.3.6.1.4.1.9.1.516	-	X	-	Switch
	3750-24FS ³	1.3.6.1.4.1.9.1.656	-	X	-	N/A
	3750-24PS ³	1.3.6.1.4.1.9.1.536	-	X	-	
	3750-24TS ³	1.3.6.1.4.1.9.1.513	-	X	-	
	3750-48PS ³	1.3.6.1.4.1.9.1.535	-	X	-	
	3750-E-24PD ²	1.3.6.1.4.1.9.1.792	-	X	-	
	3750-E-24TD ²	1.3.6.1.4.1.9.1.789	-	X	-	
	3750-E-48PD ²	1.3.6.1.4.1.9.1.791	-	X	-	
	3750-E-48TD ²	1.3.6.1.4.1.9.1.790	-	X	-	
	3750G-16TD ³	1.3.6.1.4.1.9.1.790	-	X	-	
	3750G-24PS ³	1.3.6.1.4.1.9.1.602	-	X	-	
	3750G-24TS1U ³	1.3.6.1.4.1.9.1.624	-	X	-	
	3750G-48PS ³	1.3.6.1.4.1.9.1.603	-	X	-	
3750G-48TS ³	1.3.6.1.4.1.9.1.604	-	X	-		

Table 12 Switches and Hubs (continued)

Series	Devices Supported	SysObjectID	Device Operating System			DFM 1.x Class
			CatOS	IOS		
				Full Support	Partial Support ¹	
Catalyst 3750 Metro Series AC Switch	ME-C3750-24TE-MA	1.3.6.1.4.1.9.1.574	-	X	-	N/A
Catalyst 3750 Metro Series AC/DC Switch	ME-C3750-24TE-M		-	X	-	Switch
Cisco Catalyst 3560 Series Switches	3560-8PC ²	1.3.6.1.4.1.9.1.797	-	X	-	N/A
	3560-24PS	1.3.6.1.4.1.9.1.563	-	X	-	Switch
	3560-24TS ³	1.3.6.1.4.1.9.1.633	-	X	-	N/A
	3560-48PS	1.3.6.1.4.1.9.1.564	-	X	-	Switch
	3560-48TS ³	1.3.6.1.4.1.9.1.634	-	X	-	N/A
	3560-E-24PD ²	1.3.6.1.4.1.9.1.795	-	X	-	
	3560-E-24TD ²	1.3.6.1.4.1.9.1.793	-	X	-	
	3560-E-48PD ²	1.3.6.1.4.1.9.1.796	-	X	-	
	3560-E-48TD ²	1.3.6.1.4.1.9.1.794	-	X	-	
	3560G-24PS	1.3.6.1.4.1.9.1.614	-	X	-	Switch
	3560G-24TS	1.3.6.1.4.1.9.1.615	-	X	-	
	3560G-48PS	1.3.6.1.4.1.9.1.616	-	X	-	
	3560G-48TS	1.3.6.1.4.1.9.1.617	-	X	-	
	Cisco Catalyst 3550 Series Switches	3550-24	1.3.6.1.4.1.9.1.366	-	X	-
3550-48		1.3.6.1.4.1.9.1.367	-	X	-	
3550-12T		1.3.6.1.4.1.9.1.368	-	X	-	
3550-12G		1.3.6.1.4.1.9.1.431	-	X	-	
3550-24Dc		1.3.6.1.4.1.9.1.452	-	X	-	
3550-24Mmf		1.3.6.1.4.1.9.1.453	-	X	-	
Cisco Catalyst 3500 Series XL Switches	3524-PWR-XL	1.3.6.1.4.1.9.1.287	-	-	X	Switch
	3512XL	1.3.6.1.4.1.9.1.247	-	-	X	
	3524XL	1.3.6.1.4.1.9.1.248	-	-	X	
	3508G-XL	1.3.6.1.4.1.9.1.246	-	-	X	
	3548XL	1.3.6.1.4.1.9.1.278	-	-	X	
Cisco ME 3400 Series Ethernet Access Switch	ME-3400G-12CS-A ²	1.3.6.1.4.1.9.1.780	-	-	X	N/A
	ME-3400G-12CS-D ²	1.3.6.1.4.1.9.1.781	-	-	X	
	ME-3440 ³	1.3.6.1.4.1.9.1.736	-	X	-	

Table 12 Switches and Hubs (continued)

Series	Devices Supported	SysObjectID	Device Operating System			DFM 1.x Class
			CatOS	IOS		
				Full Support	Partial Support ¹	
Cisco Catalyst 3000 Series Switches	3000	1.3.6.1.4.1.9.5.10	X	-	-	Switch
	3001	1.3.6.1.4.1.9.5.26	X	-	-	
	3100	1.3.6.1.4.1.9.5.23	X	-	-	
	3200	1.3.6.1.4.1.9.5.15	X	-	-	
Cisco Catalyst Blade Switch 3000 Series	CBS3040 ²	1.3.6.1.4.1.9.1.784	-	X	-	N/A
Cisco Catalyst Blade Switch 3000 Series	3020 (for HP switch)	1.3.6.1.4.1.9.1.748	-	X	-	N/A
	3030 (for Dell switch)	1.3.6.1.4.1.9.1.749	-	X	-	N/A
Cisco Catalyst 2970 Series Switches	2970-24	1.3.6.1.4.1.9.1.527	-	X	-	Switch
	2970-G-24TS-E	1.3.6.1.4.1.9.1.561	-	X	-	
Cisco Catalyst 2960 Series Switches	2960-8TC ²	1.3.6.1.4.1.9.1.798	-	X	-	N/A
	2960-24 ³	1.3.6.1.4.1.9.1.694	-	X	-	
	2960-48 ³	1.3.6.1.4.1.9.1.695	-	X	-	
	2960G-8TC ²	1.3.6.1.4.1.9.1.799	-	X	-	
	2960G-24 ³	1.3.6.1.4.1.9.1.696	-	X	-	
	2960-24TT ³	1.3.6.1.4.1.9.1.716	-	X	-	
	2960-48TT ³	1.3.6.1.4.1.9.1.717	-	X	-	
Cisco Catalyst 2950 Series Switches	2950-12	1.3.6.1.4.1.9.1.323	-	X	-	Switch
	2950-24	1.3.6.1.4.1.9.1.324	-	X	-	
	2950C-24	1.3.6.1.4.1.9.1.325	-	X	-	
	2950G-12	1.3.6.1.4.1.9.1.427	-	X	-	
	2950G-24	1.3.6.1.4.1.9.1.428	-	X	-	
	2950G-48	1.3.6.1.4.1.9.1.429	-	X	-	
	2950G-24-DC	1.3.6.1.4.1.9.1.472	-	X	-	
	2950SX-24	1.3.6.1.4.1.9.1.480	-	X	-	
	2950SX-48	1.3.6.1.4.1.9.1.560	-	X	-	
	2950T-24	1.3.6.1.4.1.9.1.359	-	X	-	
	2950T-48	1.3.6.1.4.1.9.1.559	-	X	-	
	2955C-12	1.3.6.1.4.1.9.1.489	-	X	-	
	2955S-12	1.3.6.1.4.1.9.1.508	-	X	-	
	2955T-12	1.3.6.1.4.1.9.1.488	-	X	-	
Cisco Catalyst 2940 Series Switches	2940-8TF	1.3.6.1.4.1.9.1.542	-	X	-	Switch
	2940-8TT	1.3.6.1.4.1.9.1.540	-	X	-	

Table 12 Switches and Hubs (continued)

Series	Devices Supported	SysObjectID	Device Operating System			DFM 1.x Class
			CatOS	IOS		
				Full Support	Partial Support ¹	
Cisco Catalyst 2900 Series Switches	2926	1.3.6.1.4.1.9.5.35	X	-	-	Switch
	2900	1.3.6.1.4.1.9.5.12	X	-	-	
	2948G	1.3.6.1.4.1.9.5.42	X	-	-	
	2980G	1.3.6.1.4.1.9.5.49	X	-	-	
	2980G-A	1.3.6.1.4.1.9.5.51	X	-	-	
	2948G-GE-TX	1.3.6.1.4.1.9.5.62	X	-	-	
	2948G-L3	1.3.6.1.4.1.9.1.275	-	X	-	
Cisco Catalyst 2900 Series XL Switches	2912XL	1.3.6.1.4.1.9.1.219	-	-	X	Switch
	2912MF-XL	1.3.6.1.4.1.9.1.221	-	-	X	
	2916M-XL	1.3.6.1.4.1.9.1.171	-	-	X	
	2924XL	1.3.6.1.4.1.9.1.183	-	-	X	
	2924XL-V	1.3.6.1.4.1.9.1.217	-	-	X	
	2924C-XL	1.3.6.1.4.1.9.1.184	-	-	X	
	2924C-XL-V	1.3.6.1.4.1.9.1.218	-	-	X	
	2924M-XL	1.3.6.1.4.1.9.1.220	-	-	X	
Cisco Catalyst 2800 Series Switches	2828	1.3.6.1.4.1.9.5.20	X	-	-	Switch

Table 12 Switches and Hubs (continued)

Series	Devices Supported	SysObjectID	Device Operating System			DFM 1.x Class
			CatOS	IOS		
				Full Support	Partial Support ¹	
Cisco 2500 Series Routers	Pro2500PCE	1.3.6.1.4.1.9.1.55	-	X	-	Router
	Pro2501	1.3.6.1.4.1.9.1.56	-	X	-	
	Pro2502	1.3.6.1.4.1.9.1.130	-	X	-	
	Pro2503	1.3.6.1.4.1.9.1.57	-	X	-	
	Pro2504	1.3.6.1.4.1.9.1.131	-	X	-	
	Pro2505	1.3.6.1.4.1.9.1.58	-	X	-	
	Pro2506	1.3.6.1.4.1.9.1.132	-	X	-	
	Pro2507	1.3.6.1.4.1.9.1.59	-	X	-	
	Pro2508	1.3.6.1.4.1.9.1.133	-	X	-	
	Pro2509	1.3.6.1.4.1.9.1.60	-	X	-	
	Pro2510	1.3.6.1.4.1.9.1.134	-	X	-	
	Pro2511	1.3.6.1.4.1.9.1.61	-	X	-	
	Pro2512	1.3.6.1.4.1.9.1.135	-	X	-	
	Pro2513	1.3.6.1.4.1.9.1.136	-	X	-	
	Pro2514	1.3.6.1.4.1.9.1.62	-	X	-	
	Pro2515	1.3.6.1.4.1.9.1.137	-	X	-	
	Pro2516	1.3.6.1.4.1.9.1.63	-	X	-	
	Pro2517	1.3.6.1.4.1.9.1.138	-	X	-	
	Pro2518	1.3.6.1.4.1.9.1.139	-	X	-	
	Pro2519	1.3.6.1.4.1.9.1.64	-	X	-	
Pro2523	1.3.6.1.4.1.9.1.140	-	X	-		
Pro2525	1.3.6.1.4.1.9.1.141	-	X	-		
Cisco ME 2400 Series Ethernet Switches	2440 ³	1.3.6.1.4.1.9.1.734	-	X	-	N/A
Cisco Catalyst 1900 Series Switches (running Switch Firmware)	cpw1900	1.3.6.1.4.1.9.5.16	N/A			Switch
	1900c	1.3.6.1.4.1.9.5.28				
	1900i	1.3.6.1.4.1.9.5.31				
	wsc1900LiteFx	1.3.6.1.4.1.9.5.175				
	1912C	1.3.6.1.4.1.9.1.175				
	1924	1.3.6.1.4.1.9.5.18				
Cisco Catalyst 1600 Series Switches	cpw1600	1.3.6.1.4.1.9.5.9	N/A			Switch

Table 12 Switches and Hubs (continued)

Series	Devices Supported	SysObjectID	Device Operating System			DFM 1.x Class
			CatOS	IOS		
				Full Support	Partial Support ¹	
Cisco 1600 Series Routers	1600	1.3.6.1.4.1.9.5.8	N/A			Switch
	Pro1601	1.3.6.1.4.1.9.1.117	-	X	-	Router
	Pro1602	1.3.6.1.4.1.9.1.118	-	X	-	
	Pro1603	1.3.6.1.4.1.9.1.119	-	X	-	
	Pro1604	1.3.6.1.4.1.9.1.120	-	X	-	
Cisco 1420 EtherSwitch	cpw1420	1.3.6.1.4.1.9.5.21	X	-	-	Switch
Cisco 1220 EtherSwitch Series	EtherSwitch 1200	1.3.6.1.4.1.9.5.5	X	-	-	Switch
	EtherSwitch 1220	1.3.6.1.4.1.9.5.19	X	-	-	
	EtherSwitch 1220C	1.3.6.1.4.1.9.5.27	X	-	-	
Cisco PIX Firewall	1220i	1.3.6.1.4.1.9.5.30	X			Switch
Cisco 1500 Series Micro Hubs	1502	1.3.6.1.4.1.9.1.161	N/A			Hub
	1503	1.3.6.1.4.1.9.1.160				
	1538M	1.3.6.1.4.1.9.1.224				
	1548M	1.3.6.1.4.1.9.1.225				
Cisco Workgroup Concentrators	1000	1.3.6.1.4.1.9.5.3	N/A			Hub
	1100	1.3.6.1.4.1.9.5.4				Switch
	1400	1.3.6.1.4.1.9.5.6				Hub
Cisco Lightstream ATM Switches	LS1010	1.3.6.1.4.1.9.1.107	-	X	-	Switch
	LS1010 Chassis	1.3.6.1.4.1.9.5.11	-	X	-	
	LS1015	1.3.6.1.4.1.9.1.164	-	X	-	
Cisco 1000 Series Routers	Pro1003	1.3.6.1.4.1.9.1.51	N/A			Router
	Pro1004	1.3.6.1.4.1.9.1.52				
	Pro1005	1.3.6.1.4.1.9.1.53				
Cisco 700 Series ISDN Access Routers	Pro751	1.3.6.1.4.1.9.1.76	N/A			Router
	Pro752	1.3.6.1.4.1.9.1.77				
	Pro753	1.3.6.1.4.1.9.1.78				
	Pro765	1.3.6.1.4.1.9.1.92				
	Pro766	1.3.6.1.4.1.9.1.129				

Table 12 Switches and Hubs (continued)

Series	Devices Supported	SysObjectID	Device Operating System		DFM 1.x Class
			CatOS	IOS	
				Full Support	
Cisco FastHub 100 Series Hubs	100	1.3.6.1.4.1.9.1.226	N/A	N/A	Hub
	116C	1.3.6.1.4.1.9.1.151			
	116T	1.3.6.1.4.1.9.1.150			
	216T	1.3.6.1.4.1.9.1.169			
	316C	1.3.6.1.4.1.9.1.148			
	316T	1.3.6.1.4.1.9.1.147			
	1116	1.3.6.1.4.1.9.1.152			
	3116	1.3.6.1.4.1.9.1.149			
	FastHubBMMFX/ BMMTX Bridge Management Module	1.3.6.1.4.1.9.1.178			
Cisco Gigabit Ethernet Switch Module (CGESM) for HP Blade Server	CGESM	1.3.6.1.4.1.11.2.3.7.11.33.3.1.1	N/A	N/A	N/A
Cisco Systems Intelligent Gigabit Ethernet Switch Module (IGESM)	IGESM (for IBM eServer BladeCenter)	1.3.6.1.4.1.9.1.592	N/A	N/A	Switch
	IGESM-SFP ³	1.3.6.1.4.1.9.1.660			N/A

1. "Partial DFM support" indicates DFM will manage the device but may not report all device attributes because (1) the device operating system does not support one or more of the MIBs polled by DFM, and/or (2) the device MIB contains information that is not correctly populated.
2. DFM supports this device only if you have downloaded and installed the latest DFM 2.0.5 Device Update Patch. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)
3. DFM supports this device only if you have downloaded and installed the latest DFM minor release. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)
4. On the Catalyst 4503 and 4506, DFM supports the Supervisor Engine I and II running the CatOS operating system, and the Supervisor Engine III and IV running the IOS operating system.
5. On the Catalyst 4507, DFM supports the Supervisor Engine IV running the IOS operating system.
6. On the Catalyst 4006, DFM supports the Supervisor Engine III and IV running the IOS operating system.

Table 13 Universal Gateways and Access Servers

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco AS5300 Series Universal Gateways	AS5300 Access Server	1.3.6.1.4.1.9.1.162	Router
	AS5350 Universal Gateway	1.3.6.1.4.1.9.1.313	
	AS5350XM Universal Gateway ¹	1.3.6.1.4.1.9.1.668	N/A
Cisco AS5400 Series Universal Gateways	AS5400	1.3.6.1.4.1.9.1.274	Router
	AS5400XM ¹	1.3.6.1.4.1.9.1.679	N/A
Cisco AS5800 Series Universal Gateways	AS5800 Access Server	1.3.6.1.4.1.9.1.188	Router
	AS5850 Universal Gateway	1.3.6.1.4.1.9.1.308	
Cisco AS5200 Series Universal Access Servers	AS5200	1.3.6.1.4.1.9.1.109	Router
Cisco 2500 Series Routers	2509RJ	1.3.6.1.4.1.9.1.153	Router
	2510	1.3.6.1.4.1.9.1.26	
	2511RJ	1.3.6.1.4.1.9.1.154	
	2512	1.3.6.1.4.1.9.1.28	

1. DFM supports this device only if you have downloaded and installed the latest DFM 2.0.5 Device Update Patch. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

Table 14 Voice and IP Communications

Series	Devices Supported	SysObjectID	DFM 1.x Class
Note These media servers are only supported when running Cisco CallManager, Customer Response Application, Personal Assistant, Cisco Emergency Responder, or Cisco Conference Connection.	MCS 7820, MCS 7822, MCS 7825, MCS 7830, MCS 7835; IBM Media Server x330, x340, x342	1.3.6.1.4.1.311.1.1.3.1.2	Host
	MCS 7825H	1.3.6.1.4.1.9.1.583	N/A
	MCS 7835H	1.3.6.1.4.1.9.1.584	
	MCS 7845I	1.3.6.1.4.1.9.1.587	
Cisco ICS 7700 Series Integrated Communications Systems	7750-MRP200	1.3.6.1.4.1.9.1.302	Router
	7750-MRP300	1.3.6.1.4.1.9.1.456	Router
	7750-SSP80 System Switch Processor	1.3.6.1.4.1.9.1.303	Switch
	7750-SPE	1.3.6.1.4.1.9.1.314	Host
Cisco DPA 7600 Series Gateways	DPA 7610	1.3.6.1.4.1.9.1.381	Host
	DPA 7630	1.3.6.1.4.1.9.1.365	

Table 14 Voice and IP Communications (continued)

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco IAD 2400 Series Integrated Access Devices	IAD2420	1.3.6.1.4.1.9.1.362	Router
	IAD2430-24FXS	1.3.6.1.4.1.9.1.545	Router
	IAD2431-T1/E1	1.3.6.1.4.1.9.1.548	Router
	IAD2431-8FXS	1.3.6.1.4.1.9.1.546	Router
	IAD2431-16FXS	1.3.6.1.4.1.9.1.547	Router
Cisco VG200 Gateway	VG200	1.3.6.1.4.1.9.1.279	Router
	VG224	1.3.6.1.4.1.9.1.558	Router
	VG248	1.3.6.1.4.1.9.1.404	Host
Unity Servers ²	Windows Servers	1.3.6.1.4.1.311.1.1.3.1.2	Host
	Domain Controllers	1.3.6.1.4.1.311.1.1.3.1.3	
Cisco IP Contact Center	IPCC	1.3.6.1.4.1.9.1.693	N/A
Cisco MeetingPlace Express	MPX ³	1.3.6.1.4.1.9.1.710	N/A

- DFM will also classify Windows servers and domain controllers as Media Servers. Refer to Footnote 2.
- Windows Servers and Domain Controllers are classified as Media Servers if (1) CDP is enabled on them, OR (2) the HOST-RESOURCES-MIB attribute hrSWInstalledName is populated with the string *Unity*. (The latter indicates that it is a Unity Server, which DFM displays as a Media Server in the Host class.)
- DFM supports this device only if you have downloaded and installed the latest DFM minor release. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)

Table 15 Wireless

Series	Devices Supported	SysObjectID	DFM 1.x Class
Cisco Aironet 1300 Series (IOS/partial)	BR1300	1.3.6.1.4.1.9.1.565	Bridge
Cisco Aironet 1400 Series (IOS/partial)	BR1410	1.3.6.1.4.1.9.1.533	Bridge
Cisco Aironet 1200 Series (IOS/partial)	AP1100	1.3.6.1.4.1.9.1.507	Router
	AP1200	1.3.6.1.4.1.9.1.474	Router
	AP1210/1230	1.3.6.1.4.1.9.1.525	Switch
	AP1242 ¹	1.3.6.1.4.1.9.1.685	N/A
Cisco Aironet 1130 AG Series	AP1130	1.3.6.1.4.1.9.1.618	N/A
Cisco Aironet 350 Series (IOS/partial)	AP350	1.3.6.1.4.1.9.1.552	Router
Cisco Aironet 340 Series	AP340 ²	1.3.6.1.4.1.9.1.379	Router

- DFM supports this device only if you have downloaded and installed the latest DFM minor release. (To download this support, log into Cisco.com and point your browser to: <http://www.cisco.com/cgi-bin/tablebuild.pl/cw2000-dfm>.)
- DFM supports the AP340 running VxWorks.

Table 16 **Third Party Servers**

Series	Devices Supported	SysObjectID	DFM 1.x Class
<p>IBM Media Server</p> <p>Note IBM Media Servers are only supported when running Cisco CallManager, Customer Response Application, Personal Assistant, Cisco Emergency Responder, or Cisco Conference Connection.</p>	<p>x330, x340, x342</p>	<p>1.3.6.1.4.1.311.1.1.3.1.2</p>	<p>Host</p>