



Supported Operating Systems for Cisco Switches in Device Fault Manager 3.0.2

Updated: May 6, 2009

The following tables list the switch operating systems supported by CiscoWorks Device Fault Manager (DFM) 3.0.2. The table lists the devices by family, model, and sysObjectIDs.



Note

DFM does not support switch clusters. A switch cluster is a group of switches comprised of a master switch and slave switches. This relationship allows NMSs to query the master switch for information about the slave switches.

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco MDS 9000 Series Multilayer Fabric Switches	MDS 9513	1.3.6.1.4.1.9.12.3.1.3.377		X			
	MDS 9216i	1.3.6.1.4.1.9.12.3.1.3.472		X			
	MDS 9124	1.3.6.1.4.1.9.12.3.1.3.587		X			
Cisco MGX 8800 Series Switches	MGX 8830	1.3.6.1.4.1.9.1.229			X		
	MGX 8850	1.3.6.1.4.1.9.1.228			X		
	MGX 8860	1.3.6.1.4.1.9.1.239			X		
Cisco BPX 8600 Series Switches	BPX 8620	1.3.6.1.4.1.9.1.237			X		
	BPX 8650	1.3.6.1.4.1.9.1.238			X		



Americas Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco Catalyst 8500 Series Multiservice Switch Routers (MSR)	8510MSR	1.3.6.1.4.1.9.1.230			X		
	8510	1.3.6.1.4.1.9.1.190			X		
	8515MSR	1.3.6.1.4.1.9.1.231			X		
	8515	1.3.6.1.4.1.9.1.196			X		
	8540MSR	1.3.6.1.4.1.9.1.202			X		
	8540	1.3.6.1.4.1.9.1.203			X		
Cisco IGX 8400 Series Switches	IGX 8410	1.3.6.1.4.1.9.1.232			X		
	IGX 8420	1.3.6.1.4.1.9.1.233			X		
Cisco Catalyst 6500 Series Switches	6503	1.3.6.1.4.1.9.5.56	X				
		1.3.6.1.4.1.9.1.449		X			
	6504-E	1.3.6.1.4.1.9.5.64	X				
		1.3.6.1.4.1.9.1.657		X			
	6506	1.3.6.1.4.1.9.5.45	X				
		1.36.1.4.1.9.1.282		X			
	6509	1.3.6.1.4.1.9.5.44	X				
		1.3.6.1.4.1.9.1.283		X			
	6509-NEBA	1.3.6.1.4.1.9.1.534		X			
	6513	1.3.6.1.4.1.9.5.50	X				
		1.3.6.1.4.1.9.1.400		X			
	6509-NEB	1.3.6.1.4.1.9.5.47	X				
		1.3.6.1.4.1.9.1.310		X			
	6509 Switch (6582-2PA & WiSM - Card Support)	---			X		
Cisco Virtual Switching System (WS-C6513)	---			X			
6509-V-E	1.3.6.1.4.1.9.1.832		X				
Cisco Catalyst 6000 Series Switches	6000	1.3.6.1.4.1.9.1.241		X			
	WS-C6006	1.3.6.1.4.1.9.5.38	X				
		1.3.6.1.4.1.9.1.280		X			
	WS-C6009	1.3.6.1.4.1.9.5.39	X				
1.3.6.1.4.1.9.1.281			X				

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco Catalyst 5500 Series Switches	5500	1.3.6.1.4.1.9.5.17	X				
	5505	1.3.6.1.4.1.9.5.34	X				
	5509	1.3.6.1.4.1.9.5.36	X				
Cisco Catalyst 5000 Series Switches	5000	1.3.6.1.4.1.9.5.7	X				
	5002	1.3.6.1.4.1.9.5.29	X				
Cisco Catalyst 4900 Series Switches	4900M	1.3.6.1.4.1.9.1.917		X			
Cisco Catalyst 4000 Series	4948	1.3.6.1.4.1.9.1.626		X			
	4948-10GE	1.3.6.1.4.1.9.1.659		X			
Cisco Catalyst GL-3 Series Switches	4840G-L3	1.3.6.1.4.1.9.1.312		X			
	4908G-L3	1.3.6.1.4.1.9.1.298		X			
Access Gateway Module with IP/FW Software for Cisco Catalyst 4000 and Catalyst 4500 Series Switches	WS-X4604-GWY	1.3.6.1.4.1.9.1.318		X			
Cisco Catalyst 4500 Series Switches	4503 ²	1.3.6.1.4.1.9.1.503		X			
		1.3.6.1.4.1.9.5.58	X				
	4506 ²	1.3.6.1.4.1.9.1.502		X			
		1.3.6.1.4.1.9.5.59	X				
	4507 ³	1.3.6.1.4.1.9.1.501		X			
	4510	1.3.6.1.4.1.9.1.537		X			
	4506-E	1.3.6.1.4.1.9.1.875		X			
	4510R-E	1.3.6.1.4.1.9.1.877		X			
	4503-E	1.3.6.1.4.1.9.1.874		X			
4507R-E	1.3.6.1.4.1.9.1.876		X				
Cisco Catalyst 4200 Series Switches	4224	1.3.6.1.4.1.9.1.399		X			
Cisco Catalyst 4000 Series Switches	4003	1.3.6.1.4.1.9.5.40	X				
	4006 ⁴	1.3.6.1.4.1.9.5.46	X				
		1.3.6.1.4.1.9.1.448		X			
	4232L3	1.3.6.1.4.1.9.1.300		X			
	4912G	1.3.6.1.4.1.9.5.41	X				

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco 4000M Series Routers	4000	1.3.6.1.4.1.9.1.7		X			
	Pro4500	1.3.6.1.4.1.9.1.66		X			
	Pro4700	1.3.6.1.4.1.9.1.142		X			
Cisco Catalyst 3900 Series Switches	3900	1.3.6.1.4.1.9.5.33	X				
	3920	1.3.6.1.4.1.9.5.37	X				
Cisco Catalyst 3750 Series Switches	3750-stack	1.3.6.1.4.1.9.1.516		X			
	3750-24FS	1.3.6.1.4.1.9.1.656		X			
	3750-24PS	1.3.6.1.4.1.9.1.536		X			
	3750-24TS	1.3.6.1.4.1.9.1.513		X			
	3750-48PS	1.3.6.1.4.1.9.1.535		X			
	3750-E-24PD	1.3.6.1.4.1.9.1.792		X			
	3750-E-24TD	1.3.6.1.4.1.9.1.789		X			
	3750-E-48PD	1.3.6.1.4.1.9.1.791		X			
	3750-E-48TD	1.3.6.1.4.1.9.1.790		X			
	3750G-16TD	1.3.6.1.4.1.9.1.591		X			
	3750G-24PS	1.3.6.1.4.1.9.1.602		X			
	3750G-24TS1U	1.3.6.1.4.1.9.1.624		X			
	3750G-48PS	1.3.6.1.4.1.9.1.603		X			
	3750G-48TS	1.3.6.1.4.1.9.1.604		X			
	3750G-24WS	1.3.6.1.4.1.9.1.778		X			
	3750G-24WS	1.3.6.1.4.1.9.1.779		X			
	3750-24	1.3.6.1.4.1.9.1.511		X			
	3750-48	1.3.6.1.4.1.9.1.512		X			
	3750G-24T	1.3.6.1.4.1.9.1.514		X			
Catalyst 3750 Metro Series AC Switch	ME-C3750-24TE-MA	1.3.6.1.4.1.9.1.574		X			
Catalyst 3750 Metro Series AC/DC Switch	ME-C3750-24TE-M			X			

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco Catalyst 3560 Series Switches	3560-8PC	1.3.6.1.4.1.9.1.797		X			
	3560-24PS	1.3.6.1.4.1.9.1.563		X			
	3560-48PS	1.3.6.1.4.1.9.1.564		X			
	3560-E-24PD	1.3.6.1.4.1.9.1.795		X			
	3560-E-24TD	1.3.6.1.4.1.9.1.793		X			
	3560-E-48PD	1.3.6.1.4.1.9.1.796		X			
	3560-E-48TD	1.3.6.1.4.1.9.1.794		X			
	3560G-24PS	1.3.6.1.4.1.9.1.614		X			
	3560G-24TS	1.3.6.1.4.1.9.1.615		X			
	3560G-48PS	1.3.6.1.4.1.9.1.616		X			
Cisco Catalyst 3560-E Series Switches	3560E-12D-S	1.3.6.1.4.1.9.1.930			X		
	3560E-12SD-E,3560 E-12SD-S	1.3.6.1.4.1.9.1.956		X			
Cisco Catalyst 3550 Series Switches	3550-24	1.3.6.1.4.1.9.1.366		X			
	3550-48	1.3.6.1.4.1.9.1.367		X			
	3550-12T	1.3.6.1.4.1.9.1.368		X			
	3550-12G	1.3.6.1.4.1.9.1.431		X			
	3550-24Dc	1.3.6.1.4.1.9.1.452		X			
	3550-24Mmf	1.3.6.1.4.1.9.1.453		X			
	3550-24-PWR (-SMI or -EMI)	1.3.6.1.4.1.9.1.485		X			
Cisco Catalyst 3500 Series XL Switches	3524-PWR-XL	1.3.6.1.4.1.9.1.287			X		
	3512XL	1.3.6.1.4.1.9.1.247			X		
	3524XL	1.3.6.1.4.1.9.1.248			X		
	3508G-XL	1.3.6.1.4.1.9.1.246			X		
	3548XL	1.3.6.1.4.1.9.1.278			X		
Cisco Server Fabric Switches	3504 Multifabric Server Switch	1.3.6.1.4.1.6203.16			X		
IBM Blade Center InfiniBand Switch	Cisco BladeCenterH (BCH)	1.3.6.1.4.1.6203.15			X		
Cisco ME 3400 Series Ethernet Access Switch	3440	1.3.6.1.4.1.9.1.736		X			
	3400G-2CS-A	1.3.6.1.4.1.9.1.825			X		

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco Catalyst 3000 Series Switches	3000	1.3.6.1.4.1.9.5.10	X				
	3001	1.3.6.1.4.1.9.5.26	X				
	3100	1.3.6.1.4.1.9.5.23	X				
	3200	1.3.6.1.4.1.9.5.15	X				
Cisco Catalyst Blade Switch 3000 Series	CBS3020	1.3.6.1.4.1.9.1.748	X				
	CBS3040	1.3.6.1.4.1.9.1.784		X			
Cisco Catalyst 2970 Series Switches	2970-24	1.3.6.1.4.1.9.1.527		X			
	2970-G-24TS-E	1.3.6.1.4.1.9.1.561		X			
Cisco Catalyst 2960 Series Switches	2960-8TC	1.3.6.1.4.1.9.1.798		X			
	2960-24	1.3.6.1.4.1.9.1.694		X			
	2960-48	1.3.6.1.4.1.9.1.695		X			
	2960-24TT	1.3.6.1.4.1.9.1.716		X			
	2960-48TT	1.3.6.1.4.1.9.1.717		X			
	2960G-8TC	1.3.6.1.4.1.9.1.799		X			
	2960G-24	1.3.6.1.4.1.9.1.696		X			
	2960-24-S	1.3.6.1.4.1.9.1.929		X			
	2960-24TC-S	1.3.6.1.4.1.9.1.928		X			
	2960-48TC-S	1.3.6.1.4.1.9.1.927		X			
	2960-24LT-L	1.3.6.1.4.1.9.1.951		X			
	2960PD-8TT-L	1.3.6.1.4.1.9.1.952		X			
	2960-24PC-L	1.3.6.1.4.1.9.1.950		X			

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco Catalyst 2950 Series Switches	2950-12	1.3.6.1.4.1.9.1.323		X			
	2950-24	1.3.6.1.4.1.9.1.324		X			
	2950C-24	1.3.6.1.4.1.9.1.325		X			
	2950G-12	1.3.6.1.4.1.9.1.427		X			
	2950G-24	1.3.6.1.4.1.9.1.428		X			
	2950G-48	1.3.6.1.4.1.9.1.429		X			
	2950G-24-DC	1.3.6.1.4.1.9.1.472		X			
	2950SX-24	1.3.6.1.4.1.9.1.480		X			
	2950SX-48	1.3.6.1.4.1.9.1.560		X			
	2950T-24	1.3.6.1.4.1.9.1.359		X			
	2950T-48	1.3.6.1.4.1.9.1.559		X			
	2955C-12	1.3.6.1.4.1.9.1.489		X			
	2955S-12	1.3.6.1.4.1.9.1.508		X			
	2955T-12	1.3.6.1.4.1.9.1.488		X			
Cisco Catalyst 2940 Series Switches	2940-8TF	1.3.6.1.4.1.9.1.542		X			
	2940-8TT	1.3.6.1.4.1.9.1.540		X			
Cisco Catalyst 2900 Series Switches	2926	1.3.6.1.4.1.9.5.35	X				
	2900	1.3.6.1.4.1.9.5.12	X				
	2948G	1.3.6.1.4.1.9.5.42	X				
	2980G	1.3.6.1.4.1.9.5.49	X				
	2980G-A	1.3.6.1.4.1.9.5.51	X				
	2948G-GE-TX	1.3.6.1.4.1.9.5.62	X				
	2948G-L3	1.3.6.1.4.1.9.1.275		X			
Cisco Catalyst 2900 Series XL Switches	2912XL	1.3.6.1.4.1.9.1.219			X		
	2912MF-XL	1.3.6.1.4.1.9.1.221			X		
	2916M-XL	1.3.6.1.4.1.9.1.171			X		
	2924XL	1.3.6.1.4.1.9.1.183			X		
	2924XL-V	1.3.6.1.4.1.9.1.217			X		
	2924C-XL	1.3.6.1.4.1.9.1.184			X		
	2924C-XL-V	1.3.6.1.4.1.9.1.218			X		
	2924M-XL	1.3.6.1.4.1.9.1.220			X		
Cisco Catalyst 2800 Series Switches	2828	1.3.6.1.4.1.9.5.20	X				

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco 2500 Series Routers	Pro2500PCE	1.3.6.1.4.1.9.1.55		X			
	Pro2501	1.3.6.1.4.1.9.1.56		X			
	Pro2502	1.3.6.1.4.1.9.1.130		X			
	Pro2503	1.3.6.1.4.1.9.1.57		X			
	Pro2504	1.3.6.1.4.1.9.1.131		X			
	Pro2505	1.3.6.1.4.1.9.1.58		X			
	Pro2506	1.3.6.1.4.1.9.1.132		X			
	Pro2507	1.3.6.1.4.1.9.1.59		X			
	Pro2508	1.3.6.1.4.1.9.1.133		X			
	Pro2509	1.3.6.1.4.1.9.1.60		X			
	Pro2510	1.3.6.1.4.1.9.1.134		X			
	Pro2511	1.3.6.1.4.1.9.1.61		X			
	Pro2512	1.3.6.1.4.1.9.1.135		X			
	Pro2513	1.3.6.1.4.1.9.1.136		X			
	Pro2514	1.3.6.1.4.1.9.1.62		X			
	Pro2515	1.3.6.1.4.1.9.1.137		X			
	Pro2516	1.3.6.1.4.1.9.1.63		X			
	Pro2517	1.3.6.1.4.1.9.1.138		X			
	Pro2518	1.3.6.1.4.1.9.1.139		X			
	Pro2519	1.3.6.1.4.1.9.1.64		X			
Pro2523	1.3.6.1.4.1.9.1.140		X				
Pro2525	1.3.6.1.4.1.9.1.141		X				
Cisco ME 2400 Series Ethernet Switches	2440	1.3.6.1.4.1.9.1.734		X			
Cisco Catalyst 1900 Series Switches (running Switch Firmware)	cpw1900	1.3.6.1.4.1.9.5.16	NA				
	1900c	1.3.6.1.4.1.9.5.28					
	1900i	1.3.6.1.4.1.9.5.31					
	wsc1900LiteFx	1.3.6.1.4.1.9.5.175					
	1912C	1.3.6.1.4.1.9.1.175					
	1924	1.3.6.1.4.1.9.5.18					
Cisco Catalyst 1600 Series Switches	cpw1600	1.3.6.1.4.1.9.5.9	NA				

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco 1600 Series Routers	1600	1.3.6.1.4.1.9.5.8		NA			
	Pro1601	1.3.6.1.4.1.9.1.117		X			
	Pro1602	1.3.6.1.4.1.9.1.118		X			
	Pro1603	1.3.6.1.4.1.9.1.119		X			
	Pro1604	1.3.6.1.4.1.9.1.120		X			
Cisco 1420 EtherSwitch	cpw1420	1.3.6.1.4.1.9.5.21	X				
Cisco 1220 EtherSwitch Series	EtherSwitch 1200	1.3.6.1.4.1.9.5.5	X				
	EtherSwitch 1220	1.3.6.1.4.1.9.5.19	X				
	EtherSwitch 1220C	1.3.6.1.4.1.9.5.27	X				
Cisco PIX Firewall	1220i	1.3.6.1.4.1.9.5.30	X				
Cisco 1500 Series Micro Hubs	1502	1.3.6.1.4.1.9.1.161		NA			
	1503	1.3.6.1.4.1.9.1.160		NA			
	1538M	1.3.6.1.4.1.9.1.224		NA			
	1548M	1.3.6.1.4.1.9.1.225		NA			
Cisco Workgroup Concentrators	1000	1.3.6.1.4.1.9.5.3		NA			
	1100	1.3.6.1.4.1.9.5.4		NA			
	1400	1.3.6.1.4.1.9.5.6		NA			
Cisco Lightstream ATM Switches	LS1010	1.3.6.1.4.1.9.1.107		X			
	LS1010 Chassis	1.3.6.1.4.1.9.5.11		X			
	LS1015	1.3.6.1.4.1.9.1.164		X			
Cisco 1000 Series Routers	Pro1003	1.3.6.1.4.1.9.1.51		NA			
	Pro1004	1.3.6.1.4.1.9.1.52		NA			
	Pro1005	1.3.6.1.4.1.9.1.53		NA			
Cisco 700 Series ISDN Access Routers	Pro751	1.3.6.1.4.1.9.1.76		NA			
	Pro752	1.3.6.1.4.1.9.1.77		NA			
	Pro753	1.3.6.1.4.1.9.1.78		NA			
	Pro765	1.3.6.1.4.1.9.1.92		NA			
	Pro766	1.3.6.1.4.1.9.1.129		NA			

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco FastHub 100 Series Hubs	100	1.3.6.1.4.1.9.1.226	NA				
	116C	1.3.6.1.4.1.9.1.151					
	116T	1.3.6.1.4.1.9.1.150					
	216T	1.3.6.1.4.1.9.1.169					
	316C	1.3.6.1.4.1.9.1.148					
	316T	1.3.6.1.4.1.9.1.147					
	1116	1.3.6.1.4.1.9.1.152					
	3116	1.3.6.1.4.1.9.1.149					
	FastHubBMMFX/ BMMTX Bridge Management Module	1.3.6.1.4.1.9.1.178					
Cisco Gigabit Ethernet Switch Module (CGESM) for HP Blade Server	CGESM	1.3.6.1.4.1.11.2.3.7.11.33.3.1.1	NA				
Cisco Systems Intelligent Gigabit Ethernet Switch Module (IGESM) for IBM eServer BladeCenter	IGESM	1.3.6.1.4.1.9.1.592	NA				
Cisco ME 3400 Series Ethernet Access Switches	ME 3400-24FS-A	1.3.6.1.4.1.9.1.873		X			
Cisco Catalyst Blade Switch 3000 Series	Cisco Catalyst Switch Module 3110G for IBM BladeCenter (WS-CBS3110G-S)	1.3.6.1.4.1.9.1.909		X			
	Cisco Catalyst Switch Module 3110G for IBM BladeCenter (WS-CBS3110G-ST)	1.3.6.1.4.1.9.1.910		X			
	Cisco Catalyst Switch Module 3110X for IBM BladeCenter (WS-CBS3110X-S)	1.3.6.1.4.1.9.1.911		X			
	Cisco Catalyst Switch Module 3110X for IBM BladeCenter (WS-CBS311X-ST)	1.3.6.1.4.1.9.1.912		X			

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco Catalyst Blade Switch 3000 Series	Cisco Catalyst Switch Module 3110X for IBM BladeCenter (CBS3110-STACK)	1.3.6.1.4.1.9.1.947		X			
	Cisco Catalyst Switch Module 3012 (WS-CBS3012-IBM)	1.3.6.1.4.1.9.1.999		X			
	Cisco Catalyst Switch Module 3012 for IBM BladeCenter	1.3.6.1.4.1.9.1.1000		X			
	Cisco Catalyst Blade Switch 3125G for HP (WS-CBS3012-IBM-I)	1.3.6.1.4.1.9.1.1001		X			
	Cisco Catalyst Blade Switch 3120G for HP (WS-CBS3120G-S)	1.3.6.1.4.1.9.1.918		X			
	Cisco Catalyst Blade Switch 3125X for HP (WS-CBS3125-X)	1.3.6.1.4.1.9.1.1002		X			
	Cisco Catalyst Blade Switch 3120X for HP (WS-CBS3120X-S)	1.3.6.1.4.1.9.1.919		X			
	Cisco Catalyst Blade Switch 3120X for HP (CBS3120-STACK)	1.3.6.1.4.1.9.1.948		X			
	Cisco Catalyst Blade Switch 3130G for Dell M1000E (WS-CBS3130G-S)	1.3.6.1.4.1.9.1.921		X			
	Cisco Catalyst Blade Switch 3130X for Dell M1000E (WS-CBS3130X-S)	1.3.6.1.4.1.9.1.922		X			
	Cisco Catalyst Blade Switch 3130X for Dell M1000E (CBS3130-STACK)	1.3.6.1.4.1.9.1.949		X			
	Cisco Catalyst Blade Switch 3032 for Dell M1000E (WS-CBS3032-DEL)	1.3.6.1.4.1.9.1.920		X			

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco IE 3000 Series Switches	Cisco IE 3000-4TC Industrial Ethernet Switch	1.3.6.1.4.1.9.1.958		X			
	Cisco IE 3000-8TC Industrial Ethernet Switch	1.3.6.1.4.1.9.1.959		X			
Rockwell Stratix 8000 Series Switches	Rockwell Stratix MS10T	1.3.6.1.4.1.9.1.961		X			
Cisco ME 4900 Series Ethernet Switches	Cisco ME 4924-10GE Switch	1.3.6.1.4.1.9.1.788		X			
Cisco MDS 9000 Series Multilayer Switches	Cisco MDS 9222i Multiservice Modular Switch	1.3.6.1.4.1.9.12.3.1.3.6 51		X			
	Cisco MDS 9124e Multiservice Modular Switch	1.3.6.1.4.1.9.12.3.1.3.6 06		X			
Rockwell Stratix 8000 Series Switches	Rockwell Stratix MS06T	1.3.6.1.4.1.9.1.960		X			
Data Center Switches	Cisco Nexus 5020 Switch (N5K-C5020P-BF)	1.3.6.1.4.1.9.12.3.1.3.7 19					X
	Cisco Nexus 7000 10-Slot Switch (N7K-C7010)	1.3.6.1.4.1.9.12.3.1.3.6 12					X
	Cisco Nexus 7000 18-Slot Switch (N7K-C7018)	1.3.6.1.4.1.9.12.3.1.3.7 77					X

Series	Devices Supported	SysObjectID	Device Operating System				
			CatOS	IOS		NX-OS	
				Full Support	Partial Support ¹	Full Support	Partial Support
Cisco ME 3400 Series Ethernet Access Switches	Cisco ME 3400-24TS-D Switch (ME3400-24TS-D)	1.3.6.1.4.1.9.1.737		X			
	Cisco ME 3400EG-2CS-A Switch (ME-3400EG-2CS-A)	1.3.6.1.4.1.9.1.1007		X			
	Cisco ME 3400EG-12CS-M Switch (ME-3400EG-12CS-M)	1.3.6.1.4.1.9.1.1008		X			
	Cisco ME 3400E-24TS-M Switch (ME-3400E-24TS-M)	1.3.6.1.4.1.9.1.1009		X			
Cisco Catalyst 2975 Switch	Cisco Catalyst 2975 Switch (WS-C2975GS-48PS-L)	1.3.6.1.4.1.9.1.1067		X			
	Cisco Catalyst 2975 Switch (WS-C2975GS-48PS-L Stack)	1.3.6.1.4.1.9.1.1068		X			
Cisco Catalyst 2350 Series Switches	Cisco Catalyst 2350-48TD-S Switch	1.3.6.1.4.1.9.1.1104		X			
Cisco Catalyst 3560 Series Switches	Cisco Catalyst 3560-12PC-S Compact Switch	1.3.6.1.4.1.9.1.1015		X			
Cisco Catalyst 2960 Series Switches	Cisco Catalyst 2960-48TT-S Switch	1.3.6.1.4.1.9.1.1005		X			
	Cisco Catalyst 2960-8TC-S Compact Switch	1.3.6.1.4.1.9.1.1006		X			

1. Partial DFM support" indicates DFM will manage the device but may not report all device attributes because (1) the device operating system does not support one or more of the MIBs polled by DFM, and/or (2) the device MIB contains information that is not correctly populated.
2. On the Catalyst 4503 and 4506, DFM supports the Supervisor Engine I and II running the CatOS operating system, and the Supervisor Engine III and IV running the IOS operating system.
3. On the Catalyst 4507, DFM supports the Supervisor Engine IV running the IOS operating system.
4. On the Catalyst 4006, DFM supports the Supervisor Engine III and IV running the IOS operating system.

