



INDEX

A

ACS (Cisco Access Control Server)

defining QPM server in [3-11](#)

defining usernames, device groups, user groups in [3-11](#)

for user authentication in QPM [1-1](#)

permissions and device groups, setup for working with [3-11](#)

updating QPM user permissions in [3-15](#)

user permissions [3-7](#)

audience for this document [1-vii](#)

authentication

using ACS for [3-11](#)

using CiscoWorks for [3-2](#)

C

cautions

significance of [1-viii](#)

CiscoWorks Common Services, See Common Services [1-2](#)

CiscoWorks user permissions

setting up [3-6](#)

CiscoWorks user permissions and authentication [3-2](#)

Common Services

and QPM [1-2](#)

install before QPM [1-6](#)

troubleshooting problems starting [A-3](#)

uninstalling QPM from [2-9](#)

D

debug information, obtaining [A-6](#)

Diagnostic Tool

for obtaining system status information [A-6](#)

documentation [1-viii](#)

audience for this [1-vii](#)

related to this product [1-x](#)

typographical conventions in [1-vii](#)

E

exporting

from QPM 4.0 [4-5](#)

H

hardware requirements, See system requirements

I

importing to QPM 4.0 [4-6](#)

installing [2-1](#)

- Common Services procedure [2-2](#)

- CS DST Patch [2-7](#)

- order of [2-2](#)

- ports used by QPM [2-1](#)

- prerequisites [1-6](#)

- QPM procedure [2-7](#)

- recommended paths [1-7](#)

- system requirements [1-2](#)

- troubleshooting [A-1](#)

- upgrading from QPM 3.2 or 3.2.x [4-2](#)

- verifying [2-11](#)

M

migrating QPM 3.2.x data to QPM 4.0 [4-4](#)

migrating QPM 4.0 data [4-1](#)

migrating to a new QPM server [4-3](#)

P

ports used by QPM [2-1](#)

Q

QPM, overview of [1-1](#)

QPM 4.0 Export Utility [4-5](#)

QPM 4.0 Import Utility [4-6](#)

QPM database

- exporting from QPM 4.0 [4-5](#)

- importing [4-6](#)

R

re-installing QPM [2-11](#)

S

setqpmloggermode command [A-6](#)

software requirements, See system requirements

system requirements [1-2](#)

T

TACACS+, defining Login Module as [3-11](#)

troubleshooting [A-1](#)

- obtaining debug information [A-6](#)

obtaining system status information using Diagnostic Tool [A-6](#)

problems installing QPM [A-2](#)

problems starting Common Services [A-3](#)

problems starting QPM [A-4](#)

typographical conventions in this document [1-vii](#)

U

uninstalling QPM [2-9](#)

upgrading

 QPM 3.2 or 3.2.x to 4.0 [4-2](#)

upgrading to QPM 4.0

 exporting QPM data [4-5](#)

 importing QPM 4.0 data [4-6](#)

 migrating QPM data [4-1](#)

user permissions

 ACS [3-7](#)

 CiscoWorks [3-2](#)

 using ACS device groups and [3-10](#)

 working with [3-1](#)

V

verifying QPM installation [2-11](#)

