



Planning Forms

This appendix includes forms that can help you plan your Cisco MC3810 multiservice access concentrator configuration. This appendix includes the following sections:

- [Voice-Port Planning Forms, page B-1](#)
- [Dial-Peer Planning Form, page B-3](#)

Voice-Port Planning Forms

For your reference, you can fill out the forms in either or to list your voice-port modules and map them to the slot and port numbers. This can help you plan your voice-port configuration.

Table 1 *Planning Form for Analog Voice Ports*

Slot	Port	Voice-Port Module Type (FXS, FXO, or E&M)	Connection Type (PLAR or Tie-Line)	Destination Phone Number
1	1			
1	2			
1	3			
1	4			
1	5			
1	6			

Table 2 Planning Form for Digital Voice-Ports

Slot No. MFT=0 DVM=1	Port	Signal Type (FXS, FXO, or E&M)	T1 /E1	Connection Type (PLAR or Tie-Line)	Destination Phone Number
	1				
	2				
	3				
	4				
	5				
	6				
	7				
	8				
	9				
	10				
	11				
	12				
	13				
	14				
	15		T1		
	16				
	17				
	18				
	19				
	20				
	21				
	22				
	23				
	24				
	25		E1		
	26		E1		
	27		E1		
	28		E1		
	29		E1		
	30		E1		
	31		E1		

