



A

Active hosts [4-13](#)

Add rule [4-16](#)

Agent

 kits [4-7](#)

 optional reboot after install [A-4](#)

 user interface [A-5](#)

Agent (Linux)

 installing [A-9](#)

Agent (Solaris)

 installing [A-7](#)

 migrating from V4.0.x [3-7](#)

Agent installation automatic [3-25](#)

Agent kit

 preconfigured sample [4-5, 4-20](#)

Agent kits

 creating [4-7](#)

 download URL [4-9](#)

 network shim enable [4-9](#)

 preconfigured sample [4-7](#)

Agent migration [3-6](#)

Agent-server size ratio [2-4](#)

Application class [4-18](#)

Attach policy to group [4-21](#)

Attach rule module to policy [4-21](#)

Auto-enrollment [2-6](#)

B

Browser requirements [1-8](#)

 Java Virtual Machine [1-9](#)

C

Certificate import [3-29](#)

Changes from 4.0.x [2-6, 2-7](#)

 downloaded content [2-6](#)

 mandatory groups [2-6](#)

 monitoring rules [2-6](#)

 network shield [2-6](#)

 network worm detection [2-6](#)

 system API, Trojan rule [2-7](#)

Cisco Security Agent on remote database [3-21](#)

Cisco Trust Agent (CTA) [3-37](#)

 installation files [3-37](#)

Cisco Works [4-9](#)

Cluster support [1-9](#)

Configuration item mapping [2-5](#)

Content engine [2-5](#)

CSA MC 1-3

about 1-2

browser requirements 1-8

login locally 3-27

login remotely 3-27

Policies 4-4

system requirements 1-3

D

Deployment overview 1-2

Detailed description 4-4

Distributed configuration 3-20, 3-26

DNS environments 1-8

F

File access control rule 4-16

G

Generate rules 4-22

Generating configurations 4-22

Group

configure 4-5, 4-20

Polling intervals 4-6

preconfigured sample 4-5, 4-20

Test Mode 4-6

Verbose logging mode 4-6

Groups

No user interaction A-5

H

Hosts

about 4-5

active 4-13

not active 4-13

search 4-13

view 4-13

HTTPS 1-7, A-2

I

IDS Host Sensor 1-16

Import Root Certificate 3-29, 3-35

Inactive hosts 4-13

Install

agent A-2

certificate (IE) 3-29

certificate (Netscape) 3-35

Microsoft SQL Server 3-13

Installation Log 3-26

Installation options 3-10

Install CSA MC 3-9, 3-27

installation options 3-10

license information 3-2

local database 3-11

remote database [3-20](#)
upgrading [3-3, 3-7](#)

Internationalization support [1-9](#)

directory tokens [1-15](#)

verifying directory tokens [1-14](#)

Windows 2000 [1-12](#)

Windows 2003 [1-14](#)

Windows XP [1-13](#)

Internet Explorer

version support [1-8](#)

J

Java Virtual Machine requirement [1-9](#)

L

Language support [1-9](#)

directory tokens [1-15](#)

verifying directory tokens [1-14](#)

Windows 2000 [1-12](#)

Windows 2003 [1-14](#)

Windows XP [1-13](#)

Licensing information [3-2](#)

Local database install [3-10](#)

Log

installation [3-26](#)

Login

locally [3-27](#)

remotely [3-27](#)

M

Make kit button [4-9](#)

Microsoft SQL Server [3-14](#)

migration_data_export.xml [3-5](#)

N

Netscape

version support [1-8](#)

Network shim [4-9](#)

optional [A-2](#)

Not active hosts [4-13](#)

No user interaction [A-5](#)

O

Operating system changes, agent [1-8](#)

Operating systems sample [2-2](#)

Overview of product [1-1](#)

P

Pilot

migrating policies [2-5](#)

recommendations [2-2](#)

Pilot Program

size of pilot [2-2](#)

time frame of pilot [2-3](#)

Policies

pre-configured modules [4-4](#)

Policy

add rule [4-16](#)

attach to group [4-21](#)

configure [4-14](#)

distribute to agents [4-22](#)

exception rules [2-13](#)

file access control [4-16](#)

modify policy associations [4-21](#)

modify rules [4-16](#)

query responses [2-12](#)

rule modules [4-14](#)

Test Mode as a tool [2-10](#)

tuning and troubleshooting [2-7](#)

Policy migration [2-5](#)

Polling interval recommendation [2-5](#)

Polling intervals [4-6](#)

prepare_migration.exe [3-5](#)

Product overview [1-1](#)

Q

query settings [2-7](#)

Quick start setup [4-1](#)

R

Reboot optional

agent [A-3, A-4](#)

Registered hosts

view [4-13](#)

Remote access [3-27, 4-2](#)

Remote database install [3-10](#)

Requirements

agent [1-5](#)

cluster support [1-9](#)

DNS and WINS [1-8](#)

server [1-3](#)

time and date settings [1-9](#)

web browsers [1-8](#)

Resolution

screen requirements [1-4](#)

Root certificate import [3-29](#)

Rule configuration version [4-23](#)

S

Scalability

hardware sizing [2-3](#)

server configurations [2-3](#)

Scalable deployment [2-3](#)

content engines [2-5](#)

hardware sizing [2-3](#)

polling interval [2-5](#)

three servers [2-3](#)

Secure communications [3-29](#)

Single server [2-3](#)

Solaris agent install directory [A-8](#)

Solaris host migration [3-7](#)

Solaris requirements

agent [1-6](#)

SQL Server [3-14](#)

SQL Server 2000 install [3-19, 3-21](#)

SQL server installation [3-15](#)

SSL [3-18, 3-29](#)

Syntax [4-18](#)

System requirements [1-3](#)

T

Terminal services [1-5](#)

Test Mode [4-6](#)

Three servers, multi-tiered [2-3](#)

Two servers [2-3](#)

U

Uninstall CSA MC [3-36](#)

UNIX agent install directory [A-8](#)

Upgrade naming conventions [3-5](#)

Upgrading

configuration item mapping [2-5](#)

from Version4.0.x [3-3, 3-7](#)

V

Verbose logging mode [4-6](#)

Version labels [3-5](#)

W

Web-based user interface [1-2, 1-17](#)

Web browser

requirements [1-8](#)

Windows Cluster support [1-9](#)

Windows requirements

agent [1-5](#)

WINS environments [1-8](#)