



Numerics

100BaseTX Ethernet [6-9](#)

10BaseT Ethernet [6-9](#)

A

AAA [3-6, 3-16, 4-14, 4-48, 8-21](#)

aaa accounting [3-1](#)

aaa authentication [3-3](#)

aaa authorization [3-11](#)

aaa-server command [3-13](#)

access

control list [7-20, 7-21](#)

modes [2-2](#)

access-group command [3-19](#)

access list

creating for IPSec [3-24](#)

downloadable [3-25](#)

syslog message [3-27](#)

TurboACL [3-26](#)

access-list command [3-20](#)

AccessPro router [8-4](#)

ACLs [3-25](#)

A Commands [3-1](#)

activation key [3-29](#)

ActiveX blocking [3-33, 5-31](#)

address translations [7-8](#)

alias command [3-32, 8-44](#)

alias option to arp command [3-34](#)

alternate-address [3-27, 6-8](#)

arp command [3-34](#)

ARP proxies [8-41](#)

authenticating the CA [4-3](#)

authentication, authorization, and accounting [3-1, 3-3](#)

authorization, RADIUS [3-25](#)

authorization, TACACS+ [3-1, 3-3, 3-11](#)

auth-prompt command [3-35](#)

auto keyword issue [6-9](#)

B

buffer allocation, interface [6-10](#)

C

CA

authenticating the CA [4-3](#)

declaring the CA [4-6](#)

deleting RSA keys [4-6](#)

displaying CRL info [4-8](#)

displaying public keys [4-7, 4-8](#)

fingerprint [4-2](#)

generating RSA key pairs [4-5](#)

obtaining an updated CRL [4-4](#)

obtaining certificates [4-4](#)

registration authority (RA) mode [4-3](#)

revoking your certificate [4-5](#)

RSA public key record [4-3](#)

saving RSA Key pairs and certificates [4-6](#)

sending enrollment request [4-4](#)

serial number included in certificate [4-5](#)

server [4-6](#)

cable status [5-24](#)

ca command [4-13](#)

certificate enrollment protocol [4-18](#)

CiscoSecure

- acl attribute 3-25
- show uauth command 8-21

Cisco VPN 3000 Client

- split tunnel support 9-29
- VPN group name 9-28
- VPN group policy 9-28

clear 3-1

- aaa 3-1
- aaa-server 3-15, 3-16
- access-group 3-19
- arp 3-34
- auth-prompt 3-35
- blocks 8-7
- command summary 4-13
- clear alias command 3-32
- clear Commands 4-13
- clear crypto ipsec sa command 4-42
- clearing
 - object groups 7-14
- clear isakmp command 6-31
- clear isakmp sa command 6-31
- clear local-host command 8-13
- clear timeout command 9-6

client

- Easy VPN Remote 9-27, 9-29
- remote VPN 4-48
- VPN 9-27

clock command 4-18

- summer-time settings 4-18
- year range 4-19

command

- aaa-server 3-13
- access-group 3-19
- access-list 3-20
- alias 3-32, 8-44
- arp 3-34
- auth-prompt 3-35
- ca 4-13

clear

- aaa 3-1
- aaa-server 3-15, 3-16
- access-group 3-19
- alias 3-32
- arp 3-34
- auth-prompt 3-35
- crypto ipsec sa 4-42
- isakmp 6-31
- isakmp sa 6-31
- timeout 9-6
- clear blocks 8-7
- clear crypto ipsec sa 4-42
- clear isakmp 6-31
- clear isakmp sa 6-31
- clear local-host 8-13
- clock 4-18
- conduit 4-20
- configure 4-27
- crypto dynamic-map 4-18, 4-34
- crypto ipsec 4-38
- crypto map 4-45
- debug 4-34
- disable 5-13
- domain-name 5-14
- dynamic-map 5-14
- enable 5-15
- enable password 5-18
- established 5-20
- exit 5-22
- fixup protocol 5-33
- floodguard 5-40
- fragment 5-41
- help 6-4
- hostname 6-5
- interface 6-9
- ip address 6-14
- ip audit 6-17
- ip verify reverse-path 6-21

- kill 6-31
 - logging 6-32
 - mtu 7-2, 7-3
 - multicast 7-2
 - nameif 7-6
 - nat 7-7
 - pager 7-25
 - passwd 7-26
 - ping 7-33
 - quit 7-36
 - reload 7-37
 - rip 7-38
 - route 7-40
 - service 8-1
 - session 8-4
 - show 8-5
 - aaa 3-1, 3-4, 3-11, 3-15, 3-16, 9-12
 - aaa-server 3-16
 - access-group 3-19
 - access-list 3-21
 - alias 3-32
 - arp 3-34
 - arp timeout 3-34
 - auth-prompt 3-36
 - blocks 8-7
 - ca certificate 4-1
 - ca configure 4-1
 - ca identity 4-1
 - checksum 8-8
 - show conn 8-9
 - show history 8-12
 - show interface 6-9
 - show local-host 8-13
 - show memory 8-15
 - show processes 8-15
 - show tech-support 8-20
 - show traffic 8-20
 - show version 8-23
 - show who 9-31
 - snmp-server 8-28
 - ssh
 - secure shell support 8-31
 - static 8-31
 - syslog 8-41
 - sysopt 6-31, 8-41
 - sysopt connection permit-ipsec 8-42
 - sysopt ipsec pl-compatible 8-43
 - terminal 9-4
 - tftp-server 9-5
 - timeout 9-6
 - url-cache 9-10
 - url-server 9-11
 - vpngroup 9-27
 - who 9-31
 - write 9-31
- command completion 2-1
 - command-line interface prompt 6-5
 - conduit command 4-20
 - configurable proxy ping 6-7
 - configuration mode 4-29
 - configure command 4-27
 - configure factory-default command 4-27, 4-30
 - console session 5-6
 - contact, SNMP 8-28
 - control list 7-20, 7-21
 - conversion-error 3-28, 6-8
 - copy capture command 4-32
 - copy http command 4-33
 - copying capture information 4-32
 - CRL 4-2
 - crypto dynamic-map command 4-18, 4-34
 - cryptography engine, running Known Answer Test 8-12
 - crypto ipsec command 4-38
 - crypto map command 4-45
-
- D
- daisy-chaining PIX Firewall units 3-7

debug command [4-34](#)
 default password [5-18](#)
 default route broadcast [7-38](#)
 DHCP client [6-15](#)
 Diffie-Hellman [4-47, 4-53, 6-29](#)
 disable command [5-13](#)
 diskette [4-29](#)
 displaying public keys [4-7, 4-8](#)
 DNS [8-41](#)
 Document Organization [x](#)
 domain-name command [5-14](#)
 downgrading to a previous version [5-39](#)
 downloadable access list [3-20, 3-25](#)
 dynamic-map command [5-14](#)

E

Easy VPN Remote [9-26, 9-29](#)
 Easy VPN Remote Server [9-26](#)
 echo-reply [3-27, 6-8](#)
 embryonic connection [7-9](#)
 enable command [5-15](#)
 enable password command [5-18](#)
 encryption, key [3-16](#)
 ESMTP commands rejected by Mail Guard [5-38](#)
 established command [5-20](#)
 Ethernet [6-9, 7-6](#)
 exit command [5-22](#)

F

failover

- cable status [5-24](#)
- flags [5-24](#)
- polling [5-25](#)
- UR license [5-24](#)

 filesystem, Flash memory [5-39](#)
 filtering [5-32](#)

fingerprint, CA [4-2](#)
 fixup

- H.323 [5-36](#)
- VoIP [5-36](#)

 fixup protocol command [5-33](#)
 flags, failover [5-24](#)
 Flash memory [5-39](#)

- persistent data file [4-6](#)
- write configuration to [9-32](#)

 Flood Defender [5-40](#)
 floodguard command [5-40](#)
 Frag Guard [8-41](#)
 fragmentation [8-41](#)
 fragment command [5-41](#)
 FTP [5-33](#)
 full duplex [6-9](#)

G

generating RSA key pairs [4-5](#)
 global IP addresses, associating network with [7-7](#)
 global lifetimes [9-29](#)
 GRE [4-26](#)
 group filtering [5-32](#)

H

H.225 [5-36](#)
 H.245 tunneling [5-36](#)
 H.323 [5-33, 5-36, 8-40, 9-6](#)
 hardware

- address [3-34](#)
- ID [6-9](#)
- speed [6-9](#)

 hello packets for failover polling [5-25](#)
 help command [6-4](#)
 host, SNMP [8-28](#)
 hostname command [6-5](#)

HTTP 5-33
 copying files 4-33

HTTPS
 using to copy files 4-33

ICMP message types 6-8

ICMP redirection 3-27, 6-8

ICMP trace 5-6

IDENT 8-1

IDS 6-17

IGMP 6-8, 7-2

igmp subcommand 6-8

IKE Mode Configuration 4-48

information-reply 3-28, 6-8

information-request 3-28, 6-8

intercept, TCP 8-37

interface

buffer allocation 6-10

command 6-9

Interrupt vector, interface cards 6-10

Intrusion Detection System 6-17

ip address command 6-14

ip audit command 6-17

IP Frag Guard 8-46

IPSec access lists 3-24, 3-28

ipsec-isakmp option 4-50

ipsec-manual option 4-50

ip verify reverse-path command 6-21

isakmp keepalive 6-25

K

keepalive 6-25

key, authentication 3-16

kill command 6-31

L

LDAP (Lightweight Directory Access Protocol) 4-6, 5-34

line protocol up and down 6-10

link up and link down 6-10

literal names 2-3

local-host 8-13

location, SNMP 8-28

logging command 6-32

logging facilities 6-33

M

MAC address 3-34, 6-10

mail agents and newsreaders 3-7

Mail Guard 5-38

mask-reply 3-28, 6-8

mask-request 3-28, 6-8

MD5 encryption, RIP version 2 7-39

media timer 9-6

memory, OS and free 8-15

message types, ICMP 6-8

mobile redirection 3-28, 6-8

mroute command 7-1

MTU 6-10

mtu command 7-2, 7-3

multicast command 7-2, 7-3

igmp subcommand 7-2

subcommands 6-8

multicast routing 7-3

multiple PATs 6-3

N

N2H2 9-10, 9-11, 9-12, 9-13

nameif command 7-6

nat command 7-7

net alias 3-33

NetRanger 6-17

Network Address Translation (NAT), See `nat` command

`norandomseq` 7-8, 8-36

O

`object-group` 7-14

object grouping

services 7-14

obtaining an updated CRL 4-4

Oracle SQL*Net 5-5

P

packets, received and sent 6-10

packet trace 5-4

pager command 7-25

parameter-problem 3-28, 6-8

`passwd` command 7-26

password, default 5-18

PAT (Port Address Translation) 5-37, 6-2, 6-3

PDM 7-27

physical address 3-35

ping and ICMP trace 5-5

ping command 7-33

pings and AAA 3-14

PIX Device Manager (PDM)

showing PDM sessions 7-28

PIX Firewall

monitoring performance 7-32

reboot and reload 7-37

PIX Firewall Manager, set password 7-26

PKI protocol 4-6, 4-18

polling, failover 5-25

port, outbound 7-21

`PORT` command, FTP 5-36

port literal names 2-3

portmapper 4-26

PPPoE

configuration 9-21

enabling 6-16

example 9-22

implementation 9-18

PPTP 4-26

pre-shared key 9-29

privileged mode, start 5-17

privilege levels 7-34

prompt host name label 6-5

protocols 2-5, 5-33

proxy servers 5-37

Q

querying a certificate or CRL 4-6

quit command 7-36

R

RADIUS 3-1, 3-3, 3-8, 3-25

RAS 5-36

redirection

ICMP 3-27, 4-25, 6-8

mobile 3-28, 6-8

Related Documentation xi

reload command 7-37

remote VPN client 4-48

rip command 7-38

RIP version 2 7-38

route command 7-40

router, in PIX Firewall 8-4

router-advertisement 3-27, 4-25, 6-8

router-solicitation 3-27, 6-8

RPC

conduit 4-26

slot 9-6

RSA public key record 4-3

RSH 5-33

S

- screen paging, enabling or disabling [7-25](#)
- security level
 - assigning [7-6](#)
 - defaults [7-7](#)
- serial number [4-5](#)
- server
 - AAA [4-48](#)
 - syslog [8-41](#)
 - TFTP [9-32](#)
- service command [8-1](#)
- session command [8-4](#)
- Session initiation protocol (SIP) [5-37](#)
- show [3-36](#)
 - aaa [3-1, 3-4, 3-11, 3-15, 3-16, 9-12](#)
 - aaa-server [3-16](#)
 - access-group [3-19](#)
 - access-list [3-21](#)
 - alias [3-32](#)
 - arp [3-34](#)
 - arp timeout [3-34](#)
 - auth-prompt [3-36](#)
 - blocks [8-7](#)
 - ca certificate [4-1](#)
 - ca configure [4-1](#)
 - ca identity [4-1](#)
 - checksum [8-8](#)
 - local-host [8-13](#)
- show command [2-1, 8-5](#)
- show conn command [8-9](#)
- show history command [8-12](#)
- showing
 - object groups [7-14](#)
- show interface command [6-9](#)
- show ip command [6-14](#)
- show local-host command [8-13](#)
- show memory command [8-15](#)
- show processes command [8-15](#)
- show running-config [8-16](#)
- show startup-config [8-18](#)
- show tech-support command [8-20](#)
- show traffic command [8-20](#)
- show version command [8-23](#)
- show who command [9-31](#)
- shutdown option to interface command [6-10](#)
- signatures [6-17](#)
- SIP [5-37](#)
 - fixup protocol command [5-37](#)
 - media timer [9-6](#)
 - show conn command display [8-9](#)
 - timeout command [9-6](#)
- SMTP [5-33](#)
- SNMP
 - contact, location, and host [8-28](#)
 - object ID (OID) [8-29](#)
- snmp-server command [8-28](#)
- source-quench message type [3-27, 4-25, 6-8](#)
- SPI [4-39, 4-43, 4-55](#)
- Split tunnel, VPN [9-29](#)
- SQL*Net [5-5, 5-33](#)
- ssh command [8-31](#)
- static command [8-31, 8-38](#)
- supported commands [2-5](#)
- support for Cisco VPN 3000 Client [9-27](#)
- SYN attacks [8-37](#)
- syslog [3-27](#)
- syslog command [8-41](#)
- syslog messages [6-35](#)
- sysopt command [6-31, 8-41](#)
- sysopt connection permit-ipsec command [8-42](#)
- sysopt ipsec pl-compatible command [8-43](#)

T

- TACACS+ [3-1, 3-3, 3-8, 3-11](#)
- TCP
 - maximum segment size [8-41](#)

port literals [2-3](#)
 randomizing packet sequence number [7-8](#)
 TCP Intercept [8-37](#)
 TCP intercept feature [8-37](#)
 Telnet
 console debugging [5-6](#)
 icmp trace [5-6](#)
 set password [7-26](#)
 terminating [6-31](#)
 timeout feature [9-2](#)
 Trace Channel [5-6](#)
 terminal command [9-4](#)
 TFTP
 configuration [4-29, 9-32](#)
 server [9-5](#)
 tftp-server command [9-5](#)
 TIME_WAIT state [8-42](#)
 time-exceeded [3-27, 4-25, 6-8](#)
 timeout command [9-6](#)
 timestamp-reply [3-28, 6-8](#)
 timestamp-request [3-28, 6-8](#)
 time stamps [6-34](#)
 token-based authentication [4-48](#)
 trace ICMP, SQL*Net, and packets [5-5](#)
 translation slots, UDP, RPC, and H.323 [9-7](#)
 translations of addresses [7-8](#)
 TurboACL [3-26](#)

U

UDP
 idle time until slot is freed [9-6](#)
 port literals [2-3](#)
 portmapper [4-26](#)
 unicast RPF [6-9](#)
 unicast RPF IP spoofing protection [6-21](#)
 unreachable, ICMP type [3-27, 6-8](#)
 URL
 caching [9-10](#)

 filtering [5-30, 9-10, 9-13](#)
 url-cache command [9-10](#)
 UR license [5-24](#)
 url-server command [9-11](#)
 user authentication, authorization, and accounting,
 providing [3-1, 3-3](#)
 username filtering [5-32](#)

V

vendor-specific access list identifiers [3-25](#)
 version 2 RIP [7-38](#)
 Voice over IP (VoIP) [5-37](#)
 fixup [5-36](#)
 proxy servers [5-37](#)
 VPN [9-27](#)
 group password [9-29](#)
 pre-shared key [9-29](#)
 split tunnel [9-29](#)
 vpnclient server command [9-26](#)
 vpngroup command [9-27](#)

W

Websense [5-32, 9-10, 9-11, 9-12, 9-13](#)
 who command [9-31](#)
 write command [9-31](#)

X

XDMCP Support [5-22](#)
 xlate (translation slot) [9-6](#)