



---

## A

### AAA

- configuring [3-8](#)
- exemption for MAC addresses [3-13](#)
- support for [1-6](#)
- with web clients [3-10](#)

### abbreviating commands [1-27](#)

### access control

- example [3-14](#)
- features [1-6](#)
- services [3-16](#)

### access control lists

See ACLs

### access modes [1-25](#)

### ACLs

- applying to object groups [3-27](#)
- comments [3-18](#)
- conversion tool [1-7](#)
- downloading [3-20](#)
- ICMP [2-22](#)
- instead of conduits and outbounds [1-7](#)
- IPSec [6-17](#)
- named [3-21](#)
- TurboACL
  - configuring [3-18](#)
  - description [1-7](#)

### active state, failover [10-3](#)

### ActiveX controls

- blocking [1-10](#)

### ACT light [10-21](#)

### Adaptive Security Algorithm

See ASA

### addresses

- global [2-11](#)
- IP [2-5](#)
- IP classes [2-5](#)

### Address Resolution Protocol

See ARP

### address translation

See NAT  
See PAT

### AES [1-16, 6-3](#)

### AH

- configuring [6-27](#)
- standard [E-1](#)

### application inspection

- configuring [5-1 to 5-31](#)
- feature [1-11](#)

### ARP

- clearing [2-4](#)
- packet capture, example [9-30](#)

### ARP test [10-8](#)

### ASA [1-3, 5-1](#)

### attacks

- protection from [1-8](#)

### authenticating web clients [3-10](#)

### authentication, accounting, and authorization

See AAA

### Authentication Header

See AH

### Auto-Update

- configuring [9-25 to 9-27](#)
- description [1-22](#)

**B**

- backing up configurations [1-27](#)
- Baltimore Technologies
  - CA server support [6-9](#)
- blocking
  - ActiveX controls [1-10](#)
  - Java applets [1-10](#)
- boot diskette
  - creating [11-12](#)
- Broadcast Ping test [10-8](#)
- broadcasts
  - See multicasts
- buffer usage
  - SNMP [9-42](#)

**C**

- CA
  - configuring in-house [7-13](#)
  - configuring VeriSign [7-7](#)
  - CRs, and [6-9](#)
  - defined [1-16](#)
  - public key cryptography [6-8](#)
  - revoked certificates [6-9](#)
  - supported servers [6-9](#)
  - validating signature [6-8](#)
- cable-based failover
  - See failover
- capturing packets
  - feature [1-22](#)
  - procedure [9-27](#)
- CBC [E-2](#)
- certificate enrollment protocol [6-9](#)
- Certificate Revocation Lists
  - See CRLs
- certification authority
  - See CA
- CHAP [8-20](#)

- Cipher Block Chaining
  - See CBC
- Cisco Catalyst 6500 VPN Service Module [7-25](#)
- Cisco Intrusion Detection System
  - See IDS
- Cisco IOS CLI [1-25](#)
- Cisco IP Phones
  - AAA exemption [3-13](#)
  - application inspection [5-20](#)
  - with DHCP [4-19](#)
- Cisco Secure Intrusion Detection System
  - See IDS
- Cisco Secure VPN Client
  - configuring [B-16 to B-20](#)
  - using with Telnet [9-19](#)
- Cisco VPN 3000 Client
  - configuring [8-19](#)
  - downloading network parameters to [8-8](#)
- Cisco Works for Windows [9-45](#)
- CLI
  - abbreviating commands [1-27](#)
  - configuration mode [1-26](#)
  - editing with [1-27](#)
  - paging [1-29](#)
  - using PIX Firewall [1-25](#)
- client mode
  - configuring [4-4](#)
  - description [4-3](#)
- clients
  - Cisco Secure VPN Client [B-19](#)
  - Cisco VPN 3000 Client [8-19](#)
  - Easy VPN Remote device [4-1](#)
  - Windows 2000 [B-11](#)
- clock, system [9-15](#)
- Command Authorization [9-5 to 9-7](#)
  - caution when using [9-6](#)
  - description [1-21](#)
  - recovering from lockout [9-9](#)

- command line interface
    - See CLI
  - commands
    - command line editing [1-28](#)
    - command output paging [1-29](#)
    - configuring privilege levels [9-2 to 9-3](#)
    - creating comments [1-29](#)
    - displaying [1-29](#)
  - commenting
    - ACLs [3-18](#)
  - compiling MIBs [9-45](#)
  - Computer Telephony Interface Quick Buffer Encoding
    - See CTIQBE
  - conduits
    - converting to ACLs [1-8](#)
    - defined [1-8](#)
    - using ACLs instead [1-8](#)
  - Configurable Proxy Pinging
    - description [1-11](#)
  - configuration examples
    - See examples
  - configuration file, failover
    - See failover
  - configuration mode [1-26](#)
  - configurations [1-29](#)
    - backing up [1-27](#)
    - comments [1-29](#)
    - copying with HTTP [11-5](#)
    - maximum size [1-29](#)
    - saving [2-3, 2-24](#)
  - connection states [1-4](#)
  - connectivity
    - inbound [3-2](#)
    - outbound [3-4](#)
    - testing [2-22](#)
  - conversion tool
    - conduits to ACLs [1-7](#)
  - copying
    - configurations [11-5](#)
    - software [11-5](#)
  - CPU utilization
    - SNMP [9-42](#)
  - CRLs
    - time restrictions [6-9](#)
  - crypto maps
    - applying to interfaces [6-17](#)
    - entries [6-15](#)
    - load sharing [6-28](#)
    - See also dynamic crypto maps
  - CTIQBE [1-12, 5-14](#)
  - CU-SeeMe application inspection [5-15](#)
  - cut-through proxy [1-6](#)
- 
- D**
- database application inspection [5-27](#)
  - Data Encryption Standard
    - See DES
  - debug failover command [10-21](#)
  - debugging
    - IPSec [B-15](#)
    - SMR [2-47](#)
  - default configurations [1-30](#)
  - default routes [2-3](#)
  - demilitarized zone
    - See DMZ
  - denial of service attacks
    - protection from [1-9](#)
  - DES
    - description [E-2](#)
    - IKE policy keywords (table) [6-3](#)
  - DHCP clients
    - configuration [4-21 to 4-22](#)
    - default route [4-21](#)
    - described [1-20](#)
    - PAT global address [4-21](#)

## DHCP leases

renewing [4-22](#)viewing [4-22](#)DHCP Relay [1-20, 4-20](#)DHCP servers [1-19, 4-15](#)configuring [4-17](#)with Cisco IP Phones [4-19](#)

## Diffie-Hellman

defined [E-2](#)groups supported [6-3](#)directory application inspection [5-27](#)

## DMZ

configuration example [2-29](#)

## DNS

application inspection [5-6](#)inbound access [3-4](#)protection from attacks [1-10](#)downgrading software [11-13](#)

## downloading

ACLs [3-20](#)IP addresses to VPN Clients [8-7](#)network parameters to Cisco VPN 3000 Client [8-8](#)

## dynamic crypto maps

adding to crypto maps [6-23](#)entries [6-23](#)referencing [6-23](#)See also crypto maps [6-24](#)sets [6-23](#)

## Dynamic Host Configuration Protocol

See DHCP clients

See DHCP leases

See DHCP servers

dynamic NAT [2-8](#)dynamic PAT [2-8](#)**E**

## Easy VPN Remote device

configuring [4-1 to 4-5](#)described [1-18](#)Easy VPN Server [8-1 to 8-6](#)described [1-18](#)identifying [4-4](#)load balancing [1-18](#)using PIX Firewall with [4-2, 8-3](#)editing command lines [1-28](#)

## EIGRP

not supported [B-2](#)

## Encapsulating Security Payload

See ESP

## Enhanced Interior Gateway Routing Protocol

See EIGRP

Entrust VPN Connector CA [7-14](#)

## ESP

configuring [6-28](#)standard [E-2](#)

## examples

access control [3-14](#)Cisco Catalyst 6500 VPN Service Module [7-25](#)crypto maps [6-18](#)IKE Mode Config [B-16](#)IPSec with manual keys [7-35](#)OSPF [2-17](#)outside NAT [2-38](#)outside NAT with overlapping networks [2-39](#)packet capture [9-30](#)port redirection [3-6](#)pre-shared keys [7-2](#)RADIUS authorization [8-8](#)three interfaces with NAT and PAT [2-31](#)three interfaces without NAT [2-29](#)two interfaces with NAT and PAT [2-27](#)two interfaces without NAT [2-25](#)VeriSign CA [7-7](#)

- VLANs [2-35](#)
- VPN with manual keys [7-35](#)
- wildcard pre-shared key [B-16](#)
- Windows 2000 VPN client [B-12](#)
- Xauth [B-16](#)

Extended Authentication

- see Xauth

---

## F

### factory defaults

- See default configurations [1-30](#)

### failover

- active state [10-3](#)
- cable-based [10-9](#)
- changing from cable to LAN-based [10-12](#)
- changing from LAN to cable-based [10-20](#)
- configuration file
  - console messages [10-7](#)
  - Flash memory [10-6](#)
  - LAN-based differences [10-6](#)
  - replication [10-6](#)
  - running memory [10-6](#)

- debugging [10-21](#)

- disabling [10-20](#)

- display [10-17](#)

- enabling [10-11](#)

- encrypting communications [10-15](#)

- Ethernet failover cable [10-5](#)

- Ethernet interface settings [10-9](#)

- examples [10-24](#)

- FAQs [10-21](#)

- forcing [10-20](#)

- interface tests [10-7](#)

- IP addresses [10-3](#)

- LAN-based [10-11](#)

- link communications [10-4](#)

- MAC addresses [10-6](#)

- models, supported [10-2](#)

- models supporting [1-24](#)

- network connections [10-4](#)

- network tests [10-8](#)

- power loss [10-7](#)

- prerequisites [10-8](#)

- primary unit [10-6](#)

- secondary unit [10-6](#)

- serial cable [10-5](#)

- software versions [10-2](#)

- standby state [10-3](#)

- Stateful Failover [10-3](#)

- identifying the link [10-11](#)

- overview [10-3](#)

- state information [10-3](#)

- state link requirements [10-5](#)

- statistics [10-19](#)

- switch configuration [10-8](#)

- syslog messages [10-21](#)

- syslog messages, SNMP [9-42](#)

- system requirements [10-2](#)

- testing [10-19](#)

- triggers [10-7](#)

- verifying [10-17](#)

### File Transfer Protocol

- See FTP

### filtering

- ActiveX controls [1-10](#)

- FTP [3-34](#)

- HTTPS [3-34](#)

- Java applets [1-10](#)

- servers supported [1-10](#)

- show command output [1-28](#)

- URLs [1-10](#)

### fixup

- See application inspection

- Flood Defender [1-9](#)

- Flood Guard [1-9](#)

- FO license [10-2](#)

- FragGuard [1-10](#)

## FTP

- application inspection [5-7](#)
  - downloading software using [11-8](#)
  - filtering [3-34](#)
  - logging [1-23](#)
  - packet capture, example [9-30](#)
  - redirecting [3-7](#)
  - secondary ports [1-12](#)
- full duplex [2-6](#)

**G**

- gateway addresses [2-12](#)
- generating RSA keys [6-10](#)
- global addresses
  - specifying [2-11](#)
- global lifetimes
  - changing [6-19](#)
- Group 5
  - Diffie Hellman [6-3](#)

**H**

- H.245 tunneling [5-16](#)
- H.323 [5-10, 5-16](#)
  - changing default port assignments [5-7](#)
- hardware clients
  - See Easy VPN Remote device
  - using in SOHO networks [4-3](#)
- hardware speed
  - requirements for Stateful Failover [2-6](#)
- help, command line [1-30](#)
- home offices
  - See SOHO networks
- HTTP
  - application inspection [5-9](#)
  - copying configurations [11-5](#)
  - copying software [11-5](#)

- filtering [1-10, 3-34](#)
  - filtering HTTPS [3-34](#)
  - packet capture, example [9-30](#)
  - redirecting [3-7](#)
  - server access [3-1](#)
- Hypertext Translation Protocol
- See HTTP

IANA URL [D-5](#)

## ICMP

- application inspection [5-9, 5-31](#)
- Configurable Proxy Pinging [1-11](#)
- configuring object groups [3-29](#)
- message reassembly [1-10](#)
- testing connectivity [2-21](#)
- testing default routes [2-24](#)

## ICMP-type object groups

- configuring [3-29](#)

## IDS

- support for [1-23](#)
- using [9-39 to 9-41](#)

## IGMP

- support for [1-14](#)

## IKE

- benefits [6-2](#)
- creating policies [6-4](#)
- description [1-16](#)
- disabling [6-6](#)
- policy parameters [6-3](#)
- policy priority numbers [6-4](#)
- using with pre-shared keys [6-6](#)
- Xauth [8-5, 8-6, 8-17, B-17](#)

## IKE Mode Config

- exceptions for security gateways [B-21](#)
- standard [E-2](#)

## IKE Mode Configuration

- See IKE Mode Config

- ILS
    - application inspection [5-28](#)
    - feature [1-14](#)
  - IM [5-24](#)
  - images, software
    - See also software images
    - upgrading [1-24, 11-5 to 11-16](#)
  - inbound connectivity [3-2](#)
  - Individual user authentication
    - See IUA
  - in-house CA, configuring [7-13](#)
  - Instant Messaging
    - See IM
  - interfaces
    - assigning names [2-5](#)
    - changing names [2-6](#)
    - configuring [2-4](#)
    - global address [2-11](#)
    - logical [2-34](#)
    - perimeter [2-10](#)
    - security levels and [1-4](#)
    - speed [2-6](#)
  - Internet Group Management Protocol
    - See IGMP
  - Internet Key Exchange
    - See IKE
  - Internet Locator Service
    - See ILS
  - Internet Security Association and Key Management Protocol
    - See ISAKMP
  - Intrusion Detection System
    - See IDS
  - IOS
    - See Cisco IOS CLI
  - IP
    - datagrams [B-9](#)
    - viewing configuration [2-5](#)
  - IP addresses
    - configuring
      - address, IP addresses [2-5](#)
  - IP Phones
    - See Cisco IP Phones
  - IPSec
    - ACLs [6-17](#)
    - clearing SAs [6-29](#)
    - configuring [6-13](#)
    - crypto map entries [6-15](#)
    - crypto map load sharing [6-28](#)
    - defined [1-15](#)
    - enabling debug [B-15](#)
    - manual [6-19](#)
    - manual SAs using pre-shared keys [6-15](#)
    - modes [B-9](#)
    - proxies [B-9](#)
    - viewing configuration [6-29](#)
    - viewing information [6-29](#)
  - IP Security Protocol
    - See IPSec
  - IP spoofing
    - protection from [1-9](#)
  - ISAKMP [E-2](#)
  - IUA
    - described [1-18](#)
    - Easy VPN Remote device [4-8](#)
    - enabled on Easy VPN Server [8-4](#)
- 
- J**
- Java applets
    - filtering [1-10, 3-31](#)

**L**

L2TP

- configuring [B-10](#)
- configuring Windows 2000 client [B-11, B-14](#)
- description [B-9](#)
- transport mode [B-10](#)

LAN-based failover

- See failover

LAN-to-LAN VPNs

- See site-to-site VPNs

Layer 2 Tunneling Protocol

- See L2TP [B-9](#)

LDAP

- application inspection [5-28](#)
- ILS [1-14](#)

lease

- releasing DHCP [4-22](#)
- renewing DHCP [4-22](#)

licenses, software

- See also UR licenses
- upgrading [1-24, 11-2 to 11-5](#)

Link Up/Down test [10-7](#)

link up and link down, SNMP [9-42](#)

load sharing with crypto maps [6-28](#)

LOCAL database

- Command Authorization with [9-6](#)
- user authentication to the PIX Firewall with [9-3](#)

lockout

- recovering from [9-9](#)

logging

- ACL activity [9-35](#)
- FTP [1-23](#)
- Syslog [9-33](#)
- URLs [1-23](#)

logical interfaces [2-34](#)

**M**

MAC addresses, failover [10-6](#)

MAC-based AAA exemption [3-13](#)

manual configuration of SAs [6-26](#)

MD5 [6-3](#)

- description [E-1, E-2](#)
- IKE policy keywords (table) [6-3](#)

Message Digest 5

- See MD5

MIBs [9-41](#)

- MIB II groups [9-41](#)
- updating file [9-45](#)

Microsoft Challenge Handshake Authentication Protocol

- See MS-CHAP

Microsoft Exchange

- configuring [C-1](#)

Microsoft Remote Procedure Call

- See MSRPC

Microsoft Windows 2000 CA

- supported [6-9, 7-14](#)

modes

- See access modes

monitor mode

- description [1-26](#)
- using [11-9](#)

More prompt [1-29](#)

MS-CHAP [8-20](#)

MSRPC

- See also RPC

multicasts

- forwarding [2-46](#)
- receiving [2-44](#)
- support for [1-14](#)

multimedia applications

- supported [1-13, D-6](#)

multiple interfaces

- configuring, example of [2-29](#)
- security levels with [1-4](#)

---

**N**

## N2H2 filtering server

- identifying [3-32](#)
- supported [1-10](#)
- URL for website [1-10](#)

## named ACLs

- downloading [3-21](#)

## NAT

- application inspection [1-11](#)
- configuring [2-9](#)
- description [1-5](#)
- dynamic [2-8](#)
- function [2-7](#)
- outside [2-37, 2-38](#)
- overlapping networks [2-39](#)
- policy [2-40](#)
- RCP not supported with [5-29](#)
- RTSP not supported with [1-14](#)
- server access [3-1](#)
- static [2-8](#)
- three interfaces [2-31](#)
- two interfaces (figure) [2-27](#)

NAT Traversal [6-25](#)nesting object groups [3-29](#)

## NetBIOS

- support for [1-14](#)

## netmask

- See subnet mask

## Netshow

- application inspection [5-25](#)

Network Activity test [10-8](#)

## Network Address Translation

- See NAT

## network extension mode

- configuring [4-4](#)
- description [4-3](#)

## Network File System

- See NFS

## network object groups

- configuring [3-28](#)

## Network Time Protocol

- See NTP

## NFS

- access [5-29](#)
- application inspection [5-29](#)
- testing with showmount [5-29](#)

## NT

- See Windows NT

## NTP

- configuring [9-11 to 9-15](#)
- feature [1-22](#)

---

**O**
Oakley key exchange protocol [E-2](#)

## object groups

- applying ACLs to [3-27](#)
- configuring [3-24 to 3-30](#)
- feature [1-8](#)
- ICMP-type [3-29](#)
- nesting [3-29](#)
- network [3-28](#)
- port [3-28](#)
- protocols [3-28](#)
- removing [3-30](#)
- service [3-28](#)
- subcommand mode [3-25](#)
- verifying [3-27](#)

OSPF [2-14 to 2-21](#)outbound connectivity [3-4](#)

## outside NAT

- configuring [2-37 to 2-40](#)
- example [2-38](#)

## overlapping networks

- configuring [2-39](#)
- example [2-39](#)

**P**

## packet capture

- configuring [9-27 to 9-31](#)

- feature [1-22](#)

- formats (table) [9-29](#)

- viewing buffer [9-28](#)

paging screen displays [1-29](#)

## PAP

- supported [8-20](#)

## Password Authentication Protocol

- See PAP

## PAT

- addresses [2-11](#)

- application inspection [1-11](#)

- configuring [2-9](#)

- DHCP clients and [4-21](#)

- dynamic [2-8](#)

- function [2-3, 2-7](#)

- RTSP [5-26](#)

- server access [3-1](#)

- static [2-8](#)

- three interfaces [2-31](#)

- two interfaces [2-27](#)

PCNFSD, tracking activity [5-29](#)

perimeter interfaces [2-10](#)

perimeter networks

- See DMZ

per-user access lists [1-7](#)

## PFSS

- executable file [11-7](#)

phases, of IPsec [1-16](#)

## ping

- See ICMP

## PIX 501

- DHCP client configuration [4-21](#)

- DHCP client feature support [1-20](#)

- failover not supported [1-24](#)

- using as Easy VPN Remote device [4-2, 8-3](#)

## PIX 506/506E

- DHCP client configuration [4-21](#)

- DHCP client feature support [1-20](#)

- failover not supported [1-24](#)

- using as Easy VPN Remote device [4-2, 8-3](#)

## PIX 520

- backing up configuration [1-27](#)

## PIX Firewall Syslog Server

- See PFSS

PIX Firewall VPN Client [4-3](#)

- See Easy VPN Remote device

PKCS [E-3](#)PKI protocol [6-9](#)

## Point-to-Point Tunneling Protocol

- See PPTP

policy NAT [2-40](#)

## Port Address Translation

- See PAT [1-32, 2-11](#)

PORT command, FTP [5-7](#)port redirection [3-5](#)

## ports

- object groups [3-28](#)

## PPPoE

- configuring [4-11 to 4-15](#)

- description [1-19](#)

- packet capture, example [9-31](#)

## PPTP

- inbound access [3-4](#)

- VPNs [8-20](#)

## pre-shared keys

- configuring [7-1](#)

- description [1-16](#)

- example [7-2](#)

- using with IKE [6-6](#)

primary Easy VPN Server [4-4](#)primary unit, failover [10-6](#)Private Certificate Services (PCS) [7-14](#)

- privilege levels
    - configuring [9-2 to 9-3](#)
    - description [1-21](#)
    - viewing [9-5](#)
  - protocols
    - object groups [3-28](#)
    - packet capture formats (table) [9-29](#)
    - port numbers [D-5](#)
    - supported [1-11](#)
  - proxy servers
    - SIP and [5-23](#)
  - public key cryptography [6-8](#)
  - Public-Key Cryptography Standard
    - See PKCS
  - Public Key Infrastructure Protocol
    - See PKI protocol
- 
- R**
- RADIUS
    - configuring [3-9](#)
    - support for [1-6](#)
    - viewing user accounts for Command Authorization [9-5](#)
    - VPN example [8-8](#)
    - Xauth [8-5](#)
  - RAS
    - support for [1-13](#)
  - Real Time Streaming Protocol
    - See RTSP
  - recovering from lockout [9-9](#)
  - redirecting service requests [3-5](#)
  - redundancy
    - See failover
  - Registration, Admission, and Status
    - See RAS
  - Registration Authority
    - description [6-9](#)
  - releasing DHCP lease [4-22](#)
  - remote access VPN
    - configuring [8-1 to 8-21](#)
    - description [1-18](#)
  - Remote Authentication Dial-In User Server
    - See RADIUS
  - Remote Procedure Call
    - See RPC
  - renewing DHCP lease [4-22](#)
  - reverse route lookup
    - See Unicast RPF
  - revoked certificates [6-9](#)
  - RFC 2637 [8-20](#)
  - RIP
    - PIX Firewall listening [2-12](#)
    - support for [1-6](#)
  - routing
    - default routes [2-3](#)
    - enabling SMR [2-43](#)
    - simplifying with outside NAT [2-38](#)
    - static routes [2-12](#)
  - Routing Information Protocol
    - See RIP
  - RPC
    - application inspection [5-29](#)
    - Sun [5-29](#)
    - testing with rpcinfo [5-29](#)
    - See also MSRPC
  - RS-232 cable
    - See failover [10-5](#)
  - RSA keys
    - described [E-3](#)
    - generating [6-10](#)
  - RSA signatures
    - IKE authentication method [6-8, E-2](#)
  - RTSP
    - changing default port assignments [5-26](#)
    - restrictions [5-26](#)
    - support for [1-14](#)

**S**

## SAs

- clearing IPsec [6-29](#)
- description [1-16](#)
- establishing manual with pre-shared keys [6-15](#)
- lifetimes [6-19](#)

saving configurations [2-3, 2-24](#)

- Command Authorization (caution) [9-6](#)
- upgrading versions (caution) [11-1](#)

## SCCP

- support for [1-13](#)

secondary Easy VPN Server [4-4](#)secondary unit, failover [10-6](#)

## Secure Hash Algorithm

- See SHA

## Secure Shell

- See SSH

## Secure unit authentication

- See SUA

## security associations

- See SAs

## security gateways

- exceptions to IKE Mode Config [B-21](#)
- exception to Xauth [B-21](#)

security levels [1-4](#)

- interfaces [2-6](#)
- values [2-7](#)

## serial cable

- See failover

server access [3-1](#)

## services

- access control [3-16](#)
- object groups [3-28](#)

## Session Initiation Protocol

- See SIP

## SHA

- IKE policy keywords (table) [6-3](#)

## show command

- filtering output [1-28](#)

show commands [6-29](#)show failover command [10-17](#)

## showmount command

- application inspection with [5-29](#)

## Simple Client Control Protocol

- See SCCP

## Simple Mail Transfer Protocol

- See SMTP

## Simple Network Management Protocol

- See SNMP

SIP [1-13, 5-22](#)

- application inspection [5-22](#)

## site-to-site VPNs

- description [1-17](#)
- examples [7-1 to 7-38](#)
- exception to IKE Mode Config [B-21](#)
- exception to Xauth [B-21](#)
- redundancy [6-25](#)
- See also VPNs

Skeme key exchange protocol [E-2](#)

## Skinny Client Control Protocol

- See SCCP

## small office, home office networks

- See SOHO networks

## SMR

- description [1-14](#)
- enabling [2-43](#)

## SMTP

- application inspection [5-11](#)
- protection from attacks [1-9](#)

## sniffing packets

- See packet capture

## SNMP

- Cisco syslog MIB [9-45](#)
- read-only (RO) values [9-41](#)

- SNMPc (Cisco Works for Windows) [9-45](#)
  - support for [1-22](#)
  - traps [9-41](#)
  - using [9-41 to 9-51](#)
- software
  - copying with HTTP [11-5](#)
  - downgrading [11-13](#)
  - downloading [11-6](#)
  - downloading with FTP [11-8](#)
  - downloading with HTTP [11-7](#)
  - upgrading system [1-24](#)
- SOHO networks
  - configuring [4-1 to 4-22](#)
  - features [1-19](#)
- SSH [9-21 to 9-25](#)
- standby state, failover [10-3](#)
- Stateful Failover [1-3](#)
  - See failover
- state information [1-4, 10-3](#)
- state link [10-5](#)
- static
  - NAT for server access [3-1](#)
  - translation [1-5](#)
- static NAT
  - description [2-8](#)
- static PAT
  - description [2-8](#)
- static routes
  - configuring [2-13](#)
- stub multicast routing
  - See SMR
- SUA
  - described [1-18](#)
  - Easy VPN Remote device [4-6](#)
- subcommand mode [1-26](#)
- subnet masks [D - 8](#)
  - configuring [2-5](#)
- subnets [2-11](#)
- Sun RPC [5-29](#)

- switch configuration, failover [10-8](#)
- SYN packet attack
  - protection from [1-9](#)
- syslog
  - Cisco MIB [9-45](#)
  - MIB files [9-45](#)
  - SNMP [9-42](#)
  - SNMP traps [9-44](#)
  - support for [1-23](#)
- system clock [9-15](#)
- system recovery [11-12](#)

---

## T

- TACACS+
  - caution when using with Command Authorization [9-8](#)
  - inbound access [3-4](#)
  - using with Command Authorization [9-8](#)
  - viewing user accounts for Command Authorization [9-5](#)
  - Xauth [8-5](#)
- TCP
  - Intercept feature [1-9](#)
- Telephony API
  - See CTIQBE
- Telnet
  - configuring [9-16 to 9-21](#)
  - interfaces [1-22](#)
  - outside interfaces [9-18](#)
  - redirecting [3-7](#)
- Terminal Access Controller Access Control System Plus
  - See TACACS+
- testing connectivity [2-3, 2-22](#)
- TFTP servers
  - downloading with HTTP [11-7](#)
  - using to download software [1-24](#)
- time, setting system [9-15](#)
- tools
  - conversion for conduits to ACLs [1-8](#)

## Trace Channel

- description [9-21](#)
- disadvantages (note) [9-21](#)

## transform sets

- configuring [6-26](#)
- description [6-15](#)

## transport mode

- description [B-9](#)

traps, SNMP [9-41](#)

## Triple DES

- description [E-2](#)
- IKE policy keyword (table) [6-3](#)

## Trivial File Transfer Protocol servers

- See TFTP servers

## troubleshooting

- connectivity [2-3, 2-22](#)
- license upgrades [11-4](#)
- See also packet capture

tunnel mode [B-9](#)TurboACL [1-7, 3-18](#)

- configuring [3-18 to 3-20](#)
- viewing configuration [3-20](#)

---

**U**

## UDP

- connection state information [1-4](#)

## Unicast Reverse Path Forwarding

- See Unicast RPF

Unicast RPF [1-9](#)

## UniCERT Certificate Management System

- configuring, example [7-14](#)
- supported [6-9](#)

## Universal Resource Locators

- See URLs

unprivileged mode [1-25](#)

## upgrading

- feature licenses [1-24](#)
- image [11-6 to 11-16](#)
- images [1-24](#)

UR license [10-2](#)

## URLs

- filtering [1-10](#)
- filtering, configuration [3-39](#)
- logging [1-23](#)

## user authentication

- See also Xauth
- to the PIX Firewall [9-3](#)

## User Datagram Protocol

- See UDP

---

**V**validating CAs [6-8](#)VDO LIVE [5-27](#)

## VeriSign

- CA [7-7](#)
- CA example [7-7](#)
- configuring CAs, example [6-9](#)

video conferencing applications, supported [D - 6](#)

## viewing

- Command Authorization settings [9-7](#)
- default configurations [1-30](#)
- IPSec configuration [6-29](#)
- NTP [9-12](#)
- privilege levels [9-5](#)
- RMS [9-26](#)
- SMR configuration [2-47](#)
- SSH [9-24](#)
- user accounts for Command Authorization [9-5](#)

## Virtual Private Networks

- See VPNs

Virtual Re-assembly [1-10](#)

## VLANs

- configuration [2-33 to 2-37](#)

- defined [1-8](#)

## Voice over IP

- See VoIP

## VOIP

- SCCP [1-13](#)

## VoIP

- application inspection [5-14, 5-23](#)

- gateways and gatekeepers [5-16](#)

- proxy servers [5-23](#)

## SIP

- description [1-13](#)

## VPN clients

- Easy VPN Remote device [4-1](#)

- modes [4-3](#)

- SOHO networks and [4-1](#)

## VPNs

- configuration examples [7-35](#)

- Easy VPN Remote device in [4-1](#)

- overview [1-15 to 1-18](#)

- peer identity [6-7](#)

- PPTP [8-20](#)

- remote access [8-1 to 8-21](#)

- site-to-site [1-17, 7-1 to 7-38](#)

- split tunnel [8-7, 8-9](#)

- Windows 2000 client [B-11](#)

VPN Service Module [7-25](#)

---

**X**

- X.509v3 certificates [E-3](#)

## Xauth

- configuring [8-5, 8-6](#)

- configuring Cisco VPN client, example [B-17](#)

- enabling [8-17](#)

- exception for security gateways [B-21](#)

- IKE [8-5, E-2](#)

## X Display Manager Control Protocol

- See XDMCP

## XDMCP

- application inspection [5-31](#)

- support for [1-23](#)

---

**W**

## web clients

- secure authentication [3-10](#)

Websense filtering server [1-10](#)

- web server access [3-1](#)

## Windows 2000 VPN client

- configuring [B-11](#)

- write standby command [10-7](#)

