



A

antivirus utilities, requirement to disable [5, 6](#)

Auto Update Server (AUS)

licensing [8](#)

overview [4](#)

B

bootstrapping devices [4](#)

browsers

requirements

cache [2](#)

client [8](#)

server [6](#)

See also Internet Explorer

See also Mozilla

C

C/C++ library files, where stored [9](#)

Catalyst 6500/7600 Device Manager
(DM 6500/7600), overview [3](#)

CD-ONE

unsupported use [4](#)

certificates. *See* digital certificates

checklists

client, browser best practices [2](#)

server

enhancing performance [2](#)

installation readiness [5](#)

post-installation tasks [2](#)

security best practices [6](#)

Cisco Security Agent

documentation [1](#)

installation, conditions for [6](#)

overview [6](#)

policies

exported, on DVD [6, 3](#)

imported, requirement to reconcile [3](#)

standalone agent [6, 1](#)

security levels

changing [3](#)

default [3](#)

understanding [3](#)

troubleshooting [11, 1](#)

uninstalling, recommendation against [3, 12](#)

Cisco Security Manager

basic concepts [4](#)

getting started [4](#)

- late-breaking information about [ii](#)
 - learning more about [4](#)
 - logging in [3](#)
 - overview [3](#)
 - using [4](#)
 - Cisco Security Monitoring, Analysis, and Response System (Cisco Security MARS)
 - date and time synchronization [5](#)
 - interoperation with [5](#)
 - CiscoView Device Manager
 - features in Security Manager [3](#)
 - unsupported use [4](#)
 - See also* Catalyst 6500/7600 Device Manager (DM 6500/7600)
 - CiscoWorks
 - Common Services, overview [2](#)
 - Monitoring Center for Performance. *See* Performance Monitor
 - Monitoring Center for Security. *See* Security Monitor
 - TCP ports
 - Daemon Manager [3](#)
 - HTTP [3](#)
 - VPN/Security Management Solution (VMS)
 - free upgrade from [4](#)
 - client software
 - installing [5](#)
 - InstallShield database corruption [5](#)
 - logging in to a server [3](#)
 - using [3](#)
 - client systems
 - deleting Temp files [6](#)
 - file locations on [9,8](#)
 - recommendation to delete Temp files [9](#)
 - video (graphics) card drivers
 - confirming installed versions [7](#)
 - upgrading [7](#)
 - CMFLOCK.TXT file, deleting [13](#)
 - Common Services
 - documentation [1](#)
 - installing [1](#)
 - licensing [8](#)
 - required version [2](#)
 - requirement to use [1](#)
 - CSTM TCP port [4](#)
-
- D**
- database TCP port [3](#)
 - date and time settings
 - caution against changing [5](#)
 - recommendation to synchronize [1,5](#)
 - use of NTP servers [1](#)
 - device bootstrapping [4](#)
 - device credentials repository (DCR)
 - server process [5](#)
 - TCP port [3](#)
 - troubleshooting [5](#)
 - digital certificates

- requirement to create [2](#)
- troubleshooting [5](#)
- directory encryption, restriction against [6](#)
- domain controllers (primary or backup), unsupported use [6](#)

E

- encrypted directories, restriction against [6](#)
- evaluation license
 - device count limitations [6](#)
 - duration [6](#)
 - upgrading to permanent license [7](#)
- Event Services software TCP port requirements
 - HTTP [4](#)
 - listening [4](#)
 - routing [4](#)
 - services [4](#)

F

- files, where stored
 - Cisco Security Agent
 - logs [2](#)
 - policies [6, 3](#)
 - on client systems [9](#)
 - on servers [9](#)
- file system recommendations [5](#)

G

- gatekeeper HIPO TCP port [3](#)
- getting started with Cisco Security Manager [4](#)

H

- HTTP TCP port [3](#)

I

- installation
 - client software [5](#)
 - InstallShield database corruption [5](#)
 - servers
 - dependencies [1](#)
 - general requirements [1](#)
 - GUI reference [1](#)
 - post-installation tasks [2](#)
 - preparatory tasks [1](#)
 - starting an installation [5](#)
 - troubleshooting [5](#)
 - verifying [6](#)
- Internet Explorer
 - cache size requirement [6, 9](#)
 - confirming the installed Java version [8](#)
 - security settings [9](#)
 - versions supported [6, 8](#)
- Internet Information Server (IIS)

conflict with Security Manager [4, 6](#)

requirement to uninstall [4, 6](#)

Internet Inter-ORB Protocol (IIOP) TCP port [3](#)

IP addresses

disabling dynamic addresses [5](#)

static address requirement [6](#)

using a static address [5](#)

IPS database engine TCP port [3](#)

IPS Manager

importing IPS MC 2.2 data [7](#)

migrating from IPS MC [3, 7](#)

overview [3](#)

prerequisites to import IPS MC data [7](#)

time required to import IPS MC data [8](#)

using IpsMcDbUpgrade.pl [8](#)

IPS MC

backing up server data [3](#)

exporting data [3](#)

migrating to IPS Manager [3, 7](#)

securing the backed-up data [3](#)

IpsMcDbUpgrade.pl [8](#)

J

Java

confirming the installed version [8](#)

embedded version on client systems [8](#)

enabling [2](#)

obtaining [8](#)

version to use with IPS Manager [8](#)

JavaScript, enabling [2](#)

L

language versions supported (Windows)

client [8](#)

server [5](#)

LAN Management Solution (LMS),

unsupported use [2](#)

licenses

file locations for

Performance Monitor [6](#)

RME [5](#)

installing [8](#)

Product Authorization Key (PAK) [7](#)

Security Manager kit part numbers [7](#)

settings [7](#)

Software License Claim Certificate [7](#)

understanding [7](#)

upgrading [7](#)

uploading new [7](#)

working with [7](#)

license server TCP port [3](#)

M

McAfee Antivirus

incompatibility [6](#)

- reenabling [8](#)
 - requirement to disable [6](#)
 - memory (RAM)
 - client requirements [7](#)
 - server requirements [5](#)
 - Mozilla
 - confirming the installed Java version [8](#)
 - security settings [9](#)
 - versions supported [6, 8](#)
-
- N**
- NETBIOS, recommendation to disable [4](#)
 - network protocols, recommendation to disable [4](#)
 - network shares, recommendation to avoid [4](#)
 - Network Time Protocol (NTP) server, recommendation to use [1, 5](#)
 - Norton Internet Security 2005
 - incompatibility [6, 8](#)
 - requirement to disable [6](#)
 - requirement to uninstall [8](#)
 - NTFS file system, requirement to use [5](#)
-
- O**
- ODBC driver manager
 - confirming the installed version [5](#)
 - requirements [5](#)
 - working with Sybase files [5](#)
 - OGS TCP port [3](#)
 - online help, tips for viewing [1](#)
 - operating systems
 - on client systems
 - Windows 2000 [8](#)
 - Windows 2003 [8](#)
 - Windows XP Professional [8](#)
 - on servers
 - Windows 2000 [5](#)
 - Windows 2003 Server [5](#)
 - Osagent UDP port [3](#)
 - overview [1](#)
-
- P**
- passwords
 - admin account [6](#)
 - requirement to use identical passwords [6](#)
 - security basics [4](#)
 - strong passwords
 - characteristics [3](#)
 - definition [3](#)
 - how to require [3](#)
 - recommendations [3](#)
 - System Identity Account [6](#)
 - Performance Monitor
 - entitlement to install [6](#)
 - license file location [6](#)
 - licensing [8](#)

- overview [6](#)
- permanent license, upgrading from evaluation license [7](#)
- point patches
 - applying to a client [9](#)
 - applying to a server [10](#)
 - caution against accepting from a third-party [9](#)
 - default location on client systems [10](#)
 - deleting Temp files on client systems [6](#)
 - obtaining [9](#)
 - recommendation to delete Temp files on client systems [9](#)
 - version mismatch [9](#)
- popup blockers
 - configuring [1,2](#)
 - conflicting with other installed software [3](#)
 - disabling [1,2](#)
 - requirements [2](#)
 - troubleshooting [1,2](#)
- ports
 - required for TCP [2](#)
 - required for UDP [2](#)
- product registration. *See* licenses

R

- Remote Copy Protocol TCP port [3](#)
- removable media drives, security implications if compromised [6](#)

- requirements
 - client system [7](#)
 - servers
 - installation, general [1](#)
 - system [4](#)
- Resource Manager Essentials (RME)
 - entitlement to install [5](#)
 - installing [5](#)
 - license file location [5](#)
 - licensing [8](#)
 - overview [5](#)

S

- Secure Shell (SSH) TCP port [2](#)
- Security Manager database TCP port [3](#)
- Security Monitor [3](#)
- server
 - configuration
 - boot settings [4](#)
 - date and time settings [5](#)
 - file locations
 - database files [9](#)
 - log files [9](#)
 - miscellaneous files [9](#)
 - installations
 - best practices [1](#)
 - dependencies [1](#)
 - procedures [1](#)

- performance
 - best practices for enhancing [1](#)
 - operating environment [4](#)
- preparation checklists [1](#)
- processes, verifying status [7](#)
- traffic
 - required inbound ports [2](#)
 - required outbound ports [2](#)
- service agreement contracts [7](#)
- service packs
 - applying to a client [9](#)
 - applying to a server [10](#)
 - caution against accepting from a third-party [9](#)
 - default location on client systems [10](#)
 - deleting Temp files on client systems [6](#)
 - obtaining [9](#)
 - recommendation to delete Temp files on client systems [9](#)
 - version mismatch [9](#)
- services
 - minimum required for Windows [4](#)
 - required for TCP [2](#)
 - required for UDP [2](#)
- SNMP polling UDP port [3](#)
- SNMP trap UDP port [3](#)
- software updates. *See* point patches
- SSL certificate invalidation [5](#)
- SSL mode (for HTTP server) TCP port [3](#)
- support

- service agreement contracts [7](#)
- Software Application Support contracts [7](#)
- Sybase, requirement to disable [6, 5](#)
- Sybase database files, requirement to use correct ODBC version [5](#)
- Syslog UDP port [3](#)

T

- TACACS+ TCP port [2](#)
- TCP
 - list of required ports [2](#)
 - list of required services [2](#)
- Telnet TCP port [2](#)
- Terminal Services
 - requirements [6](#)
 - unsupported configuration [6](#)
- Tomcat
 - Ajp13 connector TCP port [3](#)
 - global library files, where stored [9](#)
 - shutdown TCP port [3](#)
- Trivial File Transfer Protocol (TFTP) UDP port [2](#)
- troubleshooting
 - antivirus scanners [3](#)
 - Cisco Security Agent
 - blocking a valid operation [12](#)
 - blocking network access [11](#)
 - diagnostic utility [12](#)
 - icon appearance changed in system tray [12](#)

- obtaining a revised agent from TAC [12](#)
- recognizing when the agent is disabled [12](#)
- security level is High [11](#)
- setting the security level to Medium [11](#)
- untrusted rootkit detected [11](#)
- using the log file [11](#)
- collecting server troubleshooting information [13](#)
- DCRServer process does not start [5](#)
- error messages
 - client installation [7](#)
 - server installation [2](#)
 - server uninstallation [6](#)
- file contents cannot be unpacked [5](#)
- file corruption
 - executable file [5](#)
- host-based intrusion software [3](#)
- incorrect GUI [7,4](#)
- installation
 - does not run [9](#)
 - hangs [3,8](#)
 - reviewing log files [16](#)
- interoperation with CS-MARS [5](#)
- invalid SSL certificate [5](#)
- java.security.cert errors [5](#)
- mapped drives [5](#)
- missing
 - GUI [4](#)
 - product features [4](#)
- popup blockers [3,1,2](#)

- security software conflicts [3](#)
- server processes
 - changing [14](#)
 - restarting [15](#)
 - viewing [14](#)
- server self-test [13](#)
- uninstallation
 - does not run [9](#)
 - hangs [6](#)
 - using MDCSupport.exe [13](#)

U

- UDP
 - list of required ports [2](#)
 - list of required services [2](#)
- uninstallation
 - cautions against
 - uninstalling from infected servers [12](#)
 - client software [11](#)
 - InstallShield database corruption [11](#)
 - recommendation to restart client systems [12](#)
 - recommendation to restart servers [13](#)
 - servers
 - deleting CMFLOCK.TXT [13](#)
 - failure to delete CSCOpX/bin folder [12](#)
 - server software [12](#)
- updates. *See* point patches
- upgrading from

an earlier release [3](#)

VMS [3](#)

user accounts

admin [2](#)

casuser [2](#)

System Identity [2](#)

understanding [1](#)

user permissions, understanding [3](#)

using Security Manager [4](#)

V

verifying an installation [6](#)

VMS, free upgrade from [4](#)

W

web context files, where stored [9](#)

Windows services, required [4](#)

