



## INDEX

---

### Numerics

802.1x, logging in Cisco Secure ACS [26-6](#)

---

### A

AAA devices [26-1](#)

Activate button

- activating reporting devices [1-15](#)

- what it does [1-15](#)

- when to use [1-15](#)

adding

- CSV file [1-34](#)

- devices [1-33](#)

  - manually [1-33](#)

  - seed file [1-34](#)

- seed file [1-34](#)

---

### C

cautions

- significance of [i-xvi](#)

Cisco Adaptive Security Appliance, see Cisco ASA [19-1](#)

Cisco ASA

- add to MARS [19-14](#)

- bootstrapping [19-2](#)

- security context

  - add discovered [19-19](#)

  - define reporting options for [19-20](#)

  - make MARS aware of [19-17](#)

Cisco Firewall Services Modules, see Cisco FWSM [19-1](#)

Cisco FWSM

- add to MARS [19-14](#)

- bootstrapping [19-2](#)

- security context

  - add discovered [19-19](#)

  - define reporting options for [19-20](#)

  - make MARS aware of [19-17](#)

- Cisco Secure ACS, 802.1x feature support [26-6](#)

- Cisco Secure ACS, 802.1x support [26-1](#)

- Cisco Secure ACS, audit logs required by MARS [26-4](#)

- Cisco Secure ACS, bootstrap [26-3](#)

- Cisco Secure ACS, event logs studied by MARS [26-1](#)

- Cisco Secure ACS, MARS agent [26-8](#)

- Cisco Secure ACS, NAC support [26-1](#)

- Cisco Secure ACS, representing in MARS [26-13, 26-15](#)

- Cisco Secure ACS, sever support [26-2](#)

- Cisco Secure ACS, solution engine 3x support [26-2](#)

- Cisco Secure ACS, solution engine 4.x support [26-2](#)

- Cisco Secure ACS, supported versions [26-1](#)

- Cisco Secure ACS, TACACS+ command authorization [26-8](#)

- community strings [1-16](#)

- conventions [i-xv](#)

- credentials

  - bulk update [1-46](#)

- CSC SSM [32-1](#)

  - bootstrap to report to MARS [32-1](#)

  - define module manually [32-2](#)

- CSV files [1-34](#)

---

### D

discovering networks

- automatic [1-18](#)

discovery

scheduling [1-18](#)

updating [1-18](#)

documentation

conventions [i-xv](#)

ordering [i-xvi](#)

---

## E

error messages, list of [26-16](#)

event log

changing pulling time interval for Windows [36-11](#)

---

## I

IPS

virtual sensor [4-5](#)

---

## L

Linux host, bootstrap [36-2](#)

loading

MARS

seed file [1-45](#)

---

## M

Microsoft Windows host, bootstrap [36-4](#)

---

## N

NAC, AAA server support [26-1](#)

NAC Appliance

define appliance manually [23-2](#)

NetFlow, enable processing [20-7](#)

NetFlow

Global NetFlow UPD Port [20-8](#)

NetFlow,enable processing [20-8](#)

NetFlow,examined networks [20-9](#)

NetFlow, store ASA NetFlow [20-8](#)

NetScreen

IDP 2.x [3-1](#)

IDP 3.x [3-1](#)

IDP 4.0 [3-1](#)

IDP-Management Server [3-1](#)

Security Manager [3-1](#)

network discovery

auto-populate MARS [1-15](#)

exceptions to discovery [1-16](#)

how it works [1-16](#)

restricting list [1-17, 1-18](#)

work around exceptions [1-16](#)

---

## P

PIX

add to MARS [19-14](#)

bootstrapping [19-2](#)

security context

add discovered [19-19](#)

define reporting options for [19-20](#)

make MARS aware of [19-17](#)

PIX Security Appliance, see PIX [19-1](#)

PN Log agent [26-8](#)

PN Log Agent, error messages [26-11](#)

public networks [1-17](#)

---

## S

scheduling

discovery [1-18](#)

Secure Syslog [20-6](#)

security contexts

add discovered [19-19](#)

define reporting options [19-20](#)

make MARS aware of [19-17](#)

security guidelines

- obtaining [i-xvi](#)
- seed file
  - credentials
    - bulk update [1-46](#)
  - CSV file [1-34](#)
  - loading [1-45](#)
- SNMP RO, unsupported characters [1-10, 1-40](#)
- Snort
  - syslog format expectation [6-1](#)
- Solaris host, bootstrap [36-2](#)
- support
  - obtaining [i-xvi](#)

---

## T

- troubleshoot
  - error messages [26-16](#)
- troubleshooting
  - Cisco Secure ACS integration [26-15](#)

---

## V

- valid networks [1-17](#)

---

## W

- warnings
  - significance of [i-xvi](#)

