Preface

This preface describes the audience, organization, and conventions of the *Cisco MDS 9000 Family Configuration Guide*. It also provides information on how to obtain related documentation.

Audience

This guide is for experienced network administrators who are responsible for configuring and maintaining the Cisco MDS 9000 Family of multilayer directors and fabric switches.

Organization

This guide is organized as follows:

Chapter	Title	Description
Chapter 1	Product Overview	Presents an overview of the Cisco MDS 9000 Family of multilayer switches and directors.
Chapter 2	Before You Begin	Describes the command-line interface (CLI).
Chapter 3	Obtaining and Installing Licenses	Describes license types, procedure, installation, and management for the Cisco MDS SAN-OS software.
Chapter 4	Initial Configuration	Provides initial switch configuration options and switch access information.
Chapter 5	Using the CFS Infrastructure	Explains the use of the Cisco Fabric Services (CFS) infrastructure to enable efficient database distribution.
Chapter 6	Software Images	Describes how to install and upgrade software images
Chapter 7	Working with Configuration Files	Describes the initial configuration of the switches using the configuration files so they can be accessed by other devices
Chapter 8	Configuring High Availability	Describes the high availability feature including switchover mechanisms.

Chapter	Title	Description
Chapter 9	Managing System Hardware	Explains switch hardware inventory, power usage, power supply, module temperature, fan and clock modules, and environment information.
Chapter 10	Managing Modules	Explains how to display and analyze the status of each module and specifies the power on and power off process for modules.
Chapter 11	Configuring Interfaces	Explains port and operational state concepts in Cisco MDS 9000 Family switches and provides details on configuring ports and interfaces.
Chapter 12	Configuring Trunking	Explains TE ports and trunking concepts.
Chapter 13	Configuring PortChannels	Explains PortChannels and load balancing concepts and provides details on configuring PortChannels, adding ports to PortChannels, and deleting ports from PortChannels.
Chapter 14	Configuring Domain Parameters	Explains the Fibre Channel domain (fcdomain) feature, which includes principal switch selection, domain ID distribution, FC ID allocation, and fabric reconfiguration functions.
Chapter 15	Scheduling Maintenance Jobs	Describes the Cisco MDS command scheduler feature that helps you schedule configuration and maintenance jobs in any switch in the Cisco MDS 9000 Family.
Chapter 16	Configuring and Managing VSANs	Describes how virtual SANs (VSANs) work, explains the concept of default VSANs, isolated VSANs, VSAN IDs, and attributes, and provides details on how to create, delete, and view VSANs.
Chapter 17	Creating Dynamic VSANs	Defines the Dynamic Port VSAN Membership (DPVM) feature that is used to maintain fabric topology when a host or storage device connection is moved between two Cisco MDS switches.
Chapter 18	Configuring Inter-VSAN Routing	Provides details on sharing resources across VSANs using the inter-VSAN Routing (IVR) feature.
Chapter 19	Configuring and Managing Zones	Defines various zoning concepts and provides details on configuring a zone set and zone management features.
Chapter 20	Distributing Device Alias Services	Describes the use of the Distributed Device Alias Services (device alias) to distribute device alias names on a fabric-wide basis.
Chapter 21	Configuring Fibre Channel Routing Services and Protocols	Provides details and configuration information on Fibre Channel routing services and protocols.

Chapter	Title	Description
Chapter 22	Managing FLOGI, Name Server, FDMI, and RSCN Databases	Provides name server and fabric login details required to manage storage devices and display registered state change notification (RSCN) databases.
Chapter 23	Discovering SCSI Targets	Describes how the SCSI LUN discovery feature is started and displayed.
Chapter 24	Configuring FICON	Provides details on the FI-bre CON-nection (FICON) interface, fabric binding, and the Registered Link Incident Report (RLIR) capabilities in Cisco MDS switches.
Chapter 25	Advanced Features and Concepts	Describes the advanced configuration features—time out values, fctrace, fabric analyzer, world wide names, flat FC IDs, loop monitoring, and interoperating switches.
Chapter 26	Configuring Users and Common Roles	Describes how to configure users and common roles.
Chapter 27	Configuring SNMP	Provides details on how you can use SNMP to modify a role that was created using CLI.
Chapter 28	Configuring RADIUS and TACACS+	Discusses the AAA parameters, user profiles, and RADIUS authentication security options provided in all switches in the Cisco MDS 9000 Family and provides configuration information for these options.
Chapter 29	Configuring IP Access Control Lists	Describes the IP static routing feature and its use to route traffic between VSANs.
Chapter 30	Configuring IPsec Network Security	Provides details on the IP Security Protocol (IPsec) open standards and the Internet Key Exchange (IKE) protocol that it uses to handle protocol and algorithm negotiation.
Chapter 31	Configuring FC-SP and DHCHAP	Describes the DHCHAP protocol, an FC-SP protocol, that provides authentication between Cisco MDS 9000 Family switches and other devices.
Chapter 32	Configuring Port Security	Provides details on port security features that can prevent unauthorized access to a switch port in the Cisco MDS 9000 Family.
Chapter 33	Configuring FCIP	Describes how the switch allows IP hosts to access Fibre Channel storage using the iSCSI protocol.
Chapter 34	Configuring the SAN Extension Tuner	Explains the SAN extension tuner (SET) feature that optimizes FCIP performance.
Chapter 35	Configuring iSCSI	Describes the iSCSI feature that is specific to the IPS module and is available in the Cisco MDS 9200 Switches or Cisco MDS 9500 Directors.

Chapter	Title	Description
Chapter 36	Configuring IP Services	Provides details on IP over Fibre Channel (IPFC) services and provides configuring IPFC, virtual router, and DNS server configuration information.
Chapter 37	Configuring IP Storage	Provides details on extending the reach of Fibre Channel SANs by connecting separated SAN islands together through IP networks using FCIP, and allowing IP hosts to access FC storage using the iSCSI protocol.
Chapter 38	Configuring SCSI Flow Services and Statistics	Describes the SCSI flow services and SCSI flow statistics, the Intelligent Storage Services, supported in Cisco MDS SAN-OS Release 2.0(2b).
Chapter 39	Configuring Fibre Channel Write Acceleration	Describes the configuration process of Fibre Channel Write Acceleration supported in Cisco MDS SAN-OS Release.
Chapter 40	Configuring SANTap	Describes the configuration process of SANTap supported in Cisco MDS SAN-OS Release.
Chapter 41	Configuring NASB	Describes the configuration process of NASB supported in Cisco MDS SAN-OS Release.
Chapter 42	Configuring RMON	Provides details on using RMONs to configure alarms and events.
Chapter 43	Monitoring Network Traffic Using SPAN	Describes the Switched Port Analyzer (SPAN), SPAN sources, filters, SPAN sessions, SD port characteristics, and configuration details.
Chapter 44	Configuring System Message Logging	Describes how system message logging is configured and displayed.
Chapter 45	Configuring Call Home	Provides details on the Call Home service and includes information on Call Home, event triggers, contact information, destination profiles, and e-mail options.
Chapter 46	Configuring Fabric Configuration Servers	Describes how the fabric configuration server (FCS) feature is configured and displayed.
Chapter 47	Configuring Fabric Congestion Control and QoS	Provides details on the quality of service (QoS) and Fibre Channel Congestion Control (FCC) features.
Chapter 48	Configuring Port Tracking	Provides information about a port tracking feature that provides a faster recovery from link failures.

Chapter	Title	Description
Chapter 49	Troubleshooting Your Fabric	Describes basic troubleshooting methods used to resolve issues with switches.
Chapter 50	Monitoring System Processes and Logs	Provides information on displaying system processes and status. It also provides information on configuring core and log files, HA policy, heartbeat and watchdog checks, and upgrade resets.

Document Conventions

Command descriptions use these conventions:

boldface font	Commands and keywords are in boldface.
italic font	Arguments for which you supply values are in italics.
[ ]	Elements in square brackets are optional.
[x | y | z]	Optional alternative keywords are grouped in brackets and separated by vertical bars.

Screen examples use these conventions:

`screen font`	Terminal sessions and information the switch displays are in screen font.
`boldface screen font`	Information you must enter is in boldface screen font.
`italic screen font`	Arguments for which you supply values are in italic screen font.
`< >`	Nonprinting characters, such as passwords, are in angle brackets.
`[ ]`	Default responses to system prompts are in square brackets.
`!, #`	An exclamation point (!) or a pound sign (#) at the beginning of a line of code indicates a comment line.

This document uses the following conventions:

Note Means reader *take note*. Notes contain helpful suggestions or references to material not covered in the manual.

Caution Means *reader be careful*. In this situation, you might do something that could result in equipment damage or loss of data.

Related Documentation

The documentation set for the Cisco MDS 9000 Family includes the following documents:

- *Cisco MDS 9000 Family Release Notes for Cisco MDS SAN-OS Releases*
- *Cisco MDS 9000 Family Interoperability Support Matrix*
- *Cisco MDS SAN-OS Release Compatibility Matrix for IBM SAN Volume Controller Software for Cisco MDS 9000*
- *Cisco MDS SAN-OS Release Compatibility Matrix for VERITAS Storage Foundation for Networks Software*
- *Cisco MDS SAN-OS Release Compatibility Matrix for Storage Service Interface Images*
- *Cisco MDS 9000 Family SSM Configuration Note*
- *Cisco MDS 9000 Family ASM Configuration Note*
- *Regulatory Compliance and Safety Information for the Cisco MDS 9000 Family*
- *Cisco MDS 9500 Series Hardware Installation Guide*
- *Cisco MDS 9200 Series Hardware Installation Guide*
- *Cisco MDS 9216 Switch Hardware Installation Guide*
- *Cisco MDS 9100 Series Hardware Installation Guide*
- *Cisco MDS 9020 Fabric Switch Hardware Installation Guide*
- *Cisco MDS 9000 Family Software Upgrade and Downgrade Guide*
- *Cisco MDS 9000 Family Configuration Guide*
- *Cisco MDS 9000 Family Command Reference*
- *Cisco MDS 9020 Fabric Switch Configuration Guide and Command Reference*
- *Cisco MDS 9000 Family Fabric Manager Configuration Guide*
- *Cisco MDS 9000 Family Fabric and Device Manager Online Help*
- *Cisco MDS 9000 Family SAN Volume Controller Configuration Guide*
- *Cisco MDS 9000 Family Quick Configuration Guide*
- *Cisco MDS 9000 Family Fabric Manager Quick Configuration Guide*
- *Cisco MDS 9000 Family MIB Quick Reference*
- *Cisco MDS 9020 Fabric Switch MIB Quick Reference*
- *Cisco MDS 9000 Family CIM Programming Reference*
- *Cisco MDS 9000 Family System Messages Reference*
- *Cisco MDS 9020 Fabric Switch System Messages Reference*
- *Cisco MDS 9000 Family Troubleshooting Guide*
- *Cisco MDS 9000 Family Port Analyzer Adapter 2 Installation and Configuration Note*
- *Cisco MDS 9000 Family Port Analyzer Adapter Installation and Configuration Note*

For information on VERITAS Storage Foundation™ for Networks for the Cisco MDS 9000 Family, refer to the VERITAS website: http://support.veritas.com/

Send documentation comments to mdsfeedback-doc@cisco.com.

For information on IBM TotalStorage SAN Volume Controller Storage Software for the Cisco MDS 9000 Family, refer to the IBM TotalStorage Support website:
http://www.ibm.com/storage/support/2062-2300/

Obtaining Documentation

Cisco documentation and additional literature are available on Cisco.com. Cisco also provides several ways to obtain technical assistance and other technical resources. These sections explain how to obtain technical information from Cisco Systems.

Cisco.com

You can access the most current Cisco documentation at this URL:

http://www.cisco.com/techsupport

You can access the Cisco website at this URL:

http://www.cisco.com

You can access international Cisco websites at this URL:

http://www.cisco.com/public/countries_languages.shtml

Product Documentation DVD

Cisco documentation and additional literature are available in the Product Documentation DVD package, which may have shipped with your product. The Product Documentation DVD is updated regularly and may be more current than printed documentation.

The Product Documentation DVD is a comprehensive library of technical product documentation on portable media. The DVD enables you to access multiple versions of hardware and software installation, configuration, and command guides for Cisco products and to view technical documentation in HTML. With the DVD, you have access to the same documentation that is found on the Cisco website without being connected to the Internet. Certain products also have .pdf versions of the documentation available.

The Product Documentation DVD is available as a single unit or as a subscription. Registered Cisco.com users (Cisco direct customers) can order a Product Documentation DVD (product number DOC-DOCDVD=) from Cisco Marketplace at this URL:

http://www.cisco.com/go/marketplace/

Ordering Documentation

Beginning June 30, 2005, registered Cisco.com users may order Cisco documentation at the Product Documentation Store in the Cisco Marketplace at this URL:

http://www.cisco.com/go/marketplace/

Send documentation comments to mdsfeedback-doc@cisco.com.

Nonregistered Cisco.com users can order technical documentation from 8:00 a.m. to 5:00 p.m. (0800 to 1700) PDT by calling 1 866 463-3487 in the United States and Canada, or elsewhere by calling 011 408 519-5055. You can also order documentation by e-mail at tech-doc-store-mkpl@external.cisco.com or by fax at 1 408 519-5001 in the United States and Canada, or elsewhere at 011 408 519-5001.

Documentation Feedback

You can rate and provide feedback about Cisco technical documents by completing the online feedback form that appears with the technical documents on Cisco.com.

You can send comments about Cisco documentation to bug-doc@cisco.com.

You can submit comments by using the response card (if present) behind the front cover of your document or by writing to the following address:

Cisco Systems
Attn: Customer Document Ordering
170 West Tasman Drive
San Jose, CA 95134-9883

We appreciate your comments.

Cisco Product Security Overview

Cisco provides a free online Security Vulnerability Policy portal at this URL:

http://www.cisco.com/en/US/products/products_security_vulnerability_policy.html

From this site, you can perform these tasks:

- Report security vulnerabilities in Cisco products.
- Obtain assistance with security incidents that involve Cisco products.
- Register to receive security information from Cisco.

A current list of security advisories and notices for Cisco products is available at this URL:

http://www.cisco.com/go/psirt

If you prefer to see advisories and notices as they are updated in real time, you can access a Product Security Incident Response Team Really Simple Syndication (PSIRT RSS) feed from this URL:

http://www.cisco.com/en/US/products/products_psirt_rss_feed.html

Reporting Security Problems in Cisco Products

Cisco is committed to delivering secure products. We test our products internally before we release them, and we strive to correct all vulnerabilities quickly. If you think that you might have identified a vulnerability in a Cisco product, contact PSIRT:

- Emergencies—security-alert@cisco.com

  An emergency is either a condition in which a system is under active attack or a condition for which a severe and urgent security vulnerability should be reported. All other conditions are considered nonemergencies.

- Nonemergencies—psirt@cisco.com

In an emergency, you can also reach PSIRT by telephone:

- 1 877 228-7302
- 1 408 525-6532

Tip We encourage you to use Pretty Good Privacy (PGP) or a compatible product to encrypt any sensitive information that you send to Cisco. PSIRT can work from encrypted information that is compatible with PGP versions 2.*x* through 8.*x*.

Never use a revoked or an expired encryption key. The correct public key to use in your correspondence with PSIRT is the one linked in the Contact Summary section of the Security Vulnerability Policy page at this URL:

http://www.cisco.com/en/US/products/products_security_vulnerability_policy.html

The link on this page has the current PGP key ID in use.

Obtaining Technical Assistance

Cisco Technical Support provides 24-hour-a-day award-winning technical assistance. The Cisco Technical Support & Documentation website on Cisco.com features extensive online support resources. In addition, if you have a valid Cisco service contract, Cisco Technical Assistance Center (TAC) engineers provide telephone support. If you do not have a valid Cisco service contract, contact your reseller.

Cisco Technical Support & Documentation Website

The Cisco Technical Support & Documentation website provides online documents and tools for troubleshooting and resolving technical issues with Cisco products and technologies. The website is available 24 hours a day, at this URL:

http://www.cisco.com/techsupport

Access to all tools on the Cisco Technical Support & Documentation website requires a Cisco.com user ID and password. If you have a valid service contract but do not have a user ID or password, you can register at this URL:

http://tools.cisco.com/RPF/register/register.do

Note Use the Cisco Product Identification (CPI) tool to locate your product serial number before submitting a web or phone request for service. You can access the CPI tool from the Cisco Technical Support & Documentation website by clicking the **Tools & Resources** link under Documentation & Tools. Choose **Cisco Product Identification Tool** from the Alphabetical Index drop-down list, or click the **Cisco Product Identification Tool** link under Alerts & RMAs. The CPI tool offers three search options: by product ID or model name; by tree view; or for certain products, by copying and pasting **show** command output. Search results show an illustration of your product with the serial number label location highlighted. Locate the serial number label on your product and record the information before placing a service call.

Send documentation comments to mdsfeedback-doc@cisco.com.

Submitting a Service Request

Using the online TAC Service Request Tool is the fastest way to open S3 and S4 service requests. (S3 and S4 service requests are those in which your network is minimally impaired or for which you require product information.) After you describe your situation, the TAC Service Request Tool provides recommended solutions. If your issue is not resolved using the recommended resources, your service request is assigned to a Cisco engineer. The TAC Service Request Tool is located at this URL:

http://www.cisco.com/techsupport/servicerequest

For S1 or S2 service requests or if you do not have Internet access, contact the Cisco TAC by telephone. (S1 or S2 service requests are those in which your production network is down or severely degraded.) Cisco engineers are assigned immediately to S1 and S2 service requests to help keep your business operations running smoothly.

To open a service request by telephone, use one of the following numbers:

Asia-Pacific: +61 2 8446 7411 (Australia: 1 800 805 227)
EMEA: +32 2 704 55 55
USA: 1 800 553-2447

For a complete list of Cisco TAC contacts, go to this URL:

http://www.cisco.com/techsupport/contacts

Definitions of Service Request Severity

To ensure that all service requests are reported in a standard format, Cisco has established severity definitions.

Severity 1 (S1)—Your network is “down,” or there is a critical impact to your business operations. You and Cisco will commit all necessary resources around the clock to resolve the situation.

Severity 2 (S2)—Operation of an existing network is severely degraded, or significant aspects of your business operation are negatively affected by inadequate performance of Cisco products. You and Cisco will commit full-time resources during normal business hours to resolve the situation.

Severity 3 (S3)—Operational performance of your network is impaired, but most business operations remain functional. You and Cisco will commit resources during normal business hours to restore service to satisfactory levels.

Severity 4 (S4)—You require information or assistance with Cisco product capabilities, installation, or configuration. There is little or no effect on your business operations.

Obtaining Additional Publications and Information

Information about Cisco products, technologies, and network solutions is available from various online and printed sources.

- Cisco Marketplace provides a variety of Cisco books, reference guides, documentation, and logo merchandise. Visit Cisco Marketplace, the company store, at this URL:

  http://www.cisco.com/go/marketplace/

- *Cisco Press* publishes a wide range of general networking, training and certification titles. Both new and experienced users will benefit from these publications. For current Cisco Press titles and other information, go to Cisco Press at this URL:

  http://www.ciscopress.com

- *Packet* magazine is the Cisco Systems technical user magazine for maximizing Internet and networking investments. Each quarter, Packet delivers coverage of the latest industry trends, technology breakthroughs, and Cisco products and solutions, as well as network deployment and troubleshooting tips, configuration examples, customer case studies, certification and training information, and links to scores of in-depth online resources. You can access Packet magazine at this URL:

  http://www.cisco.com/packet

- *iQ Magazine* is the quarterly publication from Cisco Systems designed to help growing companies learn how they can use technology to increase revenue, streamline their business, and expand services. The publication identifies the challenges facing these companies and the technologies to help solve them, using real-world case studies and business strategies to help readers make sound technology investment decisions. You can access iQ Magazine at this URL:

  http://www.cisco.com/go/iqmagazine

  or view the digital edition at this URL:

  http://ciscoiq.texterity.com/ciscoiq/sample/

- *Internet Protocol Journal* is a quarterly journal published by Cisco Systems for engineering professionals involved in designing, developing, and operating public and private internets and intranets. You can access the Internet Protocol Journal at this URL:

  http://www.cisco.com/ipj

- Networking products offered by Cisco Systems, as well as customer support services, can be obtained at this URL:

  http://www.cisco.com/en/US/products/index.html

- Networking Professionals Connection is an interactive website for networking professionals to share questions, suggestions, and information about networking products and technologies with Cisco experts and other networking professionals. Join a discussion at this URL:

  http://www.cisco.com/discuss/networking

- World-class networking training is available from Cisco. You can view current offerings at this URL:

  http://www.cisco.com/en/US/learning/index.html

Send documentation comments to mdsfeedback-doc@cisco.com.