



Unsupported Commands in Cisco IOS Release 12.1(14)EA1

This appendix lists some of the command-line interface (CLI) commands that are displayed when you enter the question mark (?) at the Catalyst 2970 switch prompt but are not supported in this release, either because they are not tested, or because of Catalyst 2970 hardware limitations. This is not a complete list. The unsupported commands are listed by software feature and command mode.

Access Control Lists

Unsupported Privileged EXEC Commands

`access-enable [host] [timeout minutes]`

`access-template [access-list-number | name] [dynamic-name] [source] [destination] [timeout minutes]`

`clear access-template [access-list-number | name] [dynamic-name] [source] [destination].`

Unsupported Global Configuration Commands

`access-list rate-limit acl-index {precedence | mask prec-mask}`

`access-list dynamic extended`

Unsupported Debug Commands

`debug platform cli-redirection main`

`debug platform configuration`

IGMP Snooping Commands

Unsupported Global Configuration Commands

```
ip igmp snooping report-suppression
ip igmp snooping source-only-learning
ip igmp snooping ten
```

Interface Commands

Unsupported Privileged EXEC Commands

```
show interfaces [interface-id | vlan vlan-id] [crb | fair-queue | irb | mac-accounting | precedence | irb
| random-detect | rate-limit | shape]
```

Unsupported Global Configuration Commands

```
interface tunnel
```

Unsupported Interface Configuration Commands

```
switchport broadcast level
switchport multicast level
switchport unicast level
```


Note

These commands have been replaced by the **storm-control** {**broadcast** | **multicast** | **unicast**} **level** *level* [*level*] interface configuration command.

RADIUS

Unsupported Global Configuration Commands

```
aaa nas port extended
radius-server attribute nas-port
radius-server configure
radius-server extended-portnames
```

SNMP

Unsupported Global Configuration Commands

snmp-server enable informs
snmp-server enable traps flash insertion
snmp-server enable traps flash removal

Spanning Tree

Unsupported Global Configuration Commands

spanning-tree etherchannel guard misconfig
spanning-tree pathcost method {long | short}

Unsupported Interface Configuration Commands

spanning-tree stack-port

VLAN

Unsupported vlan-config Commands

private-vlan

Unsupported User EXEC Commands

show vlan ifindex
show vlan private-vlan

VTP

Unsupported Privileged EXEC Commands

`vtp {password password | pruning | version number}private-vlan`

**Note**

This command has been replaced by the `vtp` global configuration command.

Miscellaneous

Unsupported Global Configuration Commands

`errdisable detect cause dhcp-rate-limit`

`errdisable recovery cause dhcp-rate-limit`

`errdisable recovery cause unicast flood`