



Cisco IOS Commands Not Supported in SLB Switching Software

This appendix lists the Cisco IOS commands not supported in Server Load Balancing (SLB) and Layer 3 switching software (see Table B-1 through Table B-3). In general, commands are not supported on this platform because they interfere with performance or they do not fit into the architectural requirements of this product.

Table B-1 *General Commands Not Supported*

clear ip accounting
clear ip nat translation
clear ip nhrp
encapsulation sde
ip accounting
ip accounting-list
ip accounting-threshold
ip accounting-transits
ip cache-invalidate-delay
ip flow-export
ip gdp gdp
ip gdp igrp
ip gdp irdp
ip gdp rip
ip mtu
ip nat
ip nat inside destination
ip nat inside source
ip nat outside source
ip route cache
ip security add
ip security aes0

Table B-1 General Commands Not Supported (continued)

ip security dedicated
ip security eso-info
ip security eso-max
ip security eso-min
ip security extended-allowed
ip security first
ip security ignore-authorities
ip security implicit-labelling
ip security multilevel
ip security reserved-allowed
ip security strip
ip tcp chunk-size
ip tcp compression-connections
ip tcp header-compression
ip tcp path-mtu-discovery
ip unnumbered
show ip accounting
show ip cache
show ip cache flow
show ip nat statistics
show ip nat translations
show ip nhrp
show ip nhrp traffic
show ip tcp header-compression
show sse summary
transmit-interface
tunnel mode

Table B-2 Bridge Commands Not Supported

access-list
bridge acquire
bridge address
bridge circuit-group pause
bridge circuit-group source-based
bridge cmf
bridge crb

Table B-2 Bridge Commands Not Supported (continued)

bridge domain
bridge-group cbus-bridging
bridge-group circuit-group
bridge-group input-lat-service-permit
bridge-group input-lsap-list
bridge-group input-pattern-list
bridge-group input-type-list
bridge-group lat-compression
bridge-group output-address-list
bridge-group output-lat-service-deny
bridge-group output-lat-service-permit
bridge-group output-lsap-list
bridge-group output-pattern-list
bridge-group output-type-list
bridge-group sse
bridge lat-service-filtering
bridge multicast-source
clear sse
encapsulation sse
encapsulation sde
ethernet-transit-oui
frame-relay map bridge broadcast
show interfaces crb
show sse summary
x25 map bridge

Table B-3 Miscellaneous Commands Not Supported

rmon native
standby MAC refresh

