

- A**
- abbreviations
    - chars, variable field 1-4
    - dec, variable field 1-4
    - hex, variable field 1-4
  - add syslog server to the configuration 1-8, 1-10
- C**
- CDP messages 2-1
  - CGMP messages 2-17
  - Cisco Discovery Protocol messages 2-1
    - See also CDP messages
  - configuration examples
    - add new syslog server at specific IP address 1-9
  - console configuration 1-7
  - create log file 1-8
  - CRF 2-5
- D**
- date/time stamp designation 2-1
  - default system message log configuration 1-6
  - delete syslog server 1-9
  - disable system message logging
    - configured syslog server 1-10
    - current Telnet login session 1-11
  - display current configuration for system messages 1-12
  - display first N system messages in internal buffer 1-14
  - display last N system messages in internal buffer 1-15
  - download 2-63
  - download message 2-62, 2-63, 2-80, 2-81, 2-82
  - DRiP messages 2-3
  - DTP messages 2-6
  - Dual Ring Protocol messages 2-3
    - See also DRiP messages
  - DVLAN messages 2-9
  - Dynamic Trunking Protocol messages 2-6
    - See also DTP messages
  - Dynamic VLAN messages 2-9
    - See also DVLAN messages
- E**
- EARL messages 2-11, 2-13, 2-14
  - EARL trap diagnostics 2-11
  - enable system message logging
    - current Telnet login session 1-11
  - enable system message logging to configured syslog servers 1-8
  - Encoded Address Recognition Logic messages 2-13
    - See also EARL messages
  - EtherChannel messages 2-29
  - examples
    - disable system message logging to console 1-7
    - display default configuration
      - See also show logging command 1-6
    - system message 1-5
- F**
- facility codes, definitions 1-2
  - fan message 2-59
  - FDDI messages 2-44
  - FILESYS messages 2-15
  - Flash file system
    - See also FILESYS messages
  - FLASH message 2-65

## I

IGMP messages 2-17  
invalid MAC address messages 2-58  
invalid VLAN message 2-12, 2-14, 2-36, 2-83  
IP Permit List messages 2-15

## K

Kernel messages 2-16

## L

LTL messages 2-14, 2-33

## M

MCAST messages 2-17  
message severity levels  
    definitions 1-4  
    table 1-4  
message structure 1-2  
MGMT messages 2-23  
MLS messages 2-25  
Multicast Snooping messages 2-17  
Multilayer Switching messages 2-25

## N

Notes  
    date/time stamp designation 2-1  
    four-line message 2-66, 2-68  
    Kernel messages 2-16  
NVRAM messages 2-41, 2-42, 2-62, 2-64, 2-68

## O

out of memory message 2-80

## P

PAgP and EtherChannel messages 2-29  
PAgP messages 2-29  
PCMCIA  
    protocol control information classical IP over  
        ATM 2-15  
PCMCIA flash card 2-15  
power supply message 2-59  
PROTFILT messages 2-32  
Protocol Filtering messages 2-32

## R

RMON messages 2-41

## S

SCP 2-6  
Security messages 2-87  
Serial Communications Protocol  
    See also SCP 2-6  
set facility and severity level for syslog server  
    messages 1-8  
severity levels  
    table 1-4  
Simple Network Management Protocol messages 2-15  
    See also SNMP messages  
SNMP messages 2-16, 2-43  
Spanning-Tree Protocol messages 2-47  
SPANTREE messages 2-47  
Supervisor Engine III module message 2-74

- syslog daemon 1-7
- syslog server configuration 1-8
- System Message Log procedures 1-6
  - console configuration 1-7
  - default system message log configuration 1-6
  - syslog daemon on a UNIX syslog server configuration 1-7
  - syslog daemon on UNIX syslog server configuration 1-7
  - syslog server configuration 1-8
  - system message display 1-12
  - system message display configuration 1-12
  - Telnet login session configuration 1-11
- System Message Logging
  - clear logging server command 1-9
- System Message Logs
  - configuring syslog servers 1-8
  - configuring the console and telnet sessions 1-7
  - configuring the syslog daemon on a UNIX server 1-7
  - default configuration 1-6
  - set logging console disable command 1-7
  - set logging server command 1-8, 1-10, 1-11
  - show logging command 1-14
- system messages 2-57

## T

- tables
  - message severity levels 1-4
  - variable fields 1-4
- TACACS+ messages 2-76
- TCP/IP
  - Transmission Control Protocol/Internet Protocol 2-62
- TCP/IP message 2-62, 2-63, 2-64
- Telnet login session configuration 1-11
- temperature critical message 2-57, 2-58
- temperature message 2-60

- Terminal Access Controller Access Control System Plus messages
  - See also TACACS+ messages
- TopN messages 2-23
- TRCRF 2-5
  - Token Ring Concentrator Relay Function 2-5

## U

- UDP 2-43
- UNIX server 1-8
- UNIX servers 1-5, 1-7

## V

- variable fields
  - definition 1-4
  - table 1-4
- verify System Message Log configuration 1-14
  - Telnet login session 1-14
- VLAN Membership Policy Server messages 2-79
  - See also VMPS messages
- VLAN Trunking Protocol messages 2-32, 2-85
  - See also VTP messages
- VLAN Trunking Protocol pruning messages 2-32
  - See also VTP pruning messages
- VMPS messages 2-79
- VTP messages 2-32, 2-85
- VTP pruning messages 2-32

