



# APPENDIX **A**

## XML Description Documents

---

Revised: June 24, 2009, OL-15335-04

This appendix provides examples of the XML description documents.

### Subscriber Noun and Add Verb

The following sample XML description document provides an example of the subscriber noun and add verb.

```
=====
<ManagedObject Verb="add" id="subscriber"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="ManagedObject.xsd">
  <MOAttribute id="dn1">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>14</Width>
    <HelpText>Enter at least 1, but not more than 14 characters from the following set:
{0123456789-}.</HelpText>
    <Label>Dn1</Label>
    <Parser id="GenericDNParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="tg">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>32</Width>
    <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
    <Label>Tg</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="policy_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
```

```

    <Label>POLICY_ID</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="category">
    <Required>>false</Required>
    <Type>single</Type>
    <Default>[INDIVIDUAL]</Default>
    <Width>15</Width>
    <HelpText>Enter one of the following values: [INDIVIDUAL, MLHG, MLHG_INDIVIDUAL,
MLHG_PREF_INDIV, CTXG, CTXG_INDIVIDUAL, PBX, CTXG_TG, CTXG_MLHG, RACF, IVR]</HelpText>
    <Label>Category</Label>
    <Permitted>[INDIVIDUAL, MLHG, MLHG_INDIVIDUAL, MLHG_PREF_INDIV, CTXG, CTXG_INDIVIDUAL,
PBX, CTXG_TG, CTXG_MLHG, RACF, IVR]</Permitted>
  </MOAttribute>
  <MOAttribute id="ss_number">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>11</Width>
    <HelpText>Enter a Social Security Number in the form ###-##-#### where # is digit from
0-9.</HelpText>
    <Label>Ss Number</Label>
    <Parser id="SocSecParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="ctxg_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>Ctxg Id</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="name">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>32</Width>
    <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
    <Label>Name</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="mlhg_pref_list_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>Mlhg Pref List Id</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
  </MOAttribute>

```

```

    </Parser>
  </MOAttribute>
  <MOAttribute id="address2">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>32</Width>
    <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
    <Label>Address2</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="address1">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>32</Width>
    <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
    <Label>Address1</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="city">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>City</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="terminating_immediate_rel">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[N]</Default>
    <Width>3</Width>
    <HelpText>Enter a boolean value of Y for yes or N for no.</HelpText>
    <Label>Terminating Immediate Release</Label>
    <Parser id="BooleanParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="billing_dn">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>32</Width>
    <HelpText>Enter at least 1, but not more than 32 characters from the following set:
    {0123456789-}</HelpText>
    <Label>Billing Dn</Label>
    <Parser id="GenericDNParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="language">

```

```

    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>Language</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="email">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>64</Width>
    <HelpText>Enter an email address in the form text@text where text is a set of
characters with no spaces.</HelpText>
    <Label>Email</Label>
    <Parser id="EmailParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="mlhg_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>MLHG ID</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="tgn_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>8</Width>
    <HelpText>Enter a number from 0 to 99999999.</HelpText>
    <Label>Trunk Group Number ID</Label>
    <Parser id="DecimalParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="mgw_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>32</Width>
    <HelpText>Enter at least 0 characters, but not more than 32 characters.</HelpText>
    <Label>Media Gateway ID</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="status">
    <Required>>false</Required>
    <Type>single</Type>
    <Default>[ACTIVE]</Default>

```

```

    <Width>17</Width>
    <HelpText>Enter one of the following values: [ACTIVE, TEMP_OOS, TEMP_DISCONNECTED,
TEMP_UNAVAILABLE]</HelpText>
    <Label>Status</Label>
    <Permitted>[ACTIVE, TEMP_OOS, TEMP_DISCONNECTED, TEMP_UNAVAILABLE]</Permitted>
</MOAttribute>
<MOAttribute id="term_id">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>32</Width>
  <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
  <Label>Termination ID</Label>
  <Parser id="TextParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="usage_sens">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[Y]</Default>
  <Width>3</Width>
  <HelpText>Enter a boolean value of Y for yes or N for no.</HelpText>
  <Label>Usage Sens</Label>
  <Parser id="BooleanParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="id">
  <Required>>true</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>30</Width>
  <HelpText>Enter at least 1 character, but not more than 30 characters.</HelpText>
  <Label>ID</Label>
  <Parser id="TextParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="grp">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[N]</Default>
  <Width>3</Width>
  <HelpText>Enter a boolean value of Y for yes or N for no.</HelpText>
  <Label>Grp</Label>
  <Parser id="BooleanParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="sub_profile_id">
  <Required>>true</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>16</Width>
  <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
  <Label>Sub Profile Id</Label>
  <Parser id="TextParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>

```

```

    </Parser>
  </MOAttribute>
  <MOAttribute id="country">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[USA]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>Country</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="cos_restrict_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>COS Restrict ID</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="qos_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>QOS ID</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="term_type">
    <Required>>false</Required>
    <Type>single</Type>
    <Default>[TERM]</Default>
    <Width>5</Width>
    <HelpText>Enter one of the following values: [TERM, TG, ROUTE, RG]</HelpText>
    <Label>TERM TYPE</Label>
    <Permitted>[TERM, TG, ROUTE, RG]</Permitted>
  </MOAttribute>
  <MOAttribute id="ring_type_dn1">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[1]</Default>
    <Width>1</Width>
    <HelpText>Enter a number from 1 to 3.</HelpText>
    <Label>Ring Type Dn1</Label>
    <Parser id="DecimalParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="immediate_release">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[N]</Default>
    <Width>3</Width>

```

```

<HelpText>Enter a boolean value of Y for yes or N for no.</HelpText>
<Label>Immediate Release</Label>
<Parser id="BooleanParser">
  <JavaScript>TBD</JavaScript>
  <RegExp>TBD</RegExp>
</Parser>
</MOAttribute>
<MOAttribute id="sip_url">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>32</Width>
  <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
  <Label>Sip Url</Label>
  <Parser id="TextParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="zipcode">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>10</Width>
  <HelpText>Enter at least 1 character, but not more than 10 characters.</HelpText>
  <Label>Zipcode</Label>
  <Parser id="TextParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="pic3">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>4</Width>
  <HelpText>Enter a PIC value as four numeric characters, NPIC, or NONE.</HelpText>
  <Label>Pic3</Label>
  <Parser id="PicParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="pic2">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>4</Width>
  <HelpText>Enter a PIC value as four numeric characters, NPIC, or NONE.</HelpText>
  <Label>Pic2</Label>
  <Parser id="PicParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="privacy">
  <Required>>false</Required>
  <Type>single</Type>
  <Default>[NONE]</Default>
  <Width>4</Width>
  <HelpText>Enter one of the following values: [FULL, NAME, NONE]</HelpText>
  <Label>Privacy</Label>
  <Permitted>[FULL, NAME, NONE]</Permitted>
</MOAttribute>

```

```

<MOAttribute id="pic1">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>4</Width>
  <HelpText>Enter a PIC value as four numeric characters, NPIC, or NONE.</HelpText>
  <Label>Pic1</Label>
  <Parser id="PicParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="state">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>16</Width>
  <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
  <Label>State</Label>
  <Parser id="TextParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
</ManagedObject>

```

## Foreign Key Relationships

The following sample XML extended format description document contains the foreign key relationships for a given command.

```

=====
<ManagedObject Verb="add" id="subscriber"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="ManagedObject.xsd">
  <MOAttribute id="dn1">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>14</Width>
    <HelpText>Enter at least 1, but not more than 14 characters from the following set:
{0123456789-}.</HelpText>
    <Label>Dn1</Label>
    <Parser id="GenericDNParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="tg">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>32</Width>
    <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
    <Label>Tg</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="policy_id">

```

```

    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>POLICY_ID</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="category">
    <Required>>false</Required>
    <Type>single</Type>
    <Default>[INDIVIDUAL]</Default>
    <Width>15</Width>
    <HelpText>Enter one of the following values: [INDIVIDUAL, MLHG, MLHG_INDIVIDUAL,
MLHG_PREF_INDIV, CTXG, CTXG_INDIVIDUAL, PBX, CTXG_TG, CTXG_MLHG, RACF, IVR]</HelpText>
    <Label>Category</Label>
    <Permitted>[INDIVIDUAL, MLHG, MLHG_INDIVIDUAL, MLHG_PREF_INDIV, CTXG, CTXG_INDIVIDUAL,
PBX, CTXG_TG, CTXG_MLHG, RACF, IVR]</Permitted>
  </MOAttribute>
  <MOAttribute id="ss_number">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>11</Width>
    <HelpText>Enter a Social Security Number in the form ###-##-#### where # is digit from
0-9.</HelpText>
    <Label>Ss Number</Label>
    <Parser id="SocSecParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="ctxg_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>Ctxg Id</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
    <Fk id="CENTREX_GRP_PK">
      <Noun>centrex_grp</Noun>
      <Param>id</Param>
    </Fk>
  </MOAttribute>
  <MOAttribute id="name">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>32</Width>
    <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
    <Label>Name</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="mlhg_pref_list_id">

```

```

<Required>>false</Required>
<Type>text</Type>
<Default>[null]</Default>
<Width>16</Width>
<HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
<Label>Mlhg Pref List Id</Label>
<Parser id="TextParser">
  <JavaScript>TBD</JavaScript>
  <RegExp>TBD</RegExp>
</Parser>
<Fk id="MLH_PREF_LIST_PK">
  <Noun>mlhg_pref_list</Noun>
  <Param>id</Param>
</Fk>
</MOAttribute>
<MOAttribute id="address2">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>32</Width>
  <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
  <Label>Address2</Label>
  <Parser id="TextParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="address1">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>32</Width>
  <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
  <Label>Address1</Label>
  <Parser id="TextParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="city">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>16</Width>
  <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
  <Label>City</Label>
  <Parser id="TextParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="terminating_immediate_rel">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[N]</Default>
  <Width>3</Width>
  <HelpText>Enter a boolean value of Y for yes or N for no.</HelpText>
  <Label>Terminating Immediate Release</Label>
  <Parser id="BooleanParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="billing_dn">

```

```

    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>32</Width>
    <HelpText>Enter at least 1, but not more than 32 characters from the following set:
{0123456789-}.</HelpText>
    <Label>Billing Dn</Label>
    <Parser id="GenericDNParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="language">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>Language</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="email">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>64</Width>
    <HelpText>Enter an email address in the form text@text where text is a set of
characters with no spaces.</HelpText>
    <Label>Email</Label>
    <Parser id="EmailParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
  </MOAttribute>
  <MOAttribute id="mlhg_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>MLHG ID</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
    <Fk id="MLH_PREF_LIST_PK">
      <Noun>mlhg_pref_list</Noun>
      <Param>mlhg_id</Param>
      <Fk id="MLHG_PK">
        <Noun>mlhg</Noun>
        <Param>id</Param>
      </Fk>
    </Fk>
  </MOAttribute>
  <MOAttribute id="tgn_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>8</Width>
    <HelpText>Enter a number from 0 to 99999999.</HelpText>
    <Label>Trunk Group Number ID</Label>

```

```

    <Parser id="DecimalParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
    <Fk id="TRUNK_GRP_PK">
      <Noun>trunk_grp</Noun>
      <Param>id</Param>
    </Fk>
  </MOAttribute>
  <MOAttribute id="mgw_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>32</Width>
    <HelpText>Enter at least 0 characters, but not more than 32 characters.</HelpText>
    <Label>Media Gateway ID</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
    <Fk id="TERMINATION_PK">
      <Noun>termination</Noun>
      <Param>mgw_id</Param>
      <Fk id="MGW_PK">
        <Noun>mgw</Noun>
        <Param>id</Param>
      </Fk>
    </Fk>
  </MOAttribute>
  <MOAttribute id="status">
    <Required>>false</Required>
    <Type>single</Type>
    <Default>[ACTIVE]</Default>
    <Width>17</Width>
    <HelpText>Enter one of the following values: [ACTIVE, TEMP_OOS, TEMP_DISCONNECTED,
TEMP_UNAVAILABLE]</HelpText>
    <Label>Status</Label>
    <Permitted>[ACTIVE, TEMP_OOS, TEMP_DISCONNECTED, TEMP_UNAVAILABLE]</Permitted>
  </MOAttribute>
  <MOAttribute id="term_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>32</Width>
    <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
    <Label>Termination ID</Label>
    <Parser id="TextParser">
      <JavaScript>TBD</JavaScript>
      <RegExp>TBD</RegExp>
    </Parser>
    <Fk id="TERMINATION_PK">
      <Noun>termination</Noun>
      <Param>id</Param>
    </Fk>
  </MOAttribute>
  <MOAttribute id="usage_sens">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[Y]</Default>
    <Width>3</Width>
    <HelpText>Enter a boolean value of Y for yes or N for no.</HelpText>
    <Label>Usage Sens</Label>
    <Parser id="BooleanParser">
      <JavaScript>TBD</JavaScript>

```

```

        <RegExp>TBD</RegExp>
    </Parser>
</MOAttribute>
<MOAttribute id="id">
    <Required>true</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>30</Width>
    <HelpText>Enter at least 1 character, but not more than 30 characters.</HelpText>
    <Label>ID</Label>
    <Parser id="TextParser">
        <JavaScript>TBD</JavaScript>
        <RegExp>TBD</RegExp>
    </Parser>
</MOAttribute>
<MOAttribute id="grp">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[N]</Default>
    <Width>3</Width>
    <HelpText>Enter a boolean value of Y for yes or N for no.</HelpText>
    <Label>Grp</Label>
    <Parser id="BooleanParser">
        <JavaScript>TBD</JavaScript>
        <RegExp>TBD</RegExp>
    </Parser>
</MOAttribute>
<MOAttribute id="sub_profile_id">
    <Required>true</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>Sub Profile Id</Label>
    <Parser id="TextParser">
        <JavaScript>TBD</JavaScript>
        <RegExp>TBD</RegExp>
    </Parser>
    <Fk id="SUBSCRIBER_PROFILE_PK">
        <Noun>subscriber_profile</Noun>
        <Param>id</Param>
    </Fk>
</MOAttribute>
<MOAttribute id="country">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[USA]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>Country</Label>
    <Parser id="TextParser">
        <JavaScript>TBD</JavaScript>
        <RegExp>TBD</RegExp>
    </Parser>
</MOAttribute>
<MOAttribute id="cos_restrict_id">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>16</Width>
    <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
    <Label>COS Restrict ID</Label>
    <Parser id="TextParser">
        <JavaScript>TBD</JavaScript>

```

```

    <RegExp>TBD</RegExp>
  </Parser>
  <Fk id="COST_RESTRICT_PK">
    <Noun>cos_restrict</Noun>
    <Param>id</Param>
  </Fk>
</MOAttribute>
<MOAttribute id="qos_id">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>16</Width>
  <HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
  <Label>QOS ID</Label>
  <Parser id="TextParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
  <Fk id="QOS_PK">
    <Noun>qos</Noun>
    <Param>id</Param>
  </Fk>
</MOAttribute>
<MOAttribute id="term_type">
  <Required>>false</Required>
  <Type>single</Type>
  <Default>[TERM]</Default>
  <Width>5</Width>
  <HelpText>Enter one of the following values: [TERM, TG, ROUTE, RG]</HelpText>
  <Label>TERM TYPE</Label>
  <Permitted>[TERM, TG, ROUTE, RG]</Permitted>
</MOAttribute>
<MOAttribute id="ring_type_dn1">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[1]</Default>
  <Width>1</Width>
  <HelpText>Enter a number from 1 to 3.</HelpText>
  <Label>Ring Type Dn1</Label>
  <Parser id="DecimalParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="immediate_release">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[N]</Default>
  <Width>3</Width>
  <HelpText>Enter a boolean value of Y for yes or N for no.</HelpText>
  <Label>Immediate Release</Label>
  <Parser id="BooleanParser">
    <JavaScript>TBD</JavaScript>
    <RegExp>TBD</RegExp>
  </Parser>
</MOAttribute>
<MOAttribute id="sip_url">
  <Required>>false</Required>
  <Type>text</Type>
  <Default>[null]</Default>
  <Width>32</Width>
  <HelpText>Enter at least 1 character, but not more than 32 characters.</HelpText>
  <Label>Sip Url</Label>
  <Parser id="TextParser">

```

```

        <JavaScript>TBD</JavaScript>
        <RegExp>TBD</RegExp>
    </Parser>
</MOAttribute>
<MOAttribute id="zipcode">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>10</Width>
    <HelpText>Enter at least 1 character, but not more than 10 characters.</HelpText>
    <Label>Zipcode</Label>
    <Parser id="TextParser">
        <JavaScript>TBD</JavaScript>
        <RegExp>TBD</RegExp>
    </Parser>
</MOAttribute>
<MOAttribute id="pic3">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>4</Width>
    <HelpText>Enter a PIC value as four numeric characters, NPIC, or NONE.</HelpText>
    <Label>Pic3</Label>
    <Parser id="PicParser">
        <JavaScript>TBD</JavaScript>
        <RegExp>TBD</RegExp>
    </Parser>
</MOAttribute>
<MOAttribute id="pic2">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>4</Width>
    <HelpText>Enter a PIC value as four numeric characters, NPIC, or NONE.</HelpText>
    <Label>Pic2</Label>
    <Parser id="PicParser">
        <JavaScript>TBD</JavaScript>
        <RegExp>TBD</RegExp>
    </Parser>
</MOAttribute>
<MOAttribute id="privacy">
    <Required>>false</Required>
    <Type>single</Type>
    <Default>[NONE]</Default>
    <Width>4</Width>
    <HelpText>Enter one of the following values: [FULL, NAME, NONE]</HelpText>
    <Label>Privacy</Label>
    <Permitted>[FULL, NAME, NONE]</Permitted>
</MOAttribute>
<MOAttribute id="pic1">
    <Required>>false</Required>
    <Type>text</Type>
    <Default>[null]</Default>
    <Width>4</Width>
    <HelpText>Enter a PIC value as four numeric characters, NPIC, or NONE.</HelpText>
    <Label>Pic1</Label>
    <Parser id="PicParser">
        <JavaScript>TBD</JavaScript>
        <RegExp>TBD</RegExp>
    </Parser>
</MOAttribute>
<MOAttribute id="state">
    <Required>>false</Required>
    <Type>text</Type>

```

```
<Default>[null]</Default>
<Width>16</Width>
<HelpText>Enter at least 1 character, but not more than 16 characters.</HelpText>
<Label>State</Label>
<Parser id="TextParser">
  <JavaScript>TBD</JavaScript>
  <RegExp>TBD</RegExp>
</Parser>
</MOAttribute>
</ManagedObject>
```