



Integration Guides for Cisco Unity Connection 1.2

Published June 19, 2006

You can use the integration guides for Cisco Unity Connection 1.1 for Cisco Unity Connection 1.2 phone system integrations.

Note that the name of the model and the port group template, which you select in the Phone System Integration Wizard, may differ depending on the version of Cisco Unity Connection as shown in the following table.

Phone System	Setting for Connection Version 1.1	Setting for Connection Version 1.2
Avaya Definity G3		
Model field	Avaya Definity G3	Avaya Definity G3
Port Group Template field	Avaya Definity G3 via PIMG	Digital PIMG to Avaya Definity G3
Avaya Definity ProLogix		
Model field	Avaya Definity ProLogix	Avaya Definity ProLogix
Port Group Template field	Avaya Definity ProLogix via PIMG	Digital PIMG to Avaya Definity ProLogix
Avaya S8300		
Model field	S8300, S8500, or S8700	Avaya S8300
Port Group Template field	Avaya S8300/S8500/S8700 via PIMG	Digital PIMG to Avaya S8300
Avaya S8500		
Model field	S8300, S8500, or S8700	Avaya S8500
Port Group Template field	Avaya S8300/S8500/S8700 via PIMG	Digital PIMG to Avaya S8500
Avaya S8700		
Model field	S8300, S8500, or S8700	Avaya S8700
Port Group Template field	Avaya S8300/S8500/S8700 via PIMG	Digital PIMG to Avaya S8700
Cisco SIP Proxy Server		
Model field	SIP Proxy Server	SIP Proxy Server
Port Group Template field	SIP - Session Initiation Protocol	SIP - Session Initiation Protocol



Corporate Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

© 2006 Cisco Systems, Inc. All rights reserved.

Phone System	Setting for Connection Version 1.1	Setting for Connection Version 1.2
Cisco Unified CallManager Express SCCP		
Model field	CallManager	CallManager
Port Group Template field	SCCP - Skinny Client Control Protocol	SCCP - Skinny Client Control Protocol
Cisco Unified CallManager SCCP		
Model field	CallManager	CallManager
Port Group Template field	SCCP - Skinny Client Control Protocol	SCCP - Skinny Client Control Protocol
Cisco Unified CallManager SIP trunk		
Model field	CallManager	CallManager
Port Group Template field	SIP - Session Initiation Protocol	SIP - Session Initiation Protocol
Nortel Meridian 1		
Model field	Nortel Meridian 1	Nortel Meridian 1
Port Group Template field	Nortel Meridian 1 via PIMG	Digital PIMG to Nortel Meridian 1
Nortel SL 1		
Model field	Nortel Meridian 1	Nortel SL 1
Port Group Template field	Nortel Meridian 1 via PIMG	Digital PIMG to SL 1
Nortel Succession		
Model field	Nortel Meridian 1	Nortel Succession
Port Group Template field	Nortel Meridian 1 via PIMG	Digital PIMG to Nortel Succession
QSIG/DPNSS		
Model field	QSIG/DPNSS	QSIG/DPNSS
Port Group Template field	QSIG/DPNSS PBX via Cisco EGW 2200	Cisco 2200 EGW to QSIG/DPNSS PBX
Siemens Hicom 300 E CS		
Model field	Siemens Hicom 300	Siemens Hicom 300 E CS
Port Group Template field	Siemens Hicom 300 ECS via PIMG	Digital PIMG to Siemens Hicom 300 E CS

For instructions on integrating a supported phone system with Cisco Unity Connection 1.2, see the applicable Cisco Unity Connection 1.1 or Cisco Unity Connection 1.2 integration guide at http://www.cisco.com/en/US/products/ps6509/products_installation_and_configuration_guides_list.html.

For a list of the phone systems with which Cisco Unity Connection 1.2 integrates, see the “Supported Phone System Integrations” section of the *Cisco Unity Connection 1.x System Requirements, and Supported Hardware and Software* at http://www.cisco.com/en/US/products/ps6509/prod_installation_guides_list.html.

service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networking Academy, Network Registrar, *Packet*, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0705R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

© 2006 Cisco Systems, Inc. All rights reserved.

