



---

## A

- adding
  - administrator account for Greetings Administrator [7-6](#)
  - administrator accounts, custom settings (in Connection Administration) [7-5](#)
  - administrator accounts, default settings (in Connection Administration) [7-4](#)
  - alternate names [3-23](#)
  - class of service [5-1](#)
  - user accounts (with Connection Bulk Administration Manager) [8-1](#)
  - user accounts, custom settings (in Connection Administration) [7-2](#)
  - user accounts, default (in Connection Administration) [7-2](#)
  - user templates [6-1](#)
- Administrator account [1-3](#)
- after logon conversation, changing [3-15](#)
- alternate names
  - adding [3-23](#)
  - overview [3-22](#)
- authentication rules
  - default rules [2-5](#)
  - overview [2-4](#)

---

## B

- before and after message conversation, changing [3-18](#)
- Broadcast Message Administrator, enabling access [3-26](#)
- broadcast messages, enabling users to send [3-26](#)

---

## C

- calendars, accessing Exchange for personal call transfer rules [4-3](#)
- caller input
  - defining key press actions [3-24](#)
  - overview [3-24](#)
- call holding [3-3](#)
- call screening [3-3](#)
- call transfers, overview [3-3](#)
- changing
  - after logon conversation [3-15](#)
  - before and after message conversation [3-18](#)
  - conversation menu responses [3-13](#)
  - conversation menu style [3-10](#)
  - conversation speed and volume [3-11](#)
  - conversation version [3-12](#)
  - message addressing settings [3-16](#)
  - message playback order [3-19](#)
  - passwords [3-2](#)
  - time format for message timestamps [3-12](#)
- Cisco Unity Connection Administration
  - accessing [A-2](#)
  - configuring browsers [A-2](#)
  - finding records [A-4](#)
  - interface [A-1](#)
  - using Help [A-3](#)
- class of service
  - adding [5-1](#)
  - assigning or reassigning users [5-2](#)
  - defaults [2-3](#)
  - deleting [5-3](#)
  - modifying [5-2](#)

overview [2-2](#)

contacts, accessing Exchange for personal call transfer rules [4-3](#)

conversation

- changing menu responses [3-13](#)
- changing menu style [3-10](#)
- changing speed and volume [3-11](#)
- changing versions [3-12](#)
- customizing logon [3-15](#)
- overview of settings [3-8](#)

---

## D

deleting

- class of service [5-3](#)
- user accounts [10-2](#)
- user templates [6-4](#)

Distribution Lists report [11-2](#)

---

## E

enabling

- IMAP client access to voice messages [4-6](#)
- message type menu [3-16](#)
- personal call transfer rules [4-3](#)
- Text to Speech for a user [4-5](#)
- Text to Speech in a class of service [4-5](#)
- voice recognition features for a class of service [4-5](#)

Exchange calendars and contacts, accessing for personal call transfer rules [4-3](#)

---

## F

Firefox, configuring [A-2](#)

---

## G

greetings overview [3-20](#)

---

## I

IMAP client access to voice messages, enabling [4-6](#)

Integrated Mailbox Configuration

- creating individual user accounts [9-2](#)
- enabling diagnostics [9-4](#)
- setting up [9-2](#)
- troubleshooting error messages [9-5](#)

Internet Explorer, configuring [A-3](#)

---

## K

key press actions, defining for caller input [3-24](#)

---

## L

logon

- conversation [3-15](#)
- playing message counts [3-15](#)
- playing recorded name [3-15](#)

---

## M

mailbox size quotas

- customizing [3-7](#)
- overview [3-6](#)

messages

- addressing settings, changing [3-16](#)
- message number, playing [3-18](#)
- message type menu, enabling [3-16](#)
- notifications overview [3-1](#)
- playback order, changing [3-19](#)
- settings overview [3-6](#)

message waiting indicators (MWIs), overview [3-4](#)

Microsoft Exchange calendars and contacts, accessing for personal call transfer rules [4-3](#)

modifying

- class of service [5-2](#)
- user accounts (in Connection Administration) [10-1](#)

user accounts (with Connection Bulk Administration Manager) [8-1](#)

user templates [6-3](#)

---

## N

notifications, message [3-1](#)

---

## O

Operator account [1-3](#)

Outcall Billing Detail report [11-3](#)

Outcall Billing Summary report [11-3](#)

---

## P

passwords

changing [3-2](#)

overview [3-2](#)

personal call transfer rules

configuring access to Exchange data for [4-3](#)

enabling or disabling for users [4-3](#)

overview [3-3, 4-2](#)

setting up [4-1](#)

personal contacts overview [1-2](#)

Phone Interface Failed Logon report [11-1](#)

phone number settings, overview [3-22](#)

private distribution lists

maximum number of lists defined [4-7](#)

maximum number of members defined [4-8](#)

overview [4-7](#)

---

## R

reports

archiving data [11-3](#)

generating and viewing [11-4](#)

output defined [11-1](#)

setting configuration parameters [11-3](#)

restriction tables

defaults [2-3](#)

overview [2-3](#)

roles

default roles [2-5](#)

overview [2-5](#)

---

## S

schedules overview [2-4](#)

sender information, playing [3-18](#)

system contacts overview [1-2](#)

system distribution lists, defaults [1-3](#)

---

## T

Text to Speech

access to Exchange e-mail [4-4](#)

enabling for a user [4-5](#)

enabling in a class of service [4-5](#)

overview [3-8](#)

time format for message timestamps, changing [3-12](#)

time stamp, playing [3-18](#)

Transfer Call Billing report [11-2](#)

---

## U

Undeliverable Messages Mailbox account [1-3](#)

Unity Connection Messaging System account [1-3](#)

Unused Voice Mail Accounts report [11-2](#)

user accounts

administrator roles [1-1](#)

creating by using Integrated Mailbox Configuration [9-2](#)

default accounts [1-3](#)

overview [1-1](#)

User Lockout report [11-2](#)

User Message Activity report [11-2](#)

Users report [11-1](#)

users without voice mailboxes [1-1](#)

users with voice mailboxes [1-1](#)

user templates

adding [6-1](#)

default templates [2-2](#)

deleting [6-4](#)

modifying [6-3](#)

overview [2-1](#)

---

## V

voice recognition features, enabling for a class of  
service [4-5](#)