



INDEX

A

- alert central, accessing [7-1](#)
- alert notification
 - configuring parameters for counter (table) [5-4](#)
 - e-mail for counter [5-4](#)
 - message [5-4](#)
 - schedule [5-4](#)
 - thresholds [5-4](#)
- alert notification, configuring [7-5](#)
- alerts
 - accessing alert central [7-1](#)
 - action configuration (table) [6-4](#)
 - configuring actions [7-5](#)
 - configuring e-mail for [7-5](#)
 - customization (table) [6-3](#)
 - emailing notification [4-3](#)
 - logs, described [6-5](#)
 - notification for a counter [4-3](#)
 - preconfigured [6-2](#)
 - scheduling notification [4-3](#)
 - setting properties [7-2](#)
 - suspending [7-4](#)
 - thresholds [4-3](#)

C

- category
 - adding [2-8](#)
 - deleting [2-8](#)
 - renaming [2-8](#)
- category tabs
 - about [4-2](#)
 - sample rates [4-2](#)
- Cisco Tomcat Connector, perfmon object and counters [A-2](#)
- Cisco Unity Connection, using port monitor [11-1](#)
- configuration profile
 - adding [2-6](#)
 - deleting [2-7](#)
 - restoring [2-7](#)
 - using default [2-6](#)
- conventions [2-xi](#)
- counters
 - adding [4-2](#)
 - alert notification [4-3](#)
 - alert notification parameters (table) [5-4](#)
 - chart [4-2](#)
 - configuring alert notification for [5-4](#)
 - data sample, configuring [5-7](#)
 - data sample parameters (table) [5-8](#)
 - properties [4-3](#)
 - viewing data [5-8](#)
 - zooming [4-3, 5-6](#)
- CUC Data Store: Databases, perfmon object and counters [B-2](#)
- CUC Message Store, perfmon object and counters [B-2](#)
- CUC Personal Call Transfer Rules, perfmon object and counters [B-2](#)
- CUC Phone System, perfmon object and counters [B-3](#)
- CUC Phone System: Ports, perfmon object and counters [B-4](#)
- CUC Sessions: IMAP Server, perfmon object and counters [B-5](#)
- CUC Sessions: TRaP, perfmon object and counters [B-6](#)
- CUC Sessions: TTS, perfmon object and counters [B-6](#)

CUC Sessions: Voice, perfmon object and counters [B-7](#)
 CUC Sessions: VUI, perfmon object and counters [B-8](#)
 CUC Sessions: Web, perfmon object and counters [B-9](#)

D

Database Change Notification Client, perfmon object and counters [A-5](#)
 Database Change Notification Server, perfmon object and counters [A-6](#)
 Database Change Notification Subscription, perfmon object and counters [A-6](#)
 Database Local DSN, perfmon object and counters [A-6](#)
 data sample, configuring parameters (table) [5-8](#)
 DB User Host Information Counters, perfmon object and counters [A-7](#)
 document

- audience [2-ix](#)
- conventions [2-xi](#)
- organization [2-x](#)
- purpose [2-ix](#)

 documentation, related [2-x](#)

E

e-mail configuration, alerts [7-5](#)
 Enterprise Replication DBSpace Monitors, perfmon object and counters [A-7](#)
 Enterprise Replication Perfmon Counters, perfmon object and counters [A-7](#)

I

installation logs

- collecting [9-6](#)

 IP, perfmon object and counters [A-7](#)

L

Log Partition Monitoring, configuring [8-1](#)

logs, alerts [6-5](#)

M

Memory, perfmon object and counters [A-8](#)
 monitoring, performance [4-2](#)

N

Network Interface, perfmon object and counters [A-10](#)
 Number of Replicates, perfmon object and counters [A-11](#)

O

object and counters, Database Change Notification Client [A-5](#)
 organization [2-x](#)

P

Partition, perfmon object and counters [A-11](#)
 perfmon

- counters
 - adding [4-2](#)
 - category tabs, described [4-2](#)
 - chart [4-2](#)
 - properties [4-3](#)
 - sample rates [4-2](#)
 - zooming [4-3](#)
- object and counters
 - Cisco Tomcat Connector [A-2](#)
 - CUC Data Store: Databases [B-2](#)
 - CUC Message Store [B-2](#)
 - CUC Personal Call Transfer Rules [B-2](#)
 - CUC Phone System [B-3](#)
 - CUC Phone System: Ports [B-4](#)
 - CUC Sessions: IMAP Server [B-5](#)
 - CUC Sessions: TRaP [B-6](#)
 - CUC Sessions: TTS [B-6](#)

- CUC Sessions: Voice [B-7](#)
- CUC Sessions: VUI [B-8](#)
- CUC Sessions: Web [B-9](#)
- Database Change Notification Server [A-6](#)
- Database Change Notification Subscription [A-6](#)
- Database Local DSN [A-6](#)
- DB User Host Information [A-7](#)
- Enterprise Replication [A-7](#)
- Enterprise Replication DBSpace Monitors [A-7](#)
- IP [A-7](#)
- Memory [A-8](#)
- Network Interface [A-10](#)
- Partition [A-11](#)
- Process [A-12](#)
- Processor [A-13](#)
- System [A-14](#)
- TCP [A-15](#)
- Thread [A-15](#)
- Tomcat JVM [A-4](#)
- Tomcat Web Application [A-4](#)
- Perfmon data logging [5-13](#)
- performance counters
 - adding a counter instance [5-3](#)
 - displaying in chart format [5-1](#)
 - displaying in table format [5-1](#)
 - removing [5-3](#)
- performance monitoring
 - category tabs, described [4-2](#)
 - configuring alert notification for counters [5-4](#)
 - counters
 - adding [4-2](#)
 - chart [4-2](#)
 - properties [4-3](#)
 - zooming [4-3](#)
 - Number of Replicates [A-11](#)
 - object and counters
 - Cisco Tomcat Connector [A-2](#)
 - CUC Data Store: Databases [B-2](#)
 - CUC Message Store [B-2](#)
 - CUC Personal Call Transfer Rules [B-2](#)
 - CUC Phone System [B-3](#)
 - CUC Phone System: Ports [B-4](#)
 - CUC Sessions: IMAP Server [B-5](#)
 - CUC Sessions: TRaP [B-6](#)
 - CUC Sessions: TTS [B-6](#)
 - CUC Sessions: Voice [B-7](#)
 - CUC Sessions: VUI [B-8](#)
 - CUC Sessions: Web [B-9](#)
 - Database Change Notification Server [A-6](#)
 - Database Change Notification Subscription [A-6](#)
 - Database Local DSN [A-6](#)
 - DB User Host Information [A-7](#)
 - Enterprise Replication [A-7](#)
 - Enterprise Replication DBSpace Monitors [A-7](#)
 - IP [A-7](#)
 - Memory [A-8](#)
 - Network Interface [A-10](#)
 - Number of Replicates [A-11](#)
 - Partition [A-11](#)
 - Process [A-12](#)
 - Processor [A-13](#)
 - System [A-14](#)
 - Thread [A-15](#)
 - Tomcat JVM [A-4](#)
 - Tomcat Web Application [A-4](#)
- sample rates [4-2](#)
- viewing counter data [5-8](#)
- plugins
 - accessing [8-1](#)
 - downloading [8-1](#)
- polling intervals, sample rate [4-2](#)
- port monitor
 - overview [11-1](#)
 - using [11-1](#)
- Process, perfmon object and counters [A-12](#)
- Processor, perfmon object and counters [A-13](#)

R

Real-Time Monitoring Tool

alert notification, configuring for a counter [5-4](#)

alerts

accessing alert central [7-1](#)

action configuration (table) [6-4](#)

configuring alert actions [7-5](#)

configuring e-mail for [7-5](#)

customization (table) [6-3](#)

logs, described [6-5](#)

notification for a counter [4-3](#)

preconfigured [6-2](#)

setting properties [7-2](#)

suspending [7-4](#)

category

adding [2-8](#)

deleting [2-8](#)

renaming [2-8](#)

category tabs, described [4-2](#)

collecting a crash dump [9-13](#)

collecting traces [9-3](#)

collecting traces using the query wizard [9-6](#)

collecting traces using the schedule collection option [9-10](#)

configuration profile

adding [2-6](#)

deleting [2-7](#)

restoring [2-7](#)

using default [2-6](#)

counters

adding [4-2](#)

alert notification [4-3](#)

chart [4-2](#)

data sample [5-7](#)

displaying property description [5-7](#)

monitor [4-2](#)

viewing data [5-8](#)

zooming [5-6](#)

data samples [5-7](#)

deleting scheduled collections [9-13](#)

installing multiple copies [2-3](#)

logging and report generation, server log [1-4](#)

polling interval [4-2](#)

related topics for trace collection [9-22](#)

sample rate [4-2](#)

SysLog Viewer [10-1](#)

updating trace configuration settings [9-21](#)

using the real time trace option [9-18](#)

using the real time trace option, monitor user event [9-19](#)

using the real time trace option, view real time data [9-18](#)

viewing trace collection status [9-13](#)

viewing trace files using the local browse option [9-15](#)

viewing trace files using the remote browse option [9-16](#)

zooming a counter [4-3, 5-6](#)

related documentation [2-x](#)

S

sample rate [4-2](#)

server authentication certificates, importing using the trace collection option [9-2](#)

SysLog Viewer [10-1](#)

System, perfmon object and counters [A-14](#)

T

TCP, perfmon object and counters [A-15](#)

Thread, perfmon object and counters [A-15](#)

Tomcat JVM, perfmon object and counters [A-4](#)

Tomcat Web Application, perfmon object and counters [A-4](#)

Trace

collection

collecting crash dump option [9-13](#)

collecting files option [9-3](#)

- configuration, described [9-1](#)
- deleting scheduled collections [9-13](#)
- list of topics [9-1](#)
- related topics [9-22](#)
- schedule collection option [9-10](#)
- using the local browse option [9-15](#)
- using the query wizard option [9-6](#)
- using the real time trace option [9-18](#)
- using the real time trace option, monitor user event [9-19](#)
- using the real time trace option, view real time data [9-18](#)
- using the remote browse option [9-16](#)
- viewing status [9-13](#)

trace and log central

- collecting installation and upgrade logs [9-6](#)

troubleshooting

Perfmon data logging

- configuring [5-13](#)
- parameters [5-13](#)
- viewing log files [5-12](#)

U

upgrade logs

- collecting [9-6](#)

Z

- zooming a counter [4-3, 5-6](#)

