



INDEX

A

adding

administrator account for Greetings
Administrator [8-4](#)

administrator accounts, default settings (in Connection
Administration) [8-2](#)

alternate extensions [4-3, 4-4](#)

alternate names [4-6](#)

class of service [6-2](#)

MWIs for other extensions [4-36](#)

user accounts, default (in Connection
Administration) [8-1](#)

user templates [7-2](#)

Administrator account [1-2](#)

after logon conversation, changing [4-20](#)

alternate extensions

adding [4-3, 4-4](#)

class of service settings [5-2](#)

deleting [4-5](#)

overview [4-3](#)

alternate greeting

notification prompt [4-25](#)

preventing callers from leaving messages [4-26](#)

preventing callers from skipping [4-26](#)

transfer to greeting without ringing phone [4-26](#)

alternate names

adding [4-6](#)

overview [4-5](#)

ANI, playing [4-34](#)

B

before and after message conversation, changing [4-34](#)

broadcast messages, enabling users to send [4-6](#)

Bulk Administration Tool, accessing [9-1](#)

Bulk Edit utility, accessing [9-1](#)

C

calendars, accessing Exchange for personal call transfer
rules [4-2](#)

caller ID [4-34](#)

caller input overview [4-23](#)

call holding

class of service settings [5-3](#)

defined [4-8](#)

call screening

class of service settings [5-3](#)

defined [4-8](#)

call transfers

class of service settings [5-3](#)

overview [4-8](#)

changing

after logon conversation [4-20](#)

before and after message conversation [4-34](#)

conversation menu responses [4-14](#)

conversation menu style [4-13](#)

conversation speed and volume [4-20](#)

conversation version [4-12](#)

message addressing settings [4-11](#)

message playback order [4-31](#)

passwords [4-38, 4-39, 4-40](#)

time format for message timestamps [4-33](#)

Cisco PCA, securing and changing password [4-39](#)

Cisco Unified MeetingPlace Express [4-11](#)

Cisco Unified Personal Communicator, configuring to
access voice messages [5-2](#)

Cisco Unity Assistant, enabling access to [5-3](#)

Cisco Unity Connection Administration, finding users and contacts [3-1](#)

Cisco Unity Inbox, enabling access to [5-4](#)

class of service

- adding [6-2](#)
- alternate extensions [5-2](#)
- assigning and reassigning users [6-3](#)
- assigning or reassigning users [6-3](#)
- Cisco Unified Personal Communicator [5-2](#)
- Cisco Unity Assistant [5-3](#)
- Cisco Unity Inbox [5-4](#)
- defaults [6-2](#)
- deleted message access [5-4](#)
- deleting [6-4](#)
- directory listing [5-5](#)
- greeting length [5-5](#)
- IMAP client access [5-5](#)
- live reply [5-6](#)
- message length [5-7](#)
- modifying [6-2](#)
- overview [2-2](#)
- personal call transfer rules [5-7](#)
- private distribution lists [5-9](#)
- recorded name and length [5-10](#)
- restriction tables [5-11](#)
- sending messages to system distribution list [5-12](#)
- transfer, screening, and holding [5-3](#)
- unified client [5-2](#)

contacts

- accessing Exchange for personal call transfer rules [4-2](#)
- finding [3-1](#)

conversation

- changing menu responses [4-14](#)
- changing menu style [4-13](#)
- changing speed and volume [4-20](#)
- changing versions [4-12](#)
- customizing logon [4-20](#)

option summary [4-11](#)

D

deleted messages, accessing [5-4](#)

deleting

- alternate extensions [4-5](#)
- class of service [6-4](#)
- MWIs [4-37](#)
- user accounts [11-1](#)
- user templates [7-4](#)

directory assistance, enabling users to choose to be listed [5-5](#)

E

enabling

- IMAP client access to voice messages [5-5](#)
- message aging policy for users [4-28](#)
- message type menu [4-31](#)
- personal call transfer rules [5-9](#)
- Text to Speech for a user [4-46](#)
- Text to Speech in a class of service [5-13](#)
- voice recognition for a class of service [5-14](#)

Exchange calendars and contacts, accessing for personal call transfer rules [4-2](#)

exporting

- user data and messages from Connection 1.x [12-1](#)
- user data and messages from Unity 4.x or later [12-1](#)

G

greetings

- allowing caller input during greetings [4-23](#)
- alternate greeting notification prompt [4-25](#)
- enabling [4-26](#)
- managing calls when the alternate greeting is enabled [4-26](#)
- overview [4-21](#)

recording in multiple languages [4-27](#)
 specifying maximum length [5-5](#)
 summary of types available [4-22](#)

I

IMAP client access to voice messages, enabling [5-5](#)

Integrated Mailbox Configuration

creating individual user accounts [10-2](#)
 setting up [10-2](#)

L

live reply, enabling [5-6](#)

logon

conversation [4-20](#)
 playing message counts [4-20](#)
 playing recorded name [4-20](#)

M

mailbox size quotas, customizing [4-28](#)

message aging [4-28](#)

message counts [4-29](#)

Message Locator

enabling [4-28](#)
 phone view [4-42](#)

messages

addressing settings, changing [4-11](#)
 language used to prompt callers [4-47](#)
 marking secure by unidentified callers [4-47](#)
 message type menu, enabling [4-31](#)
 notifications for phone and pager [4-40](#)
 notifications for SMS-compatible devices [4-44](#)
 notifications for SMTP-compatible devices [4-45](#)
 playback order for Message Locator [4-28](#)
 playback order for new, saved, and deleted messages [4-31](#)
 recording length for users [5-7](#)

sending [4-18](#)

specifying maximum recording length for outside callers [4-47](#)

what unidentified callers can do [4-47](#)

message security [5-12](#)

message waiting indicators (MWIs), overview [4-36](#)

Microsoft Exchange calendars and contacts, accessing for personal call transfer rules [4-2](#)

migrating

Connection 1.x user data and messages to Connection 2.x [12-1](#)

Unity 4.x and later user data and messages to Connection 2.x [12-1](#)

modifying

class of service [6-2](#)
 user accounts (in Connection Administration) [11-1](#)
 user templates [7-4](#)

MWIs

adding [4-36](#)
 deleting [4-37](#)
 editing [4-37](#)

N

notifications

phone and pager [4-40](#)
 SMS-compatible devices [4-44](#)
 SMTP-compatible devices [4-45](#)

O

Operator account [1-2](#)

Outlook calendars and contacts, accessing for personal call transfer rules [4-2](#)

outside caller options [4-47](#)

P

passwords

changing [4-38](#), [4-39](#), [4-40](#)

securing and changing Cisco PCA [4-39](#)

settings [4-38](#)

personal call transfer rules

allowing access to Outlook calendar and contacts [4-2](#)

configuring access to Exchange data for [4-2](#)

enabling by class of service [5-9](#)

enabling or disabling for users [5-9](#)

modifying options for user [4-40](#)

overview [5-7](#)

web tool overview [5-8](#)

personal contacts [1-2](#)

phone menu

send menu style [4-18](#)

summary of settings [4-11](#)

Phone View [4-42](#)

private distribution lists

maximum number of lists [5-9](#)

maximum number of members [5-10, 5-11](#)

overview [4-43](#)

R

recorded name

allowing users to record [5-10](#)

maximum length [5-10](#)

restriction tables [5-11](#)

roles

default roles [2-2](#)

overview [2-2](#)

S

secure messaging [5-12](#)

sender information, playing [4-34](#)

sending messages

broadcast messages [4-6](#)

message security [5-12](#)

system distribution lists [5-12](#)

send menu style [4-18](#)

system contacts [1-2](#)

system distribution list, specifying whether users can send messages to [5-12](#)

T

Text to Speech

access to Exchange e-mail [5-13](#)

enabling for a user [4-46](#)

enabling in a class of service [5-13](#)

overview [4-46](#)

time format for message timestamps, changing [4-33](#)

time stamp, playing [4-34](#)

U

Undeliverable Messages Mailbox account [1-2](#)

unidentified caller options [4-47](#)

unified client [5-2](#)

Unity Connection Messaging System account [1-2](#)

user accounts

administrator roles [2-2](#)

creating by importing from Cisco Unified Communications Manager [10-1](#)

creating by using Integrated Mailbox Configuration [10-2](#)

default accounts [1-2](#)

deleting [11-1](#)

finding [3-1](#)

overview [1-1](#)

users without voice mailboxes [1-1](#)

users with voice mailboxes [1-1](#)

user templates

adding [7-2](#)

default templates [7-1](#)

deleting [7-4](#)

modifying [7-4](#)

overview [2-1](#)

utilities and tools

Bulk Administration Tool [9-1](#)

Bulk Edit [9-1](#)

V

voice recognition, enabling for a class of service [5-14](#)

