



A

accessing ART [1-5](#)

Acrobat Reader [1-1](#)

administrator

- granting rights [2-2](#)

- opening ART [1-6](#)

- revoking rights [2-2](#)

alerts

- enabling or disabling, by mail [2-47](#)

- setting CDR and ART database [2-25](#)

ART

- accessing [1-5](#)

- configuring [2-1](#)

- configuring automatic database purge [2-27](#)

- configuring database purge [2-27](#)

- disabling automatic database purge [2-28](#)

- installing [1-2](#)

- learning the version [1-8](#)

- log off [1-7](#)

- log on [1-6](#)

- manually purging database [2-29](#)

- opening, for ART administrators [1-6](#)

- opening, for managers [1-7](#)

- opening, for users [1-7](#)

- overview [1-1](#)

- restoring database purge defaults [2-30](#)

- setting database alert [2-25](#)

- starting or stopping scheduler [2-24](#)

- uninstalling [1-8](#)

automatic

- database purge [2-27](#)

- report generation [2-44](#)

B

base rate [2-36](#)

bill

- department [3-3](#)

- department detail, report results [3-19](#)

- department summary, report results [3-17](#)

- individual [3-2](#)

- individual detail, report results [3-19](#)

- individual summary, report results [3-17](#)

C

call types

- QoS by [4-9](#)

- QoS by, report results [4-24](#)

CDR

- configuring automatic database purge [2-27](#)
- configuring database purge [2-27](#)
- disabling automatic database purge [2-28](#)
- disabling loading [2-14](#)
- dump table [6-7](#)
- enabling loading [2-15](#)
- load records [2-11](#)
- manually purging database [2-29](#)
- restoring database purge defaults [2-30](#)
- restoring the default load schedule [2-13](#)
- search [6-1](#)
- setting database alert [2-25](#)
- setting the load schedule [2-12](#)

CDR error [4-18](#)

CDR error, report results [4-29](#)

CDR search by gateway [6-3](#)

CDR search by gateway, report results [6-5](#)

CDR search by user extension [6-2](#)

CDR search by user extension, report results [6-5](#)

Cisco IP Phone services [3-13](#)

Cisco IP Phone services, report results [3-22](#)

Cisco technical assistance center [xv](#)

- contact by phone [xvi](#)
- contact by web [xv](#)

CMR dump table [6-7](#)

conference bridge utilization [5-15](#)

conference bridge utilization, report results [5-23](#)

configuring

- ART [2-1](#)
- ART and CDR database purge [2-27](#)
- automatic ART and CDR database purge [2-27](#)
- base rate and duration for rating parameters [2-36](#)
- dial plan [2-4](#)
- error log [2-33](#)
- event log [2-31](#)
- gateway [2-8](#)
- mail server parameters [2-3](#)
- manual database purge [2-27](#)
- notification limits for QoS and daily charges [2-48](#)
- system parameters [2-1](#)
- system preferences [2-9](#)
- time of day factor for rating parameters [2-37](#)
- voice quality factor for rating parameters [2-39](#)

CTI port enabled [3-12](#)

customizing

- reports for automatic generation [2-45](#)

D

daily charges

- setting notification limits for [2-48](#)

daily reports

- disabling default schedule [2-23](#)

- restoring default schedule [2-21](#)
 - scheduling [2-17](#)
 - database
 - configuring ART and CDR purge [2-27](#)
 - configuring automatic purge [2-27](#)
 - disabling automatic purge [2-28](#)
 - manual purge [2-29](#)
 - restoring purge defaults [2-30](#)
 - setting alerts [2-25](#)
 - department bill, detail [3-3](#)
 - department bill, summary [3-3](#)
 - department bill detail, report results [3-19](#)
 - department bill summary, report results [3-17](#)
 - detail
 - department bill [3-3](#)
 - department bill, report results [3-19](#)
 - gateway [5-2](#)
 - gateway, report results [5-19](#)
 - individual bill [3-2](#)
 - individual bill, report results [3-19](#)
 - QoS [4-2](#)
 - QoS, report results [4-19](#)
 - device reports [5-1](#)
 - dial plan, configuring [2-4](#)
 - disabling
 - alerts by mail [2-47](#)
 - automatic ART and CDR database purge [2-28](#)
 - automatic database purge [2-28](#)
 - CDR loading [2-14](#)
 - default schedule for daily, weekly, and monthly reports [2-23](#)
 - dump table, CDR and CMR [6-7](#)
 - duration [2-36](#)
-
- ## E
- enabling
 - alerts by mail [2-47](#)
 - CDR loading [2-15](#)
 - reports for automatic generation [2-45](#)
 - error
 - CDR report [4-18](#)
 - CDR report, results [4-29](#)
 - error log
 - configuring [2-33](#)
 - understanding the details [2-35](#)
 - understanding the output [2-34](#)
 - ERRORLOGFILESIZE [2-10](#)
 - ERRORRECYCLING [2-10](#)
 - event log
 - configuring [2-31](#)
 - understanding the output [2-33](#)
 - extension
 - CDR search by [6-2](#)
 - CDR search by, report results [6-5](#)
 - See search for user information

G

gateway

- CDR search by [6-3](#)

- CDR search by, report results [6-5](#)

- configuration [2-8](#)

- QoS by [4-7](#)

- QoS by, report results [4-24](#)

- gateway detail [5-2](#)

- gateway detail, report results [5-19](#)

- gateway summary [5-4](#)

- gateway summary, report results [5-22](#)

- gateway utilization [5-6](#)

- gateway utilization, report results [5-23](#)

- granting administrator rights [2-2](#)

Hhelp [1-7](#)

- obtaining documentation [xii](#)

- obtaining technical assistance [xiv](#)

I

- individual bill, detail [3-2](#)

- individual bill, summary [3-2](#)

- individual bill detail, report results [3-19](#)

- individual bill summary, report results [3-17](#)

- initial user ID and password [1-5](#)

- installing

 - ART [1-2](#)

L

LDAP

- CISCOBASE [2-10](#)

- DIRECTORYACCESS [2-10](#)

- DIRECTORYTYPE [2-10](#)

- MANAGERDN [2-10](#)

- MANAGERPASSWORD [2-10](#)

- URL [2-10](#)

load

- CDR data [2-11](#)

- disabling CDR [2-14](#)

- enabling CDR [2-15](#)

- restoring the default CDR schedule [2-13](#)

- setting the CDR schedule [2-12](#)

log

- See error log

- See event log

- log off ART [1-7](#)

- log on to ART [1-6](#)

M

- mailing a report [3-15](#)

- mail server parameters [2-3](#)

- managers

opening ART [1-7](#)
 manual database purge [2-29](#)
 configuring [2-27](#)
 media information [6-7](#)
 monthly reports
 disabling default schedules [2-23](#)
 restoring default schedules [2-21](#)
 scheduling [2-20](#)

N

notification limits [2-48](#)

O

online help [1-7](#)
 overview
 administrator rights [2-1](#)
 ART [1-1](#)
 automatic report generation [2-44](#)
 department bill reports [3-3](#)
 device reports [5-1](#)
 generating logs [2-31](#)
 individual bill reports [3-2](#)
 rating parameters [2-35](#)
 scheduling reports [2-16](#)
 system report [4-16](#)
 system reports [4-1](#)
 user reports [3-1](#)

P

parameters
 configuring mail server [2-3](#)
 configuring system [2-1](#)
 factoring time of day for rating [2-37](#)
 factoring voice quality for rating [2-39](#)
 restoring default values for rating [2-40](#)
 setting the base rate and duration for rating [2-36](#)

password
 initial use [1-5](#)

preferences
 configuring system [2-9](#)
 restoring system [2-11](#)

purge
 configuring ART and CDR database [2-27](#)
 configuring automatic database [2-27](#)
 disabling automatic database [2-28](#)
 restoring database defaults [2-30](#)

purging
 database manually [2-29](#)

Q

QoS
 defining values [2-41](#)
 restoring default values [2-43](#)
 setting notification limits for [2-48](#)

QoS by call types [4-9](#)

QoS by call types, report results [4-24](#)
 QoS by gateway [4-7](#)
 QoS by gateway, report results [4-24](#)
 QoS detail [4-2](#)
 QoS detail, report results [4-19](#)
 QoS summary [4-4](#)
 QoS summary, report results [4-21](#)

R

rating parameters

factoring time of day [2-37](#)
 factoring voice quality [2-39](#)
 overview [2-35](#)
 restoring default values [2-40](#)
 setting the base rate and duration [2-36](#)

report

CDR error [4-18](#)
 CDR search by gateway [6-3](#)
 CDR search by user extension [6-2](#)
 Cisco IP Phone services [3-13](#)
 conference bridge utilization [5-15](#)
 CTI port enabled [3-12](#)
 department bill [3-3](#)
 gateway detail [5-2](#)
 gateway summary [5-4](#)
 gateway utilization [5-6](#)
 individual bill [3-2](#)
 mailing [3-15](#)

QoS by call types [4-9](#)
 QoS by gateway [4-7](#)
 QoS detail [4-2](#)
 QoS summary [4-4](#)
 route
 group utilization [5-8](#)
 route list utilization [5-11](#)
 route pattern utilization [5-13](#)
 system overview [4-16](#)
 top N by charge [3-5](#)
 top N by duration [3-7](#)
 top N by number of calls [3-10](#)
 traffic summary [4-11](#)
 traffic summary by extensions [4-14](#)
 voice mail utilization [5-17](#)
 report results
 CDR error [4-29](#)
 CDR search by gateway [6-5](#)
 CDR search by user extension [6-5](#)
 Cisco IP Phone services [3-22](#)
 conference bridge [5-23](#)
 department bill, detail [3-19](#)
 department bill, summary [3-17](#)
 gateway detail [5-19](#)
 gateway summary [5-22](#)
 gateway utilization [5-23](#)
 individual bill, detail [3-19](#)
 individual bill, summary [3-17](#)
 QoS by call types [4-24](#)

- QoS by gateway [4-24](#)
- QoS detail [4-19](#)
- QoS summary [4-21](#)
- route group utilization [5-23](#)
- route list utilization [5-23](#)
- route pattern utilization [5-23](#)
- system overview [4-27](#)
- top N by charge [3-20](#)
- top N by duration [3-20](#)
- top N by number of calls [3-21](#)
- traffic summary [4-26](#)
- traffic summary by extensions [4-26](#)
- voice mail [5-24](#)
- reports
 - automatic generation [2-44](#)
 - CDR search [6-1](#)
 - customizing for automatic generation [2-45](#)
 - device [5-1](#)
 - disabling default schedules [2-23](#)
 - enabling for automatic generation [2-45](#)
 - restoring default schedules [2-21](#)
 - scheduling [2-16](#)
 - scheduling daily [2-17](#)
 - scheduling monthly [2-20](#)
 - scheduling weekly [2-18](#)
 - system [4-1](#)
 - user [3-1](#)
- restoring
 - ART and CDR database purge defaults [2-30](#)
 - default CDR load schedule [2-13](#)
 - default QoS values [2-43](#)
 - default schedule for daily, weekly, and monthly reports [2-21](#)
 - default system preferences [2-11](#)
 - default values for rating parameters [2-40](#)
 - revoking administrator rights [2-2](#)
 - rights
 - granting administrator [2-2](#)
 - revoking administrator [2-2](#)
 - route
 - group utilization [5-8](#)
 - group utilization, report results [5-23](#)
 - list utilization [5-11](#)
 - list utilization, report results [5-23](#)
 - pattern utilization [5-13](#)
 - pattern utilization, report results [5-23](#)

S

- schedule
 - restoring the default CDR load [2-13](#)
 - setting the CDR load [2-12](#)
- scheduler
 - starting or stopping ART service [2-24](#)
- scheduling
 - daily reports [2-17](#)
 - monthly reports [2-20](#)
 - weekly reports [2-18](#)
- scheduling reports [2-16](#)

search

- CDR by gateway [6-3](#)
- CDR by gateway, report results [6-5](#)
- CDR by user extension [6-2](#)
- CDR by user extension, report results [6-5](#)
- CDRs [6-1](#)

search for user information [3-16](#)

server

- mail parameters [2-3](#)

service

- starting or stopping ART scheduler [2-24](#)

SESSIONTIMEOUT [2-10](#)starting ART scheduler service [2-24](#)stopping ART scheduler service [2-24](#)

summary

- department bill [3-3](#)
- department bill, report results [3-17](#)
- gateway [5-4](#)
- gateway, report results [5-22](#)
- individual bill [3-2](#)
- individual bill, report results [3-17](#)
- QoS [4-4](#)
- QoS, report results [4-21](#)
- traffic [4-11](#)
- traffic, report results [4-26](#)
- traffic by extensions [4-14](#)
- traffic by extensions, report results [4-26](#)

system overview [4-16](#)system overview, report results [4-27](#)

system parameters

- configuring [2-1](#)

system preferences

- configuring [2-9](#)

- restoring [2-11](#)

system reports [4-1](#)

Ttable, CDR and CMR dump [6-7](#)time of day [2-37](#)

top N

- by charge [3-5](#)
- by charge, report results [3-20](#)
- by duration [3-7](#)
- by duration, report results [3-20](#)
- by number of calls [3-10](#)
- by number of calls, report results [3-21](#)

top N by charge [3-5](#)top N by charge, report results [3-20](#)top N by duration [3-7](#)top N by duration, report results [3-20](#)top N by number of calls [3-10](#)top N by number of calls, report results [3-21](#)traffic summary [4-11](#)traffic summary, report results [4-26](#)traffic summary by extensions [4-14](#)traffic summary by extensions, report results [4-26](#)

U

uninstalling ART [1-8](#)

user ID

initial use [1-5](#)

See search for user information

user information

search [3-16](#)

user reports [3-1](#)

users

opening ART [1-7](#)

utilization

conference bridge [5-15](#)

conference bridge, report results [5-23](#)

gateway [5-6](#)

gateway, report results [5-23](#)

route group [5-8](#)

route group, report results [5-23](#)

route list [5-11](#)

route list, report results [5-23](#)

route pattern [5-13](#)

route pattern, report results [5-23](#)

voice mail [5-17](#)

voice mail, report results [5-24](#)

voice mail utilization, report results [5-24](#)

voice quality [2-39](#)

W

weekly reports

disabling default schedule [2-23](#)

restoring default schedule [2-21](#)

scheduling [2-18](#)

V

version [1-8](#)

voice mail utilization [5-17](#)