



A

- accessing BARS [3-2](#)
- accessing the backup file [3-9](#)
- adding a data source server [1-5](#)
- applications supported [1-3](#)
- application versions that BARS supports [1-3](#)

B

- BackAdmin account [2-3](#)
- Backadmin Private Password Phrase [2-3](#)
- backing up now [3-8](#)
- backup
 - data [1-5](#)
 - destination [3-7](#)
 - file [1-5, 3-7](#)
 - file location [3-9](#)
 - location [1-6](#)
 - now [3-8](#)
 - server [1-4, 2-3](#)
 - storage location [3-3, 3-7, 4-1](#)
 - tar file [3-7](#)
 - target [2-3](#)
- backup target [1-5](#)
- BARS
 - backup process components [1-4](#)
 - installation [2-2](#)
 - restore process [4-1](#)
 - version [2-4](#)

C

- Call Detail Records Administrative Reporting [1-8](#)
- CDR/CMR files [1-4](#)
- changing the purpose of a server [2-4](#)
- Cisco CallManager cluster [1-5](#)
- Cisco CallManager Publisher Database [1-7](#)
- Cisco CallManager Subscriber Database [1-7](#)
- Cisco Customer Response Applications/Solutions [1-8](#)
- Cisco Emergency Responder [1-10](#)
- components of BARS backup process [1-4](#)
- Configured Servers list [3-3](#)
- Configure Scheduler screen [1-6](#)
- configuring BARS for the first time [3-2](#)

D

- data backed up by BARS [1-7](#)
- data source server [1-5](#)
- data source server configuration [3-3](#)
- data source server deletion [3-4](#)
- data source servers [1-4](#)
- default schedule [1-5, 3-6](#)
- disabling the Scheduler [3-5](#)
- DNS/IP address field [3-3](#)

E

- enabling the Scheduler [3-5](#)
- erasing the log [3-6](#)
- error messages from restore process [4-2](#)

I

installation log file [2-3](#)
 installation procedure [2-2](#)

L

Local Directory [3-8](#)
 location of log file [1-6](#)
 location of trace files [1-10](#)
 log file [1-6](#)
 log file location [1-6](#)

N

Network Directory [3-8](#)
 network directory [1-6](#)

O

obtaining BARS release notes [1-4](#)

P

publisher database [1-4](#)

R

recovering data [4-1](#)
 replacing a failed server [4-5](#)
 replacing an existing server [4-5](#)
 restore
 data [4-3](#)
 process [4-3](#)
 wizard [4-2](#)
 restore process [4-1](#)
 restore process error messages [4-2](#)
 restore utility [1-10](#)

restoring
 CiscoCallManager cluster [4-3](#)

S

Scheduler [1-5](#)
 Scheduler configuration [3-4](#)
 Scheduler tab [1-5](#)
 subscriber databases [1-4](#)
 supported applications [1-3](#)

T

Tape Device [3-8](#)
 tape drive [1-6](#)
 Terminal Services restriction [2-1](#)
 TFTP files [1-4](#)
 trace files location [1-10](#)

U

uninstalling BARS [2-4](#)
 updating the schedule [3-6](#)

V

version of BARS [2-4](#)
 versions of applications that BARS supports [1-3](#)
 Virtual Network Computing (VNC) [2-2](#)