



## Preface

---

This preface includes the following sections:

- [Purpose, page ix](#)
- [Revision History, page x](#)
- [Audience, page x](#)
- [Organization, page xi](#)
- [Related Documentation, page xi](#)
- [Developer Support, page xii](#)
- [Conventions, page xii](#)
- [Obtaining Documentation and Submitting a Service Request, page xiii](#)
- [Cisco Product Security Overview, page xiv](#)

## Purpose

This document describes the following Cisco Unified Communications Manager (Unified CM) (formerly Cisco Unified CallManager) APIs:

- Unified CM AXL implementation allows applications to modify the Unified CM system database. Be aware that AXL is not intended as a real-time API but as a provisioning and configuration API.
- Unified CM real-time information, performance counters, and database information exposure occur through the AXL Serviceability API.
- Unified CM Extension Mobility Service provides a rich API, which enables extension mobility on Cisco Unified IP phones and allows application control over authentication, scheduling, and availability. It allows a device, usually a Cisco Unified IP Phone, to temporarily embody a new device profile, including lines, speed dials, and services. An application that uses the Cisco Unified CM Mobility Service represents an IP phone service that allows a user to log in by entering a userID and PIN. The architecture and implementation of the Cisco Unified CM Extension Mobility Service make many other applications possible.

Examples include:

- An application that automatically activates phones for employees when they reserve a particular desk for a particular time (the scheduling application)
- A lobby phone does not have a line appearance until a user logs in

- The Unified CM Web Dialer application, which is installed on a Unified CM server, enables click-to-dial functionality by creating hyperlinked telephone numbers in a company directory. This functionality allows users to make calls from a web page by clicking the telephone number of the person that they are trying to call. The Web Dialer application, which has a SOAP interface, uses JavaScript to provide the web page functionality.

## Revision History

Date	Change Description
December 16, 2009	Updated the description of the selectLogFiles Operation section. See, <a href="#">LogCollectionPort service: selectLogFiles Operation</a>
December 22, 2009	Added a note on clearing call logs in the Extension Mobility login or logout response DTD section. See, <a href="#">Login or Logout Response DTD</a>
March 23, 2010	Added a <a href="#">Note</a> in the getProfileSoap API section in the <a href="#">Cisco Web Dialer API Programming</a> chapter.

## Audience

The *Cisco Unified Communication Manager Developers Guide* provides information for developers who write applications that extend the functionality of the APIs that are described in this document.

This guide assumes the developer has knowledge of a high-level programming language such as C++, Java, or an equivalent language. You must also have knowledge or experience in the following areas:

- Extensible Markup Language (XML)
- Hypertext Markup Language (HTML)
- Hypertext Transport Protocol (HTTP)
- Simple Object Access Protocol (SOAP) 1.1
- Socket programming
- TCP/IP Protocol
- Web Service Definition Language (WSDL) 1.1
- Secure Sockets Layer (SSL)

In addition, users of the Unified CM APIs must have a firm grasp of XML Schema. For more information about XML Schema, refer to <http://www.w3.org/TR/xmlschema-0/>.

The developer must also have an understanding of Unified CM and its applications. The “[Related Documentation](#)” section on page xi lists documents for Unified CM and other related technologies.

# Organization

This document is organized as follows:

Chapter	Description
<a href="#">Chapter 1, “Overview”</a>	Describes the Cisco Unified Communications Manager interfaces.
<a href="#">Chapter 2, “Administrative XML Programming”</a>	Describes the Administrative XML Layer (AXL) API, which provides a mechanism for inserting, retrieving, updating, and removing data from the database by using an XML SOAP interface. This API lets you access Unified CM data by using XML and receive the data in XML form.
<a href="#">Chapter 3, “Administrative XML Operations by Release”</a>	Lists new, changed, and deprecated Administrative XML (AXL) operations by release.
<a href="#">Chapter 4, “Serviceability XML Programming”</a>	Describes the AXL Serviceability APIs. Unified CM real-time information, performance counters, and database information exposure occurs through the AXL Serviceability APIs.
<a href="#">Chapter 5, “Serviceability XML Operations by Release”</a>	Lists new, changed, and deprecated serviceability XML operations by release.
<a href="#">Chapter 6, “Extension Mobility Service API”</a>	Describes high-level concepts that are important in understanding the Cisco Extension Mobility Service and provides an overview of configuring EM services, messages, message DTDs, and error codes.
<a href="#">Chapter 7, “Cisco Extension Mobility Operations By Release”</a>	Lists new, changed, and deprecated Extension Mobility Operations by release.
<a href="#">Chapter 8, “Cisco Web Dialer API Programming”</a>	Describes the Simple Object Access Protocol (SOAP) and HTML over HTTP (and HTTPS) interfaces that are used to develop JavaScript-based directory search web pages and applications for Cisco Web Dialer.
<a href="#">Chapter 9, “Cisco Web Dialer Operations By Release”</a>	Lists new, changed, and deprecated Web Dialer operations by release.

## Related Documentation

This section lists documents and URLs that provide information on Unified CM, Cisco Unified IP Phones, and the technologies that are required to develop applications.

- **Unified CM Documentation Set**—A suite of documents that relate to the installation and configuration of Unified CM including the following documents at [http://www.cisco.com/en/US/products/sw/voicesw/ps556/products\\_documentation\\_roadmaps\\_list.html](http://www.cisco.com/en/US/products/sw/voicesw/ps556/products_documentation_roadmaps_list.html):
  - *Cisco Unified Communications Manager Administration Guide*
  - *Cisco Unified Communications Manager System Guide*
  - *Cisco Unified Communications Manager Features and Services Guide*
- **Cisco Unified IP Phones and Services**—A suite of documents that relate to the installation and configuration of Cisco Unified IP Phones.

- *Cisco DistributedDirector*—A suite of documents that relate to the installation and configuration of Cisco DistributedDirector.

#### Related Information

- [Simple Object Access Protocol \(SOAP\) 1.1](#)
- [Web Service Definition Language \(WSDL\) 1.1](#)
- [SOAP Tutorial](#)
- [WSDL Tutorial—Web Service Definition Language tutorial.](#)
- <http://www.soapagent.com/>—Open SOAP directory with links to articles, tutorials, and white papers.

## Developer Support

The Cisco Technology Developer Program members offer complementary and compatible technologies that help Cisco and Program Members continually expand our solution offerings to customers of all sizes. The program ensures that products and technologies of members have verified interoperability, adhere to strict standards, and offer exciting new capabilities for Cisco joint customers. It ensures that members hold leadership positions in their particular market segments. Members' products showcase the innovations made possible through collaboration with Cisco.

The Developer Support Program provides formalized support for Cisco Systems interfaces to enable developers, customers, and partners in the Cisco Service Provider solutions Ecosystem and Cisco Technology Developer Partner programs to accelerate their delivery of compatible solutions. The Developer Support Engineers are an extension of the product technology engineering teams. They have direct access to the resources necessary to provide expert support in a timely manner.

For additional information about this program, refer to the Developer Support Program web site at <http://www.cisco.com/web/partners/pr46/tdp/index.html>.

## Conventions

This document uses the following conventions:

Convention	Description
<b>boldface</b> font	Commands and keywords are in <b>boldface</b> .
<i>italic</i> font	Arguments for which you supply values are in <i>italics</i> .
[ ]	Elements in square brackets are optional.
{ x   y   z }	Alternative keywords are grouped in braces and separated by vertical bars.
[ x   y   z ]	Optional alternative keywords are grouped in brackets and separated by vertical bars.
string	A non-quoted set of characters. Do not use quotation marks around the string or the string will include the quotation marks.
screen font	Terminal sessions and information the system displays are in <code>screen</code> font.
<b>boldface screen</b> font	Information you must enter is in <b>boldface screen</b> font.

Convention	Description
<i>italic screen font</i>	Arguments for which you supply values are in <i>italic screen font</i> .
^	The symbol ^ represents the key labeled Control—for example, the key combination ^D in a screen display means hold down the Control key while you press the D key.
< >	Non-printing characters, such as passwords, are in angle brackets.

Notes use the following conventions:



**Note**

Means *reader take note*. Notes contain helpful suggestions or references to material not covered in the publication.

Timesavers use the following conventions:



**Timesaver**

Means *the described action saves time*. You can save time by performing the action described in the paragraph.

Tips use the following conventions:



**Tip**

Means *the following are useful tips*.

Cautions use the following conventions:



**Caution**

Means *reader be careful*. In this situation, you might do something that could result in equipment damage or loss of data.

Warnings use the following conventions:



**Warning**

**This warning symbol means danger. You are in a situation that could cause bodily injury. Before you work on any equipment, you must be aware of the hazards involved with electrical circuitry and familiar with standard practices for preventing accidents.**

## Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS Version 2.0.

# Cisco Product Security Overview

This product contains cryptographic features and is subject to United States and local country laws governing import, export, transfer and use. Delivery of Cisco cryptographic products does not imply third-party authority to import, export, distribute or use encryption. Importers, exporters, distributors and users are responsible for compliance with U.S. and local country laws. By using this product you agree to comply with applicable laws and regulations. If you are unable to comply with U.S. and local laws, return this product immediately.

A summary of U.S. laws governing Cisco cryptographic products may be found at: <http://www.cisco.com/wwl/export/crypto/tool/stqrg.html>. If you require further assistance please contact us by sending e-mail to [export@cisco.com](mailto:export@cisco.com).