



A

accessing dialed number analyzer [3-1](#)

alternate matches [4-59](#)

analysis

- simple analysis using DNA [4-3](#)
- understanding output [4-33](#)
- using gateways [4-12](#)
- using phones [4-6](#)
- using trunks [4-28](#)

analysis output [1-3](#)

- directory number information [4-57](#)
- route list information [4-56](#)
- route pattern information [4-55](#)
- translation pattern information [4-53](#)
- understanding call flow details [4-53](#)
- understanding results summary [4-51](#)

analysis results

- example 1 [4-34](#)
- example 2 [4-39](#)
- examples [4-34](#)

analysis using gateways

- choosing Analog Access Gateways [4-22](#)
- choosing Cisco IOS H.323 Gateways [4-21](#)
- choosing Cisco IOS MGCP Gateways [4-15](#)

- choosing Cisco IOS SCCP gateways [4-15](#)
- choosing Cisco VG248 Phone Gateways [4-24](#)
- choosing gateway endpoints [4-14](#)
- choosing non-IOS MGCP Gateways [4-19](#)
- entering analysis input [4-14](#)
- finding a gateway [4-12](#)
- performing analysis [4-26](#)

analysis using phones

- choosing a phone line [4-9](#)
- finding a phone [4-7](#)
- performing analysis [4-10](#)

analysis using trunks

- choosing SIP trunks [4-30](#)
- finding a trunk [4-28](#)
- performing analysis [4-31](#)
- selecting a trunk [4-30](#)

audience [viii](#)

C

- call flow details [4-53](#)
- choosing a phone line [4-9](#)
- choosing gateway endpoints [4-14](#)
- conventions [ix](#)

D

database synchronization

disabling [4-3](#)

with Cisco CallManager [4-2](#)

dialed number analyzer

accessing [3-1](#)

analysis [1-2](#)

analysis output [1-3](#)

analyze using gateways [4-12](#)

analyze using phones [4-6](#)

analyzing Cisco CallManager dial plan configuration [4-1](#)

database synchronization [4-2](#)

dialing patterns [1-3](#)

digit discard instructions [1-3](#)

features [1-2](#)

installing [2-1](#)

introduction [1-1](#)

logging on [3-1](#)

logging out [3-4](#)

more information [1-3](#)

performing simple analysis [4-3](#)

starting the DNA service [3-3](#)

stopping the DNA service [3-4](#)

trace configuration files [4-62](#)

uninstalling [2-3](#)

using trunks for analysis [4-28](#)

viewing output files [4-61](#)

dialing patterns

dumping [4-60](#)

digit discard instructions

dumping [4-60](#)

document

audience [viii](#)

conventions [ix](#)

organization [viii](#)

purpose [vii](#)

documentation

related [viii](#)

dumping dialing patterns [4-60](#)

dumping digit discard instructions [4-60](#)

E

examples [4-34](#)

F

features

[1-2](#)

finding a gateway [4-12](#)

finding a phone [4-7](#)

finding a trunk [4-28](#)

installing dialed number analyzer [2-1](#)

L

logging on to dialed number analyzer [3-1](#)
logging out from dialed number analyzer [3-4](#)

M

more information [2-4](#)

O

organization [viii](#)
output files, viewing [4-61](#)

P

performing analysis using a trunk [4-31](#)
performing analysis using gateways [4-26](#)
performing analysis using phones [4-10](#)
preface [vii](#)
purpose [vii](#)

R

related documentation [viii](#)
results summary [4-51](#)

S

selecting a trunk [4-30](#)
simple analysis using DNA [4-3](#)
starting the DNA service [3-3](#)

T

trace configuration files
viewing [4-62](#)

U

understanding analysis output
alternate matches [4-59](#)
uninstalling DNA [2-3](#)

V

viewing analysis output files [4-61](#)
viewing trace configuration files [4-62](#)

