



---

## A

accessing dialed number analyzer [2-1](#)

alternate matches [3-55](#)

analysis

    simple analysis using DNA [3-3](#)

    understanding output [3-30](#)

    using gateways [3-8](#)

    using multiple analyzer [3-23](#)

    using phones [3-4](#)

    using trunks [3-20](#)

analysis output [1-3](#)

    directory number information [3-54](#)

    route list information [3-53](#)

    route pattern information [3-52](#)

    translation pattern information [3-51](#)

    understanding call flow details [3-51](#)

    understanding results summary [3-49](#)

analysis results

    examples [3-30](#)

analysis using gateways

    choosing Analog Access Gateways [3-16](#)

    choosing Cisco IOS H.323 Gateways [3-15](#)

    choosing Cisco IOS MGCP Gateways [3-11](#)

    choosing Cisco IOS SCCP gateways [3-11](#)

    choosing Cisco VG248 Phone Gateways [3-17](#)

    choosing gateway endpoints [3-10](#)

    choosing non-IOS MGCP Gateways [3-13](#)

    entering analysis input [3-10](#)

    finding a gateway [3-9](#)

    performing analysis [3-18](#)

analysis using multiple analyzer

    analyzing the uploaded csv file [3-29](#)

    deleting uploaded csv files [3-28](#)

    performing analysis [3-23](#)

    uploading input files [3-27](#)

    using DNA template to create csv file [3-24](#)

    using text-based editor to create csv file [3-25](#)

        multiple analyzer csv file format [3-25](#)

    viewing csv file content [3-28](#)

analysis using phones

    choosing a phone line [3-6](#)

    finding a phone [3-5](#)

    performing analysis [3-7](#)

analysis using trunks

    choosing SIP trunks [3-21](#)

    finding a trunk [3-20](#)

    performing analysis [3-22](#)

    selecting a trunk [3-21](#)

analyzing the uploaded csv file [3-29](#)

audience [vii](#)

---

## C

call flow details [3-51](#)

choosing a phone line [3-6](#)

choosing gateway endpoints [3-10](#)

conventions [viii](#)

---

## D

database synchronization

    disabling [3-2](#)

    with Cisco Unified CallManager [3-1](#)

deleting uploaded csv files [3-28](#)

dialed number analyzer

accessibility compliance [1-2](#)  
 accessing [2-1](#)  
 analysis [1-2](#)  
 analysis output [1-3](#)  
 analyze using gateways [3-8](#)  
 analyze using phones [3-4](#)  
 analyzing Cisco Unified CallManager dial plan configuration [3-1](#)  
 database synchronization [3-1](#)  
 dialing patterns [1-2](#)  
 digit discard instructions [1-2](#)  
 features [1-1](#)  
 introduction [1-1](#)  
 logging on [2-1](#)  
 logging out [2-3](#)  
 more information [1-3](#)  
 performing simple analysis [3-3](#)  
 starting the DNA service [2-2](#)  
 stopping the DNA service [2-3](#)  
 trace configuration files [3-57](#)  
 using multiple analyzer for analysis [3-23](#)  
 using trunks for analysis [3-20](#)  
 viewing output files [3-56](#)

dialing patterns

- dumping [3-56](#)

digit discard instructions

- dumping [3-56](#)

document

- audience [vii](#)
- conventions [viii](#)
- organization [vii](#)
- purpose [vii](#)

documentation

- related [viii](#)

dumping dialing patterns [3-56](#)

dumping digit discard instructions [3-56](#)

---

## E

examples [3-30](#)

---

## F

features [1-1](#)  
 finding a gateway [3-9](#)  
 finding a phone [3-5](#)  
 finding a trunk [3-20](#)

---

## L

logging on to dialed number analyzer [2-1](#)  
 logging out from dialed number analyzer [2-3](#)

---

## O

organization [vii](#)  
 output files, viewing [3-56](#)

---

## P

performing analysis using a trunk [3-22](#)  
 performing analysis using gateways [3-18](#)  
 performing analysis using multiple analyzer [3-23](#)  
 performing analysis using phones [3-7](#)  
 preface [vii](#)  
 purpose [vii](#)

---

## R

related documentation [viii](#)  
 results summary [3-49](#)

---

## S

selecting a trunk [3-21](#)

simple analysis using DNA [3-3](#)

starting the DNA service [2-2](#)

---

## T

text-based editor to create to create csv file [3-25](#)

trace configuration files

viewing [3-57](#)

---

## U

understanding analysis output

alternate matches [3-55](#)

uploading input files [3-27](#)

using DNA template to create csv file [3-24](#)

---

## V

viewing analysis output files [3-56](#)

viewing csv file content [3-28](#)

viewing trace configuration files [3-57](#)

