



---

## A

### ACTIVEVOICE

of `com.cisco.jtapi.extensions.CiscoRTPPayload` [3-96](#)

`Actor.java` [5-5](#)

### ACY\_G729AASSN

of `com.cisco.jtapi.extensions.CiscoRTPPayload` [3-96](#)

`addParameter(String, String)`

of `com.cisco.services.alarm.ParameterList` [3-127](#)

### ADDRESS\_SEARCH\_SPACE

of `com.cisco.jtapi.extensions.CiscoConnection` [3-49](#)

`addSubFacilities(String[])`

of `com.cisco.services.tracing.TraceManager` [3-160](#)

`addSubFacility(String)`

of `com.cisco.services.tracing.TraceManager` [3-160](#)

`addTraceWriter(TraceWriter)`

of  
`com.cisco.services.tracing.TraceWriterManager`  
[3-165](#)

### Alarm

of `com.cisco.services.alarm` [3-128](#)

### AlarmManager

of `com.cisco.services.alarm` [3-119](#)

`AlarmManager(String, AlarmWriter, Trace, UnconditionalTrace)`

of `com.cisco.services.alarm.AlarmManager` [3-120](#)

### AlarmWriter

of `com.cisco.services.alarm` [3-132](#)

### ALERTS

of `com.cisco.services.alarm.Alarm` [3-130](#)

of `com.cisco.services.tracing.Trace` [3-155](#)

### ALERTS\_TRACE\_NAME

of `com.cisco.services.tracing.Trace` [3-155](#)

### ASSOCIATED\_LINE\_NOT\_OPEN

of

`com.cisco.jtapi.extensions.CiscoJtapiException`  
[3-61](#)

of

`com.cisco.jtapi.extensions.CiscoTelephonyException`  
[3-100](#)

---

## B

`BaseTraceWriter(int, String, String)`

of `com.cisco.services.tracing.BaseTraceWriter` [3-137](#)

`BaseTraceWriter(int[], String, String)`

of `com.cisco.services.tracing.BaseTraceWriter` [3-136](#)

`BaseTraceWriter(String, String)`

of `com.cisco.services.tracing.BaseTraceWriter` [3-137](#)

---

## C

### CALL\_ALREADY\_EXISTS

of

`com.cisco.jtapi.extensions.CiscoJtapiException`  
[3-61](#)

of

`com.cisco.jtapi.extensions.CiscoTelephonyException`  
[3-100](#)

### CALLED\_ADDRESS\_DEFAULT

of `com.cisco.jtapi.extensions.CiscoConnection` [3-49](#)

### CALLED\_ADDRESS\_SET\_TO\_REDIRECT\_DESTINATION

of `com.cisco.jtapi.extensions.CiscoConnection` [3-49](#)

### CALLED\_ADDRESS\_UNCHANGED

of `com.cisco.jtapi.extensions.CiscoConnection` [3-49](#)

### CALLHANDLE\_NOTINCOMINGCALL

of

`com.cisco.jtapi.extensions.CiscoJtapiException`  
[3-61](#)

- of
  - com.cisco.jtapi.extensions.CiscoTelephonyException [3-100](#)
- CALLHANDLE\_UNKNOWN\_TO\_LINECONTROL
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-61](#)
- CALLINGADDRESS\_SEARCH\_SPACE
  - of com.cisco.jtapi.extensions.CiscoConnection [3-49](#)
  - of com.cisco.jtapi.extensions.CiscoRouteSession [3-86](#)
- CANNOT\_OPEN\_DEVICE
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-61](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-101](#)
- CANNOT\_TERMINATE\_MEDIA\_ON\_PHONE
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-61](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-101](#)
- CAUSE\_ACCESSINFORMATIONDISCARDED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-38](#)
- CAUSE\_BCBPRESENTLYAVAIL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-38](#)
- CAUSE\_BCNAUTHORIZED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-38](#)
- CAUSE\_BEARERCAPNIMPL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-38](#)
- CAUSE\_CALLBEINGDELIVERED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-38](#)
- CAUSE\_CALLIDINUSE
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-38](#)
- CAUSE\_CALLMANAGER\_FAILURE
  - of
    - com.cisco.jtapi.extensions.CiscoOutOfServiceEv [3-79](#)
- CAUSE\_CALLREJECTED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-38](#)
- CAUSE\_CALLSPLIT
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-38](#)
- CAUSE\_CHANUNACCEPTABLE
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-38](#)
- CAUSE\_CTIMANAGER\_FAILURE
  - of
    - com.cisco.jtapi.extensions.CiscoOutOfServiceEv [3-79](#)
- CAUSE\_DESTINATIONOUTOFORDER
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_DESTNUMMISSANDDCNOTSUB
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_DEVICE\_FAILURE
  - of
    - com.cisco.jtapi.extensions.CiscoOutOfServiceEv [3-79](#)
- CAUSE\_DEVICE\_UNREGISTERED
  - of
    - com.cisco.jtapi.extensions.CiscoOutOfServiceEv [3-79](#)
- CAUSE\_FACILITYREJECTED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_IDENTIFIEDCHANDOESNOTEXIST
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_IENIMPL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_INCOMINGCALLBARRED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_INCOMPATABLEDESTINATION
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_INTERWORKINGUNSPECIFIED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_INVALIDCALLREFVALUE
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_INVALIDIECONTENTS
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_INVALIDMESSAGEUNSPECIFIED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_INVALIDNUMBERFORMAT

- of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_INVALIDTRANSITNETSEL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_MANDATORYIEMISSING
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_MSGNCOMPATABLEWCS
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_MSGTYPENCOMPATWCS
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-39](#)
- CAUSE\_MSGTYPENIMPL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NETOUTOFORDER
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NOANSWERFROMUSER
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NOCALLMANAGER\_AVAILABLE
  - of
    - com.cisco.jtapi.extensions.CiscoOutOfServiceEv [3-79](#)
- CAUSE\_NOCALLSUSPENDED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NOCIRCAVAIL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NOERROR
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NONSELECTEDUSERCLEARING
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NORMALCALLCLEARING
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NORMALUNSPECIFIED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NOROUTETODDESTINATION
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NOROUTETOTRANSITNET
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NOUSERRESPONDING
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_NUMBERCHANGED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_ONLYRDIVEARERCAPAVAIL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_PROTOCOLERRORUNSPECIFIED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_QUALOFSERVNAVAIL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_RECOVERYONTIMEREXPIRY
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-40](#)
- CAUSE\_REDIRECTED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_REHOME\_TO\_HIGHER\_PRIORITY\_CM
  - of
    - com.cisco.jtapi.extensions.CiscoOutOfServiceEv [3-79](#)
- CAUSE\_REHOMING\_FAILURE
  - of
    - com.cisco.jtapi.extensions.CiscoOutOfServiceEv [3-79](#)
- CAUSE\_REQCALLIDHASBEENCLEARED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_REQCIRCNAVIL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_REQFACILITYNIMPL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_REQFACILITYNOTSUBSCRIBED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_RESOURCESNAVAIL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_RESPONSETOSTATUSENQUIRY
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_SERVNOTAVAILUNSPECIFIED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_SERVOPERATIONVIOLATED
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_SERVOROFTNAVAILORIMPL
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_SUSPCALLBUTNOTTHISONE
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_SWITCHINGEQUIPMENTCONGESTION
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)

- CAUSE\_TEMPORARYFAILURE
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_UNALLOCATEDNUMBER
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CAUSE\_USERBUSY
  - of com.cisco.jtapi.extensions.CiscoCallEv [3-41](#)
- CFWDALL\_ALREADY\_OFF
  - of com.cisco.jtapi.extensions.CiscoJtapiException [3-61](#)
- CFWDALL\_ALREADY\_SET
  - of com.cisco.jtapi.extensions.CiscoJtapiException [3-61](#)
- CFWDALL\_DESTN\_INVALID
  - of com.cisco.jtapi.extensions.CiscoJtapiException [3-61](#)
- CiscoAddrCreatedEv
  - of com.cisco.jtapi.extensions [3-26](#)
- CiscoAddressObserver
  - of com.cisco.jtapi.extensions [3-30](#)
- CiscoAddrEv
  - of com.cisco.jtapi.extensions [3-30](#)
- CiscoAddrInServiceEv
  - of com.cisco.jtapi.extensions [3-31](#)
- CiscoConferenceStartEv
  - of com.cisco.jtapi.extensions [3-45](#)
- CiscoG711MediaCapability
  - of com.cisco.jtapi.extensions [3-9](#)
- CiscoG711MediaCapability()
  - of com.cisco.jtapi.extensions.CiscoG711MediaCapability [3-10](#)
- CiscoG711MediaCapability(int)
  - of com.cisco.jtapi.extensions.CiscoG711MediaCapability [3-10](#)
- CiscoG723MediaCapability
  - of com.cisco.jtapi.extensions [3-11](#)
- CiscoG723MediaCapability()
  - of com.cisco.jtapi.extensions.CiscoG723MediaCapability [3-12](#)
- CiscoG723MediaCapability(int, int)
  - of com.cisco.jtapi.extensions.CiscoG723MediaCapability [3-12](#)
- CiscoG729MediaCapability
  - of com.cisco.jtapi.extensions [3-13](#)
- CiscoG729MediaCapability()
  - of com.cisco.jtapi.extensions.CiscoG729MediaCapability [3-14](#)
- CiscoG729MediaCapability(int, int)
  - of com.cisco.jtapi.extensions.CiscoG729MediaCapability [3-14](#)
- CiscoGSMMediaCapability
  - of com.cisco.jtapi.extensions [3-14](#)
- CiscoGSMMediaCapability()
  - of com.cisco.jtapi.extensions.CiscoGSMMediaCapability [3-15](#)
- CiscoGSMMediaCapability(int)
  - of com.cisco.jtapi.extensions.CiscoGSMMediaCapability [3-15](#)
- Cisco JTAPI examples
  - Actor.java [5-5](#)
  - makecall.java [5-2](#)
  - Originator.java [5-8](#)
  - Receiver.java [5-10](#)
  - running makecall [5-16](#)
  - StopSignal.java [5-11](#)
  - Trace.java [5-12](#)
  - TraceWindow.java [5-13](#)
- Cisco JTAPI trace logging format [3-134](#)
- CiscoMediaCapability
  - of com.cisco.jtapi.extensions [3-16](#)
- CiscoMediaCapability(int, int)
  - of com.cisco.jtapi.extensions.CiscoMediaCapability [3-17](#)

- CiscoOutOfServiceEv
  - of com.cisco.jtapi.extensions [3-78](#)
- CiscoProvider
  - of com.cisco.jtapi.extensions [3-80](#)
- CiscoProviderObserver
  - of com.cisco.jtapi.extensions [3-83](#)
- CiscoRegistrationException()
  - of
    - com.cisco.jtapi.extensions.CiscoRegistrationException [3-19](#)
- CiscoRegistrationException(String)
  - of
    - com.cisco.jtapi.extensions.CiscoRegistrationException [3-19](#)
- CiscoRouteAddress
  - of com.cisco.jtapi.extensions [3-84](#)
- CiscoRouteSession
  - of com.cisco.jtapi.extensions [3-84](#)
- CiscoRTPBitRate
  - of com.cisco.jtapi.extensions [3-87](#)
- CiscoRTPInputProperties
  - of com.cisco.jtapi.extensions [3-88](#)
- CiscoRTPInputStartedEv
  - of com.cisco.jtapi.extensions [3-89](#)
- CiscoRTPInputStoppedEv
  - of com.cisco.jtapi.extensions [3-90](#)
- CiscoRTPOutputProperties
  - of com.cisco.jtapi.extensions [3-91](#)
- CiscoRTPOutputStartedEv
  - of com.cisco.jtapi.extensions [3-93](#)
- CiscoRTPOutputStoppedEv
  - of com.cisco.jtapi.extensions [3-94](#)
- CiscoRTPPayload
  - of com.cisco.jtapi.extensions [3-95](#)
- CiscoSynchronousObserver
  - of com.cisco.jtapi.extensions [3-98](#)
- CiscoTelephonyException
  - of com.cisco.jtapi.extensions [3-99](#)
- CiscoTermCreatedEv
  - of com.cisco.jtapi.extensions [3-104](#)
- CiscoTermEv
  - of com.cisco.jtapi.extensions [3-105](#)
- CiscoTerminal
  - of com.cisco.jtapi.extensions [3-106](#)
- CiscoTerminalConnection
  - of com.cisco.jtapi.extensions [3-108](#)
- CiscoTerminalObserver
  - of com.cisco.jtapi.extensions [3-109](#)
- CiscoTermInServiceEv
  - of com.cisco.jtapi.extensions [3-110](#)
- CiscoTermOutOfServiceEv
  - of com.cisco.jtapi.extensions [3-111](#)
- CiscoTermRemovedEv
  - of com.cisco.jtapi.extensions [3-112](#)
- CiscoTransferEndEv
  - of com.cisco.jtapi.extensions [3-113](#)
- CiscoTransferStartEv
  - of com.cisco.jtapi.extensions [3-115](#)
- CiscoUnregistrationException
  - of com.cisco.jtapi.extensions [3-19](#)
- CiscoUnregistrationException()
  - of
    - com.cisco.jtapi.extensions.CiscoUnregistrationException [3-20](#)
- CiscoUnregistrationException(String)
  - of
    - com.cisco.jtapi.extensions.CiscoUnregistrationException [3-20](#)
- close()
  - of com.cisco.services.alarm.AlarmWriter [3-133](#)
  - of com.cisco.services.alarm.DefaultAlarmWriter [3-125](#)
  - of com.cisco.services.tracing.BaseTraceWriter [3-137](#)
  - of com.cisco.services.tracing.TraceWriter [3-163](#)
- CLUSTER\_LINK\_FAILURE
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-61](#)
- COMMAND\_NOT\_IMPLEMENTED\_ON\_DEVICE
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-61](#)

of  
     com.cisco.jtapi.extensions.CiscoTelephonyException **3-101**

ConditionalTrace  
     of com.cisco.services.tracing **3-152**

CONFERENCE\_FULL  
     of  
         com.cisco.jtapi.extensions.CiscoJtapiException **3-61**

ConsoleTraceWriter  
     of com.cisco.services.tracing **3-138**

ConsoleTraceWriter()  
     of  
         com.cisco.services.tracing.ConsoleTraceWriter **3-139**

ConsoleTraceWriter(int)  
     of  
         com.cisco.services.tracing.ConsoleTraceWriter **3-139**

ConsoleTraceWriter(int[])  
     of  
         com.cisco.services.tracing.ConsoleTraceWriter **3-140**

consultWithoutMedia(TerminalConnection, String)  
     of com.cisco.jtapi.extensions.CiscoConsultCall **3-55**

createAlarm(String, int)  
     of com.cisco.services.alarm.AlarmManager **3-120**

CRITICAL  
     of com.cisco.services.alarm.Alarm **3-130**  
     of com.cisco.services.tracing.Trace **3-155**

CRITICAL\_TRACE\_NAME  
     of com.cisco.services.tracing.Trace **3-155**

## D

DATA56  
     of com.cisco.jtapi.extensions.CiscoRTPPayload **3-96**

DATA64  
     of com.cisco.jtapi.extensions.CiscoRTPPayload **3-96**

DB\_ERROR

of  
     com.cisco.jtapi.extensions.CiscoJtapiException **3-61**

of  
     com.cisco.jtapi.extensions.CiscoTelephonyException **3-101**

DB\_ILLEGAL\_DEVICE\_TYPE  
     of  
         com.cisco.jtapi.extensions.CiscoJtapiException **3-61**

of  
     com.cisco.jtapi.extensions.CiscoTelephonyException **3-101**

DB\_NO\_MORE\_DEVICES  
     of  
         com.cisco.jtapi.extensions.CiscoJtapiException **3-61**

of  
     com.cisco.jtapi.extensions.CiscoTelephonyException **3-101**

DEBUGGING  
     of com.cisco.services.alarm.Alarm **3-130**  
     of com.cisco.services.tracing.Trace **3-155**

DEBUGGING\_TRACE\_NAME  
     of com.cisco.services.tracing.Trace **3-155**

DEFAULT\_FILE\_NAME\_BASE  
     of  
         com.cisco.services.tracing.LogFileTraceWriter **3-143**

DEFAULT\_FILE\_NAME\_EXTENSION  
     of  
         com.cisco.services.tracing.LogFileTraceWriter **3-143**

DEFAULT\_SEARCH\_SPACE  
     of com.cisco.jtapi.extensions.CiscoConnection **3-49**  
     of com.cisco.jtapi.extensions.CiscoRouteSession **3-86**

DefaultAlarm(String, String, int, AlarmWriter)  
     of com.cisco.services.alarm.DefaultAlarm **3-122**

DefaultAlarmWriter  
     of com.cisco.services.alarm **3-123**

DefaultAlarmWriter(int, String)  
     of com.cisco.services.alarm.DefaultAlarmWriter **3-124**

DefaultAlarmWriter(int, String, int)

- of `com.cisco.services.alarm.DefaultAlarmWriter` [3-124](#)
  - `DefaultAlarmWriter(int, String, int, ConditionalTrace, UnconditionalTrace)`
    - of `com.cisco.services.alarm.DefaultAlarmWriter` [3-124](#)
  - `DEVICE_NOT_OPEN`
    - of `com.cisco.jtapi.extensions.CiscoJtapiException` [3-61](#)
    - of `com.cisco.jtapi.extensions.CiscoTelephonyException` [3-101](#)
  - `DIGIT_GENERATION_ALREADY_IN_PROGRESS`
    - of `com.cisco.jtapi.extensions.CiscoJtapiException` [3-62](#)
  - `DIGIT_GENERATION_CALLSTATE_CHANGED`
    - of `com.cisco.jtapi.extensions.CiscoJtapiException` [3-62](#)
  - `DIGIT_GENERATION_WRONG_CALL_HANDLE`
    - of `com.cisco.jtapi.extensions.CiscoJtapiException` [3-62](#)
  - `DIGIT_GENERATION_WRONG_CALL_STATE`
    - of `com.cisco.jtapi.extensions.CiscoJtapiException` [3-62](#)
  - `DIR_BASE_NAME_NUM_SEPERATOR`
    - of `com.cisco.services.tracing.LogFileTraceWriter` [3-143](#)
  - `DIRECTORY_LOGIN_FAILED`
    - of `com.cisco.jtapi.extensions.CiscoJtapiException` [3-62](#)
    - of `com.cisco.jtapi.extensions.CiscoTelephonyException` [3-101](#)
  - `DIRECTORY_LOGIN_NOT_ALLOWED`
    - of `com.cisco.jtapi.extensions.CiscoJtapiException` [3-62](#)
  - `disable()`
    - of `com.cisco.services.tracing.ConditionalTrace` [3-152](#)
  - `disableAll()`
    - of `com.cisco.services.tracing.TraceManager` [3-160](#)
  - `disableTimeStamp()`
    - of `com.cisco.services.tracing.TraceManager` [3-160](#)
  - `doClose()`
    - of `com.cisco.services.tracing.BaseTraceWriter` [3-137](#)
    - of `com.cisco.services.tracing.LogFileTraceWriter` [3-144](#)
    - of `com.cisco.services.tracing.OutputStreamTraceWriter` [3-146](#)
    - of `com.cisco.services.tracing.SyslogTraceWriter` [3-148](#)
  - `doFlush()`
    - of `com.cisco.services.tracing.BaseTraceWriter` [3-137](#)
    - of `com.cisco.services.tracing.ConsoleTraceWriter` [3-140](#)
    - of `com.cisco.services.tracing.LogFileTraceWriter` [3-144](#)
    - of `com.cisco.services.tracing.OutputStreamTraceWriter` [3-146](#)
  - `doPrintln(String, int)`
    - of `com.cisco.services.tracing.BaseTraceWriter` [3-137](#)
    - of `com.cisco.services.tracing.ConsoleTraceWriter` [3-140](#)
    - of `com.cisco.services.tracing.LogFileTraceWriter` [3-144](#)
    - of `com.cisco.services.tracing.OutputStreamTraceWriter` [3-146](#)
    - of `com.cisco.services.tracing.SyslogTraceWriter` [3-148](#)
- 
- E**
- EMERGENCIES**
    - of `com.cisco.services.alarm.Alarm` [3-130](#)
    - of `com.cisco.services.tracing.Trace` [3-156](#)
  - EMERGENCIES\_TRACE\_NAME**
    - of `com.cisco.services.tracing.Trace` [3-156](#)

enable()  
 of com.cisco.services.tracing.ConditionalTrace [3-152](#)

enableAll()  
 of com.cisco.services.tracing.TraceManager [3-160](#)

enableTimeStamp()  
 of com.cisco.services.tracing.TraceManager [3-160](#)

ERROR  
 of com.cisco.services.alarm.Alarm [3-130](#)  
 of com.cisco.services.tracing.Trace [3-156](#)

ERROR\_INVALID\_STATE  
 of com.cisco.jtapi.extensions.CiscoRouteSession [3-86](#)

ERROR\_NO\_CALLBACK  
 of com.cisco.jtapi.extensions.CiscoRouteSession [3-86](#)

ERROR\_NONE  
 of com.cisco.jtapi.extensions.CiscoRouteSession [3-86](#)

ERROR\_ROUTESELECT\_TIMEOUT  
 of com.cisco.jtapi.extensions.CiscoRouteSession [3-86](#)

ERROR\_TRACE\_NAME  
 of com.cisco.services.tracing.Trace [3-156](#)

EXISTING\_FIRSTPARTY  
 of  
 com.cisco.jtapi.extensions.CiscoJtapiException [3-62](#)  
 of  
 com.cisco.jtapi.extensions.CiscoTelephonyException [3-101](#)

EXTERNAL  
 of com.cisco.jtapi.extensions.CiscoAddress [3-28](#)

EXTERNAL\_UNKNOWN  
 of com.cisco.jtapi.extensions.CiscoAddress [3-28](#)

---

## F

flush()  
 of com.cisco.services.tracing.BaseTraceWriter [3-137](#)  
 of com.cisco.services.tracing.TraceWriter [3-163](#)

FRAMESIZE\_EIGHTY\_MILLISECOND\_PACKET  
 of  
 com.cisco.jtapi.extensions.CiscoGSMMediaCapability [3-15](#)

FRAMESIZE\_SIXTY\_MILLISECOND\_PACKET  
 of  
 com.cisco.jtapi.extensions.CiscoG711MediaCapability [3-10](#)  
 of  
 com.cisco.jtapi.extensions.CiscoG723MediaCapability [3-12](#)  
 of  
 com.cisco.jtapi.extensions.CiscoG729MediaCapability [3-14](#)

FRAMESIZE\_THIRTY\_MILLISECOND\_PACKET  
 of  
 com.cisco.jtapi.extensions.CiscoG711MediaCapability [3-10](#)  
 of  
 com.cisco.jtapi.extensions.CiscoG723MediaCapability [3-12](#)  
 of  
 com.cisco.jtapi.extensions.CiscoG729MediaCapability [3-14](#)

FRAMESIZE\_TWENTY\_MILLISECOND\_PACKET  
 of  
 com.cisco.jtapi.extensions.CiscoG711MediaCapability [3-10](#)  
 of  
 com.cisco.jtapi.extensions.CiscoG723MediaCapability [3-12](#)  
 of  
 com.cisco.jtapi.extensions.CiscoG729MediaCapability [3-14](#)

---

## G

G711\_64K\_30\_MILLISECONDS  
 of  
 com.cisco.jtapi.extensions.CiscoMediaCapability [3-17](#)

G711ALAW56K  
 of com.cisco.jtapi.extensions.CiscoRTPPayload [3-97](#)

G711ALAW64K  
 of com.cisco.jtapi.extensions.CiscoRTPPayload [3-97](#)

G711ULAW56K  
 of com.cisco.jtapi.extensions.CiscoRTPPayload [3-97](#)

G711ULAW64K  
 of com.cisco.jtapi.extensions.CiscoRTPPayload [3-97](#)

- G722\_48K
  - of `com.cisco.jtapi.extensions.CiscoRTPPayload` [3-97](#)
- G722\_56K
  - of `com.cisco.jtapi.extensions.CiscoRTPPayload` [3-97](#)
- G722\_64K
  - of `com.cisco.jtapi.extensions.CiscoRTPPayload` [3-97](#)
- G723\_6K\_30\_MILLISECONDS
  - of `com.cisco.jtapi.extensions.CiscoMediaCapability` [3-17](#)
- G7231
  - of `com.cisco.jtapi.extensions.CiscoRTPPayload` [3-97](#)
- G728
  - of `com.cisco.jtapi.extensions.CiscoRTPPayload` [3-97](#)
- G729
  - of `com.cisco.jtapi.extensions.CiscoRTPPayload` [3-97](#)
- G729\_30\_MILLISECONDS
  - of `com.cisco.jtapi.extensions.CiscoMediaCapability` [3-17](#)
- G729ANNEXA
  - of `com.cisco.jtapi.extensions.CiscoRTPPayload` [3-97](#)
- `getAddress()`
  - of `com.cisco.jtapi.extensions.CiscoAddrCreatedEv` [3-27](#)
  - of `com.cisco.jtapi.extensions.CiscoAddrRemovedEv` [3-34](#)
- `getAlarmServiceHostname()`
  - of `com.cisco.jtapi.extensions.CiscoJtapiProperties` [3-69](#)
- `getAlarmServicePort()`
  - of `com.cisco.jtapi.extensions.CiscoJtapiProperties` [3-69](#)
- `getAlarmWriter()`
  - of `com.cisco.services.alarm.AlarmManager` [3-120](#)
- `getBitRate()`
  - of `com.cisco.jtapi.extensions.CiscoG723MediaCapability` [3-12](#)
- of `com.cisco.jtapi.extensions.CiscoRTPInputProperties` [3-88](#)
- of `com.cisco.jtapi.extensions.CiscoRTPOutputProperties` [3-92](#)
- `getCall()`
  - of `com.cisco.jtapi.extensions.CiscoCallID` [3-42](#)
  - of `com.cisco.jtapi.extensions.CiscoRouteSession` [3-86](#)
- `getCallbackGuardEnabled()`
  - of `com.cisco.jtapi.extensions.CiscoProvider` [3-81](#)
- `getCallID()`
  - of `com.cisco.jtapi.extensions.CiscoCall` [3-35](#)
- `getCiscoCause()`
  - of `com.cisco.jtapi.extensions.CiscoCallEv` [3-41](#)
- `getConditionalTrace(int)`
  - of `com.cisco.services.tracing.TraceManager` [3-160](#)
- `getConditionalTrace(String, int)`
  - of `com.cisco.services.tracing.TraceManager` [3-160](#)
- `getConferenceControllerAddress()`
  - of `com.cisco.jtapi.extensions.CiscoConferenceEndEv` [3-44](#)
  - of `com.cisco.jtapi.extensions.CiscoConferenceStartEv` [3-47](#)
- `getConferencedCall()`
  - of `com.cisco.jtapi.extensions.CiscoConferenceEndEv` [3-44](#)
  - of `com.cisco.jtapi.extensions.CiscoConferenceStartEv` [3-47](#)
- `getConnection()`
  - of `com.cisco.jtapi.extensions.CiscoConnectionID` [3-53](#)
- `getConnectionID()`
  - of `com.cisco.jtapi.extensions.CiscoConnection` [3-50](#)
- `getConsultingTerminalConnection()`
  - of `com.cisco.jtapi.extensions.CiscoConsultCall` [3-55](#)
- `getCtiRequestTimeout()`
  - of `com.cisco.jtapi.extensions.CiscoJtapiProperties` [3-70](#)

- getCurrentFile()
  - of com.cisco.services.tracing.LogFileTraceWriter **3-144**
- getDebuggingNames()
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-70**
- getDebuggingValue(String)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-70**
- getDescription()
  - of com.cisco.services.alarm.AlarmWriter **3-133**
  - of com.cisco.services.alarm.DefaultAlarmWriter **3-125**
  - of com.cisco.services.tracing.BaseTraceWriter **3-137**
  - of com.cisco.services.tracing.TraceWriter **3-163**
- getDesiredServerHeartbeatInterval()
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-70**
- getDetailedCause()
  - of com.cisco.jtapi.extensions.CiscoTelephonyException **3-104**
- getEchoCancellation()
  - of com.cisco.jtapi.extensions.CiscoRTPInputProperties **3-88**
- getEnabled()
  - of com.cisco.services.alarm.AlarmWriter **3-133**
  - of com.cisco.services.alarm.DefaultAlarmWriter **3-125**
  - of com.cisco.services.tracing.BaseTraceWriter **3-138**
  - of com.cisco.services.tracing.TraceWriter **3-164**
- getErrorCode()
  - of com.cisco.jtapi.extensions.CiscoJtapiException **3-65**
- getFacility()
  - of com.cisco.services.alarm.Alarm **3-131**
  - of com.cisco.services.alarm.DefaultAlarm **3-122**
- getFileExtension()
  - of com.cisco.services.tracing.LogFileTraceWriter **3-144**
- getFileNameBase()
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-70**
  - of com.cisco.services.tracing.LogFileTraceWriter **3-144**
- getFileNameExtension()
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-70**
- getFinalCall()
  - of com.cisco.jtapi.extensions.CiscoConferenceEndEv **3-45**
  - of com.cisco.jtapi.extensions.CiscoConferenceStartEv **3-47**
  - of com.cisco.jtapi.extensions.CiscoTransferEndEv **3-114**
  - of com.cisco.jtapi.extensions.CiscoTransferStartEv **3-116**
- getHeldConferenceController()
  - of com.cisco.jtapi.extensions.CiscoConferenceEndEv **3-45**
  - of com.cisco.jtapi.extensions.CiscoConferenceStartEv **3-47**
- getHeldTerminalConnection()
  - of com.cisco.jtapi.extensions.CiscoConsultCallActiveEv **3-57**
- getJtapiProperties()
  - of com.cisco.jtapi.extensions.CiscoJtapiPeer **3-66**
- getLocalAddress()
  - of com.cisco.jtapi.extensions.CiscoRTPInputProperties **3-88**
- getLocalPort()

- of
  - com.cisco.jtapi.extensions.CiscoRTPInputProperties [3-88](#)
- getMaxFiles()
  - of
    - com.cisco.services.tracing.LogFileTraceWriter [3-144](#)
- getMaxFileSize()
  - of
    - com.cisco.services.tracing.LogFileTraceWriter [3-145](#)
- getMaxFramesPerPacket()
  - of
    - com.cisco.jtapi.extensions.CiscoMediaCapability [3-17](#)
  - of
    - com.cisco.jtapi.extensions.CiscoRTPOutputProperties [3-92](#)
- getMediaTerminal(String)
  - of com.cisco.jtapi.extensions.CiscoProvider [3-81](#)
- getMediaTerminals()
  - of com.cisco.jtapi.extensions.CiscoProvider [3-82](#)
- getModules()
  - of
    - com.cisco.services.tracing.TraceManagerFactory [3-149](#)
- getName()
  - of com.cisco.services.alarm.AlarmWriter [3-133](#)
  - of com.cisco.services.alarm.DefaultAlarmWriter [3-125](#)
  - of com.cisco.services.tracing.BaseTraceWriter [3-138](#)
  - of com.cisco.services.tracing.Trace [3-157](#)
  - of com.cisco.services.tracing.TraceManager [3-161](#)
  - of com.cisco.services.tracing.TraceWriter [3-164](#)
- getNumTraceFiles()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-70](#)
- getObject()
  - of
    - com.cisco.jtapi.extensions.CiscoObjectContainer [3-77](#)
- getOutputStream()
  - of
    - com.cisco.services.tracing.OutputStreamTraceWriter [3-146](#)
- getPacketSize()
  - of
    - com.cisco.jtapi.extensions.CiscoRTPInputProperties [3-89](#)
  - of
    - com.cisco.jtapi.extensions.CiscoRTPOutputProperties [3-92](#)
- getParameterNames()
  - of com.cisco.services.alarm.ParameterList [3-127](#)
- getParameterValue(String)
  - of com.cisco.services.alarm.ParameterList [3-127](#)
- getPayloadType()
  - of
    - com.cisco.jtapi.extensions.CiscoMediaCapability [3-18](#)
  - of
    - com.cisco.jtapi.extensions.CiscoRTPInputProperties [3-89](#)
  - of
    - com.cisco.jtapi.extensions.CiscoRTPOutputProperties [3-92](#)
- getPeriodicWakeupEnabled()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-70](#)
- getPeriodicWakeupInterval()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-70](#)
- getPrecedenceValue()
  - of
    - com.cisco.jtapi.extensions.CiscoRTPOutputProperties [3-93](#)
- getProviderOpenRequestTimeout()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-70](#)
- getProviderRetryInterval()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-70](#)
- getQueueSizeThreshold()

- of
  - com.cisco.jtapi.extensions.CiscoJtapiProperties **3-70**
- getQueueStatsEnabled()
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-71**
- getReason()
  - of com.cisco.jtapi.extensions.CiscoConnection **3-51**
- getRegistrationState()
  - of com.cisco.jtapi.extensions.CiscoAddress **3-29**
  - of com.cisco.jtapi.extensions.CiscoTerminal **3-107**
- getRemoteAddress()
  - of
    - com.cisco.jtapi.extensions.CiscoRTPOutputProperties **3-93**
- getRemotePort()
  - of
    - com.cisco.jtapi.extensions.CiscoRTPOutputProperties **3-93**
- getRouteSelectTimeout()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties **3-71**
- getRTPInputProperties()
  - of
    - com.cisco.jtapi.extensions.CiscoRTPInputStartedEv **3-90**
  - of com.cisco.jtapi.extensions.CiscoTerminal **3-108**
- getRTPOutputProperties()
  - of
    - com.cisco.jtapi.extensions.CiscoRTPOutputStartedEv **3-94**
  - of com.cisco.jtapi.extensions.CiscoTerminal **3-108**
- getServices()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties **3-71**
- getSeverity()
  - of com.cisco.services.alarm.Alarm **3-131**
  - of com.cisco.services.alarm.DefaultAlarm **3-122**
- getSilenceSuppression()
  - of
    - com.cisco.jtapi.extensions.CiscoRTPOutputProperties **3-93**
- getState()
  - of com.cisco.jtapi.extensions.CiscoAddress **3-29**
  - of com.cisco.jtapi.extensions.CiscoTerminal **3-108**
- getSubFacilities()
  - of com.cisco.services.tracing.TraceManager **3-161**
- getSubFacility()
  - of com.cisco.services.alarm.Alarm **3-131**
  - of com.cisco.services.alarm.DefaultAlarm **3-122**
  - of com.cisco.services.tracing.Trace **3-157**
- getSyslogCollector()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties **3-71**
- getSyslogCollectorUDPPort()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties **3-71**
- getTalkingConferenceController()
  - of
    - com.cisco.jtapi.extensions.CiscoConferenceEndEv **3-45**
  - of
    - com.cisco.jtapi.extensions.CiscoConferenceStartEv **3-47**
- getTerminal()
  - of
    - com.cisco.jtapi.extensions.CiscoTermCreatedEv **3-105**
  - of
    - com.cisco.jtapi.extensions.CiscoTermRemovedEv **3-113**
- getTraceDirectory()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties **3-71**
- getTraceFileSize()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties **3-71**
- getTraceLevels()
  - of com.cisco.services.tracing.BaseTraceWriter **3-138**

- of com.cisco.services.tracing.TraceWriter [3-164](#)
- getTraceManager()
  - of com.cisco.services.tracing.TraceModule [3-162](#)
- getTraceModuleName()
  - of com.cisco.services.tracing.TraceModule [3-162](#)
- getTraceNames()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-71](#)
- getTracePath()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-71](#)
- getTraces()
  - of com.cisco.services.tracing.TraceManager [3-161](#)
- getTraceValue(String)
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-71](#)
- getTraceWriterManager()
  - of com.cisco.services.tracing.TraceManager [3-161](#)
- getTraceWriters()
  - of
    - com.cisco.services.tracing.TraceWriterManager [3-166](#)
- getTransferController()
  - of
    - com.cisco.jtapi.extensions.CiscoTransferEndEv [3-114](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTransferStartEv [3-116](#)
- getTransferControllerAddress()
  - of
    - com.cisco.jtapi.extensions.CiscoTransferEndEv [3-115](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTransferStartEv [3-117](#)
- getTransferredCall()
  - of
    - com.cisco.jtapi.extensions.CiscoTransferEndEv [3-115](#)
- of
  - com.cisco.jtapi.extensions.CiscoTransferStartEv [3-117](#)
- getType()
  - of com.cisco.jtapi.extensions.CiscoAddress [3-29](#)
  - of com.cisco.services.tracing.Trace [3-157](#)
- getUnconditionalTrace(int)
  - of com.cisco.services.tracing.TraceManager [3-161](#)
- getUnconditionalTrace(String, int)
  - of com.cisco.services.tracing.TraceManager [3-161](#)
- getUseAlarmService()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-71](#)
- getUseFileTrace()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-71](#)
- getUseJavaConsoleTrace()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-71](#)
- getUseSameDir()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-72](#)
- getUseSyslog()
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiProperties [3-72](#)
- GSM
  - of com.cisco.jtapi.extensions.CiscoRTPPayload [3-97](#)
- GSM\_80\_MILLISECONDS
  - of
    - com.cisco.jtapi.extensions.CiscoMediaCapability [3-17](#)

---

## H

### HIGHEST\_LEVEL

- of com.cisco.services.alarm.Alarm [3-130](#)
- of com.cisco.services.tracing.Trace [3-156](#)

### HOLDFAILED

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
 3-62

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
 3-101

of  
 com.cisco.jtapi.extensions.CiscoTermCreatedEv  
 3-105

of  
 com.cisco.jtapi.extensions.CiscoTermInServiceEv  
 3-110

of  
 com.cisco.jtapi.extensions.CiscoTermOutOfServiceEv  
 3-111

of  
 com.cisco.jtapi.extensions.CiscoTermRemovedEv  
 3-112

of  
 com.cisco.jtapi.extensions.CiscoTransferEndEv  
 3-114

of  
 com.cisco.jtapi.extensions.CiscoTransferStartEv  
 3-116

#### ILLEGAL\_CALLINGPARTY

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
 3-62

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
 3-101

#### ILLEGAL\_CALLSTATE

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
 3-62

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
 3-101

#### ILLEGAL\_HANDLE

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
 3-62

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
 3-101

#### ILLEGAL\_MESSAGE\_FORMAT

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
 3-62

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
 3-101

#### IN\_SERVICE

## I

### ID

of  
 com.cisco.jtapi.extensions.CiscoAddrCreatedEv  
 3-27

of  
 com.cisco.jtapi.extensions.CiscoAddrInServiceEv  
 3-32

of  
 com.cisco.jtapi.extensions.CiscoAddrOutOfServiceEv  
 3-33

of  
 com.cisco.jtapi.extensions.CiscoAddrRemovedEv  
 3-34

of  
 com.cisco.jtapi.extensions.CiscoConferenceEndEv  
 3-44

of  
 com.cisco.jtapi.extensions.CiscoConferenceStartEv  
 3-46

of  
 com.cisco.jtapi.extensions.CiscoConsultCallActiveEv  
 3-57

of  
 com.cisco.jtapi.extensions.CiscoOutOfServiceEv  
 3-79

of  
 com.cisco.jtapi.extensions.CiscoRTPInputStartedEv  
 3-90

of  
 com.cisco.jtapi.extensions.CiscoRTPInputStoppedEv  
 3-91

of  
 com.cisco.jtapi.extensions.CiscoRTPOutputStartedEv  
 3-94

of  
 com.cisco.jtapi.extensions.CiscoRTPOutputStoppedEv  
 3-95

of `com.cisco.jtapi.extensions.CiscoAddress` [3-28](#)  
of `com.cisco.jtapi.extensions.CiscoTerminal` [3-107](#)  
**INCOMPATIBLE\_PROTOCOL\_VERSION**  
of  
`com.cisco.jtapi.extensions.CiscoJtapiException` [3-62](#)

**INFORMATIONAL**

of `com.cisco.services.alarm.Alarm` [3-131](#)  
of `com.cisco.services.tracing.Trace` [3-156](#)

**INFORMATIONAL\_TRACE\_NAME**

of `com.cisco.services.tracing.Trace` [3-156](#)

**INTERNAL**

of `com.cisco.jtapi.extensions.CiscoAddress` [3-28](#)  
**intValue()**  
of `com.cisco.jtapi.extensions.CiscoCallID` [3-43](#)  
of `com.cisco.jtapi.extensions.CiscoConnectionID` [3-53](#)

**INVALID\_LINE\_HANDLE**

of  
`com.cisco.jtapi.extensions.CiscoJtapiException` [3-62](#)

invoking `makecall` [5-16](#)

**IS11172AUDIOCAP**

of `com.cisco.jtapi.extensions.CiscoRTPPayload` [3-97](#)

**IS13818AUDIOCAP**

of `com.cisco.jtapi.extensions.CiscoRTPPayload` [3-98](#)

**isEnabled()**

of `com.cisco.services.tracing.Trace` [3-157](#)

**isRegistered()**

of  
`com.cisco.jtapi.extensions.CiscoMediaTerminal` [3-75](#)

**L****LINE\_INFO\_DOES\_NOT\_EXIST**

of  
`com.cisco.jtapi.extensions.CiscoJtapiException` [3-62](#)

**LINE\_NOT\_PRIMARY**

of  
`com.cisco.jtapi.extensions.CiscoJtapiException` [3-62](#)

**LINECONTROL\_FAILURE**

of  
`com.cisco.jtapi.extensions.CiscoJtapiException` [3-62](#)  
of  
`com.cisco.jtapi.extensions.CiscoTelephonyException` [3-101](#)

**LogFileTraceWriter**

of `com.cisco.services.tracing` [3-140](#)

**LogFileTraceWriter(String, String, int, int)**

of  
`com.cisco.services.tracing.LogFileTraceWriter` [3-143](#)

**LogFileTraceWriter(String, String, String, String, int, int, boolean)**

of  
`com.cisco.services.tracing.LogFileTraceWriter` [3-143](#)

**LogFileTraceWriter(String, String, String, String, int, int, int, boolean)**

of  
`com.cisco.services.tracing.LogFileTraceWriter` [3-143](#)

**LOWEST\_LEVEL**

of `com.cisco.services.alarm.Alarm` [3-131](#)  
of `com.cisco.services.tracing.Trace` [3-156](#)

**M****main(String[])**

of `com.cisco.services.alarm.DefaultAlarmWriter` [3-125](#)  
of  
`com.cisco.services.tracing.ConsoleTraceWriter` [3-140](#)  
of `com.cisco.services.tracing.SyslogTraceWriter` [3-149](#)

**makecall.java** [5-2](#)**MAX\_NUMBER\_OF\_CTI\_CONNECTIONS\_REACHED**

of  
`com.cisco.jtapi.extensions.CiscoJtapiException` [3-63](#)

**MIN\_FILE\_SIZE**

of  
 com.cisco.services.tracing.LogFileTraceWriter  
**3-143**

MIN\_FILES

of  
 com.cisco.services.tracing.LogFileTraceWriter  
**3-143**

---

## N

NO\_ACTIVE\_DEVICE\_FOR\_THIRDPARTY

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
**3-63**

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
**3-101**

NO\_SEVERITY

of com.cisco.services.alarm.Alarm **3-131**

NONSTANDARD

of com.cisco.jtapi.extensions.CiscoRTPPayload **3-98**

NOT\_INITIALIZED

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
**3-63**

NOTIFICATION

of com.cisco.services.alarm.Alarm **3-131**

of com.cisco.services.tracing.Trace **3-156**

NOTIFICATION\_TRACE\_NAME

of com.cisco.services.tracing.Trace **3-156**

---

## O

OPERATION\_NOT\_AVAILABLE\_IN\_CURRENT\_STATE

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
**3-63**

Originator.java **5-8**

OUT\_OF\_SERVICE

of com.cisco.jtapi.extensions.CiscoAddress **3-29**

of com.cisco.jtapi.extensions.CiscoTerminal **3-107**

OutputStreamTraceWriter

of com.cisco.services.tracing **3-145**

OutputStreamTraceWriter(int, OutputStream)

of  
 com.cisco.services.tracing.OutputStreamTraceWriter  
**3-146**

OutputStreamTraceWriter(int, OutputStream, boolean)

of  
 com.cisco.services.tracing.OutputStreamTraceWriter  
**3-146**

---

## P

ParameterList

of com.cisco.services.alarm **3-126**

ParameterList()

of com.cisco.services.alarm.ParameterList **3-127**

ParameterList(String, String)

of com.cisco.services.alarm.ParameterList **3-127**

println(Object)

of com.cisco.services.tracing.Trace **3-157**

println(String)

of com.cisco.services.tracing.Trace **3-157**

println(String, int)

of com.cisco.services.tracing.BaseTraceWriter **3-138**

of com.cisco.services.tracing.TraceWriter **3-164**

println(String, Object)

of com.cisco.services.tracing.Trace **3-158**

println(String, String)

of com.cisco.services.tracing.Trace **3-158**

PROTOCOL\_TIMEOUT

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
**3-63**

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
**3-101**

PROVIDER\_ALREADY\_OPEN

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
**3-63**

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)

#### PROVIDER\_CLOSED

of  
 com.cisco.jtapi.extensions.CiscoJtapiException [3-63](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)

#### PROVIDER\_NOT\_OPEN

of  
 com.cisco.jtapi.extensions.CiscoJtapiException [3-63](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)

## R

#### R5\_3

of com.cisco.jtapi.extensions.CiscoRTPBitRate [3-87](#)

#### R6\_4

of com.cisco.jtapi.extensions.CiscoRTPBitRate [3-87](#)

#### REASON\_DIRECTCALL

of com.cisco.jtapi.extensions.CiscoConnection [3-50](#)

#### REASON\_FORWARDALL

of com.cisco.jtapi.extensions.CiscoConnection [3-50](#)

#### REASON\_FORWARDBUSY

of com.cisco.jtapi.extensions.CiscoConnection [3-50](#)

#### REASON\_FORWARDNOANSWER

of com.cisco.jtapi.extensions.CiscoConnection [3-50](#)

#### REASON\_OUTBOUND

of com.cisco.jtapi.extensions.CiscoConnection [3-50](#)

#### REASON\_REDIRECT

of com.cisco.jtapi.extensions.CiscoConnection [3-50](#)

#### REASON\_TRANSFERREDCALL

of com.cisco.jtapi.extensions.CiscoConnection [3-50](#)

#### Receiver.java [5-10](#)

#### redirect(String, int)

of com.cisco.jtapi.extensions.CiscoConnection [3-51](#)

#### redirect(String, int, int)

of com.cisco.jtapi.extensions.CiscoConnection [3-51](#)

#### redirect(String, int, int, int)

of com.cisco.jtapi.extensions.CiscoConnection [3-52](#)

#### REDIRECT\_CALL\_CALL\_TABLE\_FULL

of  
 com.cisco.jtapi.extensions.CiscoJtapiException [3-63](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)

#### REDIRECT\_CALL\_DESTINATION\_BUSY

of  
 com.cisco.jtapi.extensions.CiscoJtapiException [3-63](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)

#### REDIRECT\_CALL\_DESTINATION\_OUT\_OF\_ORDER

of  
 com.cisco.jtapi.extensions.CiscoJtapiException [3-63](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)

#### REDIRECT\_CALL\_DIGIT\_ANALYSIS\_TIMEOUT

of  
 com.cisco.jtapi.extensions.CiscoJtapiException [3-63](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)

#### REDIRECT\_CALL\_DOES\_NOT\_EXIST

of  
 com.cisco.jtapi.extensions.CiscoJtapiException [3-63](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)

#### REDIRECT\_CALL\_INCOMPATIBLE\_STATE

of  
 com.cisco.jtapi.extensions.CiscoJtapiException [3-63](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)

#### REDIRECT\_CALL\_MEDIA\_CONNECTION\_FAILED

- of
  - com.cisco.jtapi.extensions.CiscoJtapiException [3-63](#)
- of
  - com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)
- REDIRECT\_CALL\_NORMAL\_CLEARING
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-63](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)
- REDIRECT\_CALL\_ORIGINATOR\_ABANDONED
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-63](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)
- REDIRECT\_CALL\_PARTY\_TABLE\_FULL
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-64](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)
- REDIRECT\_CALL\_PENDING\_REDIRECT\_TRANSACTION
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-64](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)
- REDIRECT\_CALL\_PROTOCOL\_ERROR
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-64](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)
- REDIRECT\_CALL\_UNKNOWN\_DESTINATION
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-64](#)
- of
  - com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)
- REDIRECT\_CALL\_UNKNOWN\_ERROR
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-64](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-102](#)
- REDIRECT\_CALL\_UNKNOWN\_PARTY
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-64](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-103](#)
- REDIRECT\_CALL\_UNRECOGNIZED\_MANAGER
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-64](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-103](#)
- REDIRECT\_CALLINFO\_ERR
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-64](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-103](#)
- REDIRECT\_DROP\_ON\_FAILURE
  - of com.cisco.jtapi.extensions.CiscoConnection [3-50](#)
- REDIRECT\_ERR
  - of
    - com.cisco.jtapi.extensions.CiscoJtapiException [3-64](#)
  - of
    - com.cisco.jtapi.extensions.CiscoTelephonyException [3-103](#)
- REDIRECT\_NORMAL
  - of com.cisco.jtapi.extensions.CiscoConnection [3-50](#)
- register(InetAddress, int)
  - of
    - com.cisco.jtapi.extensions.CiscoMediaTerminal [3-75](#)

register(InetAddress, int, CiscoMediaCapability[])  
   of  
     com.cisco.jtapi.extensions.CiscoMediaTerminal **3-76**

registerModule(TraceModule)  
   of  
     com.cisco.services.tracing.TraceManagerFactory **3-150**

registerModule(TraceModule, String[], TraceWriterManager)  
   of  
     com.cisco.services.tracing.TraceManagerFactory **3-150**

registerModule(TraceModule, TraceWriterManager)  
   of  
     com.cisco.services.tracing.TraceManagerFactory **3-150**

registerRouteCallback(RouteCallback, boolean)  
   of com.cisco.jtapi.extensions.CiscoRouteAddress **3-84**

removeAllParameters()  
   of com.cisco.services.alarm.ParameterList **3-127**

removeParameter(String)  
   of com.cisco.services.alarm.ParameterList **3-127**

removeTrace(Trace)  
   of com.cisco.services.tracing.TraceManager **3-161**

removeTraceWriter(TraceWriter)  
   of  
     com.cisco.services.tracing.TraceWriterManager **3-166**

**RETRIEVEFAILED**  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiException **3-64**

  of  
     com.cisco.jtapi.extensions.CiscoTelephonyException **3-103**

**RETRIEVEFAILED\_ACTIVE\_CALL\_ON\_LINE**  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiException **3-64**

**ROLLOVER\_THRESHOLD**  
   of  
     com.cisco.services.tracing.LogFileTraceWriter **3-143**

**ROUTEADDRESS\_SEARCH\_SPACE**  
   of com.cisco.jtapi.extensions.CiscoRouteSession **3-86**

running makecall.java **5-16**

---

## S

selectRoute(String[], int)  
   of com.cisco.jtapi.extensions.CiscoRouteSession **3-86**

send(String)  
   of com.cisco.services.alarm.Alarm **3-132**  
   of com.cisco.services.alarm.AlarmWriter **3-133**  
   of com.cisco.services.alarm.DefaultAlarm **3-122**  
   of com.cisco.services.alarm.DefaultAlarmWriter **3-125**

send(String, ParameterList)  
   of com.cisco.services.alarm.Alarm **3-132**  
   of com.cisco.services.alarm.DefaultAlarm **3-122**

send(String, String, String)  
   of com.cisco.services.alarm.Alarm **3-132**  
   of com.cisco.services.alarm.DefaultAlarm **3-122**

setAlarmServiceHostname(String)  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiProperties **3-72**

setAlarmServicePort(int)  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiProperties **3-72**

setAlarmWriter(AlarmWriter)  
   of com.cisco.services.alarm.AlarmManager **3-120**

setCallbackGuardEnabled(boolean)  
   of com.cisco.jtapi.extensions.CiscoProvider **3-82**

setCtiRequestTimeout(int)  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiProperties **3-72**

setDebuggingValue(String, boolean)  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiProperties **3-72**

setDefaultMnemonic(String)  
   of com.cisco.services.tracing.Trace **3-158**

- setDesiredServerHeartbeatInterval(int)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-72**
- setEnabled(boolean)
  - of com.cisco.services.alarm.AlarmWriter **3-133**
  - of com.cisco.services.alarm.DefaultAlarmWriter **3-126**
- setFileNameBase(String)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-72**
- setFileNameExtension(String)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-72**
- setNumTraceFiles(int)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-72**
- setObject(Object)
  - of com.cisco.jtapi.extensions.CiscoObjectContainer **3-77**
- setPeriodicWakeupEnabled(boolean)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-72**
- setPeriodicWakeupInterval(int)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-72**
- setProviderOpenRequestTimeout(int)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setProviderRetryInterval(int)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setQueueSizeThreshold(int)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setQueueStatsEnabled(boolean)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setRouteSelectTimeout(int)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setServices(String[])
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setSubFacilities(String[])
  - of com.cisco.services.tracing.TraceManager **3-161**
- setSubFacility(String)
  - of com.cisco.services.tracing.TraceManager **3-161**
- setSyslogCollector(String)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setSyslogCollectorUDPPort(int)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setTraceDirectory(String)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setTraceFileSize(int)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setTraceLevels(int[])
  - of com.cisco.services.tracing.BaseTraceWriter **3-138**
  - of com.cisco.services.tracing.TraceWriter **3-164**
- setTracePath(String)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setTraceValue(String, boolean)
  - of com.cisco.jtapi.extensions.CiscoJtapiProperties **3-73**
- setTraceWriterManager(TraceWriterManager)
  - of com.cisco.services.tracing.TraceManager **3-161**

setTraceWriters(TraceWriter[])  
   of  
     com.cisco.services.tracing.TraceWriterManager  
     **3-166**

setUseAlarmService(boolean)  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiProperties  
     **3-74**

setUseFileTrace(boolean)  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiProperties  
     **3-74**

setUseJavaConsoleTrace(boolean)  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiProperties  
     **3-74**

setUseSameDir(boolean)  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiProperties  
     **3-74**

setUseSyslog(boolean)  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiProperties  
     **3-74**

SSAPI\_NOT\_REGISTERED  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiException  
     **3-64**

  of  
     com.cisco.jtapi.extensions.CiscoTelephonyException  
     **3-103**

StopSignal.java **5-11**

SyslogTraceWriter  
   of com.cisco.services.tracing **3-147**

SyslogTraceWriter(int, String)  
   of com.cisco.services.tracing.SyslogTraceWriter **3-148**

SyslogTraceWriter(int, String, int)  
   of com.cisco.services.tracing.SyslogTraceWriter **3-148**

SyslogTraceWriter(int, String, int[])  
   of com.cisco.services.tracing.SyslogTraceWriter **3-148**

---

**T**

TIMEOUT  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiException  
     **3-64**

  of  
     com.cisco.jtapi.extensions.CiscoTelephonyException  
     **3-103**

toString()  
   of  
     com.cisco.jtapi.extensions.CiscoG723MediaCapability  
     **3-12**

  of  
     com.cisco.jtapi.extensions.CiscoMediaCapability  
     **3-18**

  of com.cisco.services.alarm.ParameterList **3-127**

  of com.cisco.services.tracing.BaseTraceWriter **3-138**

Trace  
   of com.cisco.services.tracing **3-153**

Trace.java **5-12**

trace logging, Cisco JTAPI format **3-134**

TraceManager  
   of com.cisco.services.tracing **3-158**

TraceManagerFactory  
   of com.cisco.services.tracing **3-149**

TraceModule  
   of com.cisco.services.tracing **3-162**

TraceWindow.java **5-13**

TraceWriter  
   of com.cisco.services.tracing **3-162**

TraceWriterManager  
   of com.cisco.services.tracing **3-165**

TRANSFERFAILED  
   of  
     com.cisco.jtapi.extensions.CiscoJtapiException  
     **3-64**

  of  
     com.cisco.jtapi.extensions.CiscoTelephonyException  
     **3-103**

TRANSFERFAILED\_CALLCONTROL\_TIMEOUT

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
[3-64](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
[3-103](#)

TRANSFERFAILED\_DESTINATION\_BUSY

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
[3-64](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
[3-103](#)

TRANSFERFAILED\_DESTINATION\_UNALLOCATED

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
[3-64](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
[3-103](#)

TRANSFERFAILED\_OUTSTANDING\_TRANSFER

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
[3-65](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
[3-103](#)

---

## U

UnconditionalTrace

of com.cisco.services.tracing [3-166](#)

UNDEFINED\_LINE

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
[3-65](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
[3-103](#)

UNKNOWN

of com.cisco.jtapi.extensions.CiscoAddress [3-29](#)

UNKNOWN\_GLOBAL\_CALL\_HANDLE

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
[3-65](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
[3-103](#)

UNKNOWN\_MNEMONIC

of com.cisco.services.alarm.Alarm [3-131](#)

UNRECOGNIZABLE\_PDU

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
[3-65](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
[3-103](#)

unregister()

of  
 com.cisco.jtapi.extensions.CiscoMediaTerminal  
[3-76](#)

UNSPECIFIED

of  
 com.cisco.jtapi.extensions.CiscoJtapiException  
[3-65](#)

of  
 com.cisco.jtapi.extensions.CiscoTelephonyException  
[3-103](#)

---

## W

WARNING

of com.cisco.services.alarm.Alarm [3-131](#)

of com.cisco.services.tracing.Trace [3-156](#)

WARNING\_TRACE\_NAME

of com.cisco.services.tracing.Trace [3-156](#)