



CHAPTER 7

Working with Alerts

This chapter contains information on the following topics:

- [Working with Alerts, page 7-1](#)
- [Setting Alert Properties, page 7-2](#)
- [Suspending Alerts on Cisco Unified Communications Manager Nodes or the Cluster, page 7-5](#)
- [Configuring E-mails for Alert Notification, page 7-5](#)
- [Configuring Alert Actions, page 7-6](#)

Working with Alerts

By using the following procedure, you can perform tasks, such as access Alert Central, sort alert information, enable, disable, or remove an alert, clear an alert, or view alert details.

Procedure

Step 1 Perform one of the following tasks:

- On the Quick Launch Channel
 - Click **System**.
 - In the tree hierarchy, double-click **Tools**.
 - Click the Alert Central icon.
- Choose **System > Tools > Alert > Alert Central**.

The Alert Central monitoring window displays and shows the alert status and alert history of the alerts that the system has generated.

Step 2 Perform one of the following tasks:

- To set alert properties, see the [“Setting Alert Properties” section on page 7-2](#).
- To suspend alerts on Cisco Unified Communications Manager nodes, see the [“Suspending Alerts on Cisco Unified Communications Manager Nodes or the Cluster” section on page 7-5](#).
- To configure e-mails for alert notification, see the [“Configuring E-mails for Alert Notification” section on page 7-5](#).
- To configure alert actions, see the [“Configuring Alert Actions” section on page 7-6](#).

- To sort alert information in the Alert Status pane, click the up/down arrow that displays in the column heading. For example, click the up/down arrow that displays in the Enabled or In Safe Range column.

You can sort alert history information by clicking the up/down arrow in the columns in the Alert History pane. To see alert history that is out of view in the pane, use the scroll bar on the right side of the Alert History pane.

- To enable, disable, or remove an alert, perform one of the following tasks:
 - From the Alert Status window, right-click the alert and choose **Disable/Enable Alert** (option toggles) or **Remove Alert**, depending on what you want to accomplish.
 - Highlight the alert in the Alert Status window and choose **System > Tools > Alert > Disable/Enable** (or **Remove**) **Alert**.

**Tip**

You can only remove user-defined alerts from RTMT. The Remove Alert option appears grayed out when you choose a preconfigured alert.

- To clear either individual or collective alerts after they get resolved, perform one of the following tasks:
 - After the Alert Status window displays, right-click the alert and choose **Clear Alert** (or **Clear All Alerts**).
 - Highlight the alert in the Alert Status window and choose **System > Tools > Alert > Clear Alert** (or **Clear All Alerts**).

After you clear an alert, it changes from red to black.

- To view alert details, perform one of the following tasks:
 - After the Alert Status window displays, right-click the alert and choose **Alert Details**.
 - Highlight the alert in the Alert Status window and choose **System > Tools > Alert > Alert Details**.

**Tip**

After you have finished viewing the alert details, click **OK**.

Additional Information

See the [“Related Topics” section on page 7-6](#).

Setting Alert Properties

The following procedure describes how to set alert properties.

Procedure

-
- Step 1** Display Alert Central, as described in the [“Working with Alerts” section on page 7-1](#).
 - Step 2** From the Alert Status window, click the alert for which you want to set alert properties.
 - Step 3** Perform one of the following tasks:

- Right-click the alert and choose **Set Alert/Properties**.
- Choose **System > Tools > Alert > Set Alert/Properties**.



Note For Cisco Unified Communications Manager clusterwide alerts, the Enable/Disable this alert on following server(s): box does not show up in the alert properties window. Clusterwide alerts include number of registered phones, gateways, media devices, route list exhausted, media list exhausted, MGCP D-channel out of service, malicious call trace, and excessive quality reports.

- Step 4** To enable the alert, check the **Enable Alert** check box.
- Step 5** From the Severity drop-down list box, choose the severity of the alert.
- Step 6** From the Enable/Disable this alert on following server(s) pane, check the Enable check box of the servers on which you want this alert to be enabled.
- For preconfigured alerts, the Description information pane displays a description of the alert.
- Step 7** Click **Next**.
- Step 8** In the Threshold pane, enter the conditions in which the system triggers the alert.
- Step 9** In the Duration pane, click one of the following radio buttons:
- Trigger alert only when below or over.... radio button—If you want the alert to be triggered only when the value is constantly below or over the threshold for a specific number of seconds; then, enter the seconds.
 - Trigger alert immediately—If you want the system to trigger an alert immediately.
- Step 10** Click **Next**.
- Step 11** In the Frequency pane, click one of the following radio buttons:
- Trigger alert on every poll—If you want the alert to be triggered on every poll.
 - Trigger up to <numbers> of alerts within <number> of minutes—If you want a specific number of alerts to be triggered within a specific number of minutes. Enter the number of alerts and number of minutes.
- Step 12** In the Schedule pane, click one of the following radio buttons:
- 24-hours daily—If you want the alert to be triggered 24 hours a day.
 - Start time/Stop time—If you want the alert to be triggered within a specific start and stop time. Enter the start and stop times.
- Step 13** Click **Next**.
- Step 14** If you want to enable e-mail for this alert, check the Enable Email check box.
- Step 15** To trigger an alert action with this alert, choose the alert action that you want to send from the drop-down list box.
- Step 16** To configure a new alert action, or edit an existing one, click **Configure**.
- Step 17** To add a new alert action, continue to [Step 18](#). To edit an existing alert action, skip to [Step 25](#).
- Step 18** Click **Add**.
- Step 19** In the Name field, enter a name for the alert action.
- Step 20** In the Description field, enter a description of the alert action.
- Step 21** To add an e-mail recipient, click **Add**.

Step 22 In the Enter email/epage address field, enter an e-mail or e-page address of the recipient that you want to receive the alert action.

Step 23 Click **OK**.

The Action Configuration window shows the recipient(s) that you added, and the Enable check box appears checked.



Tip To delete an e-mail recipient, highlight the recipient and click **Delete**. The recipient that you chose disappears from the recipient list.

Step 24 When you finish adding all the recipients, click **OK**. Skip to [Step 27](#).

Step 25 To edit an existing alert action, highlight the alert action and click **Edit**.

The Action Configuration window of the alert action that you chose displays.

Step 26 Update the configuration and click **OK**. Continue to [Step 27](#).

Step 27 After you finish alert action configuration, click **Close**.

Step 28 For alerts that do not allow trace download, click **Activate** in the Alert Properties: Email Notification window.

For alerts, such as CriticalServiceDown and CodeYellow, that allow trace download, perform the following procedure:

- a. Click **Next**.
- b. In the Alert Properties: Trace Download window, check the Enable Trace Download check box.
- c. The SFTP Parameters Dialog window displays. Enter the IP address, a user name, password, port and download directory path where the trace will be saved. To ensure that you have connectivity with the SFTP server, click **Test Connection**. If the connection test fails, your settings will not get saved.
- d. To save your configuration, click **OK**.
- e. In the Trace Download Parameters window, enter the number and frequency of downloads. Setting the number and frequency of download will help you to limit the number of trace files that will be downloaded. The setting for polling provides the basis for the default setting for the frequency.



Caution Enabling Trace Download may affect services on the server. Configuring a high number of downloads will adversely impact the quality of services on the server.



Note To delete an alert action, highlight the action, click **Delete**, and click **Close**.

Additional Information

See the [“Related Topics”](#) section on page 7-6.

Suspending Alerts on Cisco Unified Communications Manager Nodes or the Cluster

You may want to temporarily suspend some or all alerts, either on a particular Cisco Unified Communications Manager node or the entire cluster. For example, if you are upgrading the Cisco Unified Communications Manager to a newer release, you would probably want to suspend all alerts until the upgrade completes, so you do not receive e-mails and/or e-pages during the upgrade. The following procedure describes how to suspend alerts in Alert Central.

Procedure

Step 1 Choose **System > Tools > Alert > Suspend cluster/node Alerts**.



Note Per server suspend states do not apply to Cisco Unified Communications Manager clusterwide alerts.

Step 2 To suspend all alerts in the cluster, choose the Cluster Wide radio button and check the suspend all alerts check box.

Step 3 To suspend alerts per server, choose the Per Server radio button and check the Suspend check box of each server on which you want alerts to be suspended.

Step 4 Click **OK**.



Note To resume alerts, choose **Alert > Suspend cluster/node Alerts** again and uncheck the suspend check boxes.

Additional Information

See the [“Related Topics” section on page 7-6](#).

Configuring E-mails for Alert Notification

Perform the following procedure to configure e-mail information for alert notification.

Procedure

Step 1 Choose **System > Tools > Alert > Config Email Server**.

The Mail Server Configuration window displays.

Step 2 In the Mail Server field, enter the e-mail recipient information.

Step 3 In the Port field, enter the port number of the mail server.

Step 4 Click **OK**.

Additional Information

See the [“Related Topics”](#) section on page 7-6.

Configuring Alert Actions

The following procedure describes how to configure new alert actions.

Procedure

-
- Step 1** Display Alert Central, as described in the [“Working with Alerts”](#) section on page 7-1.
- Step 2** Choose **Alert > Config Alert Action**.
- Step 3** Perform [Step 17](#) through [Step 28](#) in the [“Setting Alert Properties”](#) section on page 7-2 to add, edit, or delete alert actions.
-

Additional Information

See the [“Related Topics”](#) section on page 7-6.

Related Topics

- [Working with Alerts](#), page 7-1
- [Setting Alert Properties](#), page 7-2
- [Suspending Alerts on Cisco Unified Communications Manager Nodes or the Cluster](#), page 7-5
- [Configuring E-mails for Alert Notification](#), page 7-5
- [Configuring Alert Actions](#), page 7-6
- [Configuring Alert Notification for a Counter](#), page 5-3
- [Alerts](#), page 6-1