



CISCO CONFIDENTIAL



Cisco Unified Communications Manager SIP Line Messaging Guide (Standard)

For Cisco Unified Communications Manager Release 8.5(1)

These materials are made available by Cisco as a courtesy to provide certain Session Initiation Protocol (SIP) interoperability information. All information is provided "as is" and Cisco disclaims all express or implied warranties regarding these materials. Cisco is not liable for the accuracy or completeness of these materials.

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
<http://www.cisco.com>
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

Text Part Number: OL-22507-01

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Cisco and the Cisco Logo are trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and other countries. A listing of Cisco's trademarks can be found at www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1005R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

Cisco Unified Communications Manager SIP Line Messaging Guide (Standard), Release 8.5(1)
Copyright © 2010, Cisco Systems, Inc. All rights reserved.



CONTENTS

Preface v

Audience v

Organization v

Conventions v

Obtaining Documentation, Obtaining Support, and Security Guidelines vi

CHAPTER 1

SIP Standard Line Interface 1-1

Definitions/Glossary 1-1

New and Changed Information 1-2



Preface

This document describes the implementation of the Session Initiation Protocol (SIP) for line side devices in Cisco Unified CM.

The preface covers these topics:

- [Audience](#)
- [Organization](#)
- [Conventions](#)
- [Obtaining Documentation, Obtaining Support, and Security Guidelines](#)

Audience

This document provides information for developers, vendors, and customers who are developing applications or products that integrate with Cisco Unified CM using SIP messaging.

Organization

This document consists of the following chapter.

Chapter	Description
Chapter 1, "SIP Standard Line Interface"	Provides an overview of SIP line messages and standards compliance.

Conventions

This document uses the following conventions:

Convention	Description
boldface font	Commands and keywords are in boldface .
<i>italic</i> font	Arguments for which you supply values are in <i>italics</i> .
[]	Elements in square brackets are optional.

Convention	Description
{ x y z }	Alternative keywords are grouped in braces and separated by vertical bars.
[x y z]	Optional alternative keywords are grouped in brackets and separated by vertical bars.
string	A nonquoted set of characters. Do not use quotation marks around the string or the string will include the quotation marks.
screen font	Terminal sessions and information the system displays are in <code>screen font</code> .
boldface screen font	Information you must enter is in boldface screen font .
<i>italic screen font</i>	Arguments for which you supply values are in <i>italic screen font</i> .
→	This pointer highlights an important line of text in an example.
^	The symbol ^ represents the key labeled Control—for example, the key combination ^D in a screen display means hold down the Control key while you press the D key.
< >	Nonprinting characters, such as passwords are in angle brackets.

Notes use the following conventions:



Note

Means *reader take note*. Notes contain helpful suggestions or references to material not covered in the publication.



Caution

Means *reader be careful*. In this situation, you might do something that could result in equipment damage or loss of data.



Tip

Means *the following information might help you solve a problem*.

Obtaining Documentation, Obtaining Support, and Security Guidelines

For information on obtaining documentation, obtaining support, providing documentation feedback, security guidelines, and also recommended aliases and general Cisco documents, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>



CHAPTER 1

SIP Standard Line Interface

This chapter describes the external interface for Cisco Unified CM SIP line-side devices. It highlights SIP primitives that are supported on the line-side interface and describes call flow scenarios that can be used as a guide for technical support and future development.

This document describes the Cisco Unified CM SIP line interface from an external interface point of view. Chapter 2 provides call flow examples for the standard interface.

This chapter includes these sections:

- [Definitions/Glossary, page 1-1](#)
- [New and Changed Information, page 1-2](#)

Definitions/Glossary

Acronym/Word	Definition
AOR	Address of Record
BLF	Busy Lamp Field
Cseq	Call Sequence Number
CPN	Calling Party Normalization
CSS	Calling Search Space
CTI	Computer Telephony Integration
DND	Do Not Disturb
DNS	Domain Name Server
DTMF	Dual-Tone Multifrequency
FECC	Far-End Camera Control
FMTF	Format-Specific Parameters
FQDN	Fully Qualified Domain Name
KPML	Key Pad Markup Language
MLPP	Multilevel Precedence and Preemption
MTP	Media Termination Point
MWI	Message Waiting Indication

Acronym/Word	Definition
OOB	Out Of Band
OOD	Out of Dialog
PRACK	Provisional Response ACKnowledgment
RDNIS	Redirected Dialed Number Information Service
RPID	Remote Party ID
RTT	Retransmission Time
SDP	Session Description Protocol
SIP	Session Initiated Protocol
SIS	SIP line Interface Specification
TLS	Transport Layer Security
UAC	User Agent Client
UAS	User Agent Server
URI	Uniform Resource Identifier
URN	Uniform Resource Name
VM	Voice Mail

New and Changed Information

The release 8.5(1) does not provide any new or changed SIP line interface enhancements.



Note

This section describes the new features and callflows added to Unified CM 8.5(1). Since no new SIP Line (Std) feature is released with Cisco Unified CM 8.5(1); it is recommended that you view the complete list of existing SIP basic call flows from *SIP Line Messaging Guide (Standard) for Release 8.0(1)* from:

http://www.cisco.com/en/US/products/sw/voicesw/ps556/products_programming_reference_guides_list.html