



New, Modified, Replaced, and Removed Commands for Cisco Unified CME 4.0 and Later

Revised: February 27, 2009

First Published: October 22, 2009

New, modified, replaced, and removed commands for Cisco Unified Communications Manager Express 4.0 (Cisco Unified CME) and later versions are grouped by Cisco IOS release and type, and ordered alphabetically within each group. Use the table of contents to go to a group of commands, or use your web browser's Find function to search for a command. To access the documentation for a command, click the highlighted page number following the command name.

12.4(4)XC

New Commands

auth-mode 63
 auto-reg-ephone 78
 bulk-speed-dial list 91
 bulk-speed-dial prefix 94
 call-forward night-service 174
 call-forward system (voice register) command 155
 call-forward system command 153
 call-park system 184
 capf-auth-str 190
 capf-server 192
 cert-enroll-trustpoint 193
 cert-oper (CAPF-server) 195
 clear telephony-service
 ephone-attempted-registrations 202
 clear telephony-service xml-event-log 203
 cnf-file 205
 cnf-file location 207
 codec (ephone) 209
 codec (telephony-service) 212
 ctl-client 245
 ctl-service admin 246
 description (ephone-hunt) 256
 device-security-mode 264
 dialplan-pattern (voice register) 271
 display-logout 279
 ephone-dn-template 391
 ephone-dn-template (ephone-dn) 393
 ephone-hunt login 398
 ephone-hunt statistics write-all 400
 fac 418
 features blocked 429
 forward local-calls 439
 from-ring 442
 headset auto-answer line 450
 hunt-group logout 458
 keygen-retry 507
 keypad-normalize 508
 load-cfg-file 530
 mailbox-selection (ephone-dn) 561
 maximum bit-rate (telephony-video) 574
 max-timeout command 581
 mtp 601
 multicast-moh 605
 mwi-line 623
 mwi prefix 611
 mwi qsig 613
 network-locale (ephone-template) 635
 param co-did-max 700
 param co-did-min 702
 param did-prefix 706
 param secondary-prefix 737
 param send-account true 741
 param store-did-max 745
 param store-did-min 747
 phone-key-size 776
 port (CAPF-server) 792
 present-call 813
 regenerate 837
 ring (ephone-dn) 858
 sast1 trustpoint 862
 sast2 trustpoint 863
 secondary start 870
 secure-signaling trustpoint 873
 server (CTL-client) 877
 server-security-mode 881
 service directed-pickup 884
 show capf-server 914
 show ctl-client 920
 show ephone attempted-registrations 926
 softkeys hold 1080

source-addr 1097
 srst dn line-mode 1107
 srst dn template 1109
 srst ephone template 1111
 srst mode auto-provision 1112
 tftp-server-credentials trustpoint 1129
 transfer max-length 1151
 transfer-park blocked 1156
 transfer-pattern blocked command 1160
 trustpoint-label 1177
 user-locale (ephone-template) 1208
 video (ephone) 1226
 video (telephony-service) 1228
 xml user 1288

Modified Commands

after-hour exempt 36
 auto assign 65
 auto-line 76
 auto logout 70
 button 100
 caller-id block (ephone-dn and ephone-dn-template) 146
 call-forward all 157
 call-forward busy 169
 call-forward max-length 172
 call-forward noan 176
 call-waiting beep 186
 call-waiting ring 188
 create cnf-files 232
 credentials 235
 description (ephone-dn and ephone-dn-template) 254
 ephone-hunt 395
 ephone-template 402
 ephone-template (ephone) 405
 fastdial 423
 hold-alert 452
 hops 455
 hunt-group report url 464
 huntstop (ephone-dn and ephone-dn-template) 469
 ip source-address (credentials) 493
 ip source-address (telephony-service) 495
 keepalive (ephone and ephone-template) 498
 keep-conference 502
 list (ephone-hunt) 516
 load (telephony-service) 523
 log password 535
 mwi (ephone-dn and ephone-dn-template) 607
 mwi sip 618
 mwi sip-server 620
 network-locale (telephony service) 637
 night-service bell 645
 paging-dn 689
 park-slot 759
 pickup-group 782
 show credentials 916
 show ephone 921
 softkeys connected 1076
 softkeys idle 1082
 softkeys seized 1093
 speed-dial 1100
 timeout (ephone-hunt) 1132
 transfer-system 1162
 translate (ephone-dn) 1165
 translation-profile 1169
 trunk 1172
 trustpoint (credentials) 1175
 type 1178
 user-locale (telephony-service) 1210

Obsolete Commands

xmlschema 1290
 xmltest 1291

xmlthread 1292

12.4(4)XC4

New Commands

button-layout 108
 extension-assigner tag-type 412
 mwi-type 626
 param ea-password 712
 provision-tag 831
 service dss 896

Modified Commands

auto assign 65
 load (telephony-service) 523
 show ephone 921
 type 1178

12.4(6)XE

New Commands

button-layout 108
 mwi-type 626
 service dss 896

Modified Commands

auto assign 65
 load (telephony-service) 523
 show ephone 921
 type 1178

12.4(11)XJ

New Commands

allow watch command 50
 call-feature-uri 151
 dialplan 266
 digit collect kpml 274
 extension-assigner tag-type 412
 fastdial (voice register pool) 425
 filename 434
 max-subscription 580
 param ea-password 712
 pattern (voice register dialplan) 764
 presence 808
 presence call-list 810
 presence enable 812
 provision-tag 831
 refer-ood enable 836
 restart (voice register) 856
 server (presence) 879
 session-transport 910
 show presence global 984
 show presence subscription 986

softkeys seized (voice register template) 1095
translation-profile incoming 1171

type (voice register dialplan) 1184

Modified Commands

authenticate (voice register global) 59
call-forward b2bua all 159
call-forward b2bua busy 161
call-forward b2bua mailbox 163
call-forward b2bua noan 165

load (voice register global) 527
number (voice register pool) 676
type (voice register pool) 1186
voice register template 1271

Removed Commands

caller-id block (voice register template) 148

call-forward b2bua unreachable 167

12.4(11)XJ2

New Commands

clear telephony-service conference hardware number 201
conference (ephone-dn) 215
conference add-mode 218
conference admin 220

conference drop-mode 222
conference hardware 224
sdspfarm conference mute-on mute-off command 864

Modified Commands

auto assign 65
button 100
load (telephony-service) 523
login (telephony-service) 539
show ephone 921
show telephony-service ephone-template 1013

softkeys connected 1076
softkeys hold 1080
softkeys idle 1082
softkeys seized 1093
type 1178

12.4(11)XW

New Commands

logout-profile 542
reset (voice logout-profile and voice user-profile) 847
session-server 908
softkeys ringing 1091

speed-dial (voice rlogout-profile and voice user-profile) 1103
url services 1202
user (voice logout-profile) 1204
user (voice user-profile) 1206

voice logout-profile 1243

voice user-profile 1273

Modified Commands

device-security-mode 264

12.4(11)XW2**New Commands**

keepalive (voice register session-server) 501

register-id 838

pin (voice logout-profile and voice user-profile) 790

voice register session-server 1269

refer target dial-peer 834

12.4(11)XW3**Modified Commands**

auto assign 65

show ephone 921

load (telephony-service) 523

12.4(11)XW5**New Commands**

11xw5a timeouts night-service-bell 1138

12.4(15)XY**New Commands**

address (voice emergency response location) 34

logout-profile 542

after-hours override-code 46

name (voice emergency response location) 632

after-hours pstn-prefix 48

pin (voice logout-profile and voice user-profile) 790

callback (voice emergency response settings) 142

refer target dial-peer 834

elin (voice emergency response settings) 372

register-id 838

expiry 410

reset (voice logout-profile and voice user-profile) 847

keepalive (voice register session-server) 501

session-server 908

location (voice emergency response zone) 533

show voice emergency 1022

logging (voice emergency response settings) 537

show voice emergency addresses 1023

show voice emergency all 1025
 show voice emergency zone 1028
 softkeys ringing 1091
 speed-dial (voice rlogout-profile and voice user-profile) 1103
 standby username password 1114
 url service 1202

user (voice logout-profile) 1204
 user (voice user-profile) 1206
 voice emergency response settings 1236
 voice emergency response zone 1238
 voice logout-profile 1243
 voice register session-server 1269
 voice user-profile 1273

Modified Commands

after-hours block pattern 40
 after-hours date 42
 after-hours day 44
 device-security-mode 264
 emergency response callback 379
 emergency response location 381
 emergency response zone 383

show telephony-service ephone-template 1013
 show voice emergency callers 1027
 show voice register pool 1055
 show voice register template 1063
 subnet 1118
 voice emergency response location 1234

12.4(15)XZ

New Commands

addon 33
 authentication credential 61
 busy-trigger-per-button 96
 device-id 259
 device-name 261
 device-type 262
 em keep-history 385
 em logout 386
 ephone-type 408
 keepalive (voice register session-server) 501
 live-record 521
 logout-profile 542
 max-calls-per-button 562
 max-idle-time 572
 max-presentation 577
 missed-calls all 582
 num-buttons 678
 outbound-proxy system 682

phoneload 777
 phone-ui speeddial-fastdial 779
 pin (voice logout-profile and voice user-profile) 790
 privacy (ephone) 815
 privacy (telephony-service) 817
 privacy-button 823
 privacy-on-hold 827
 refer target dial-peer 834
 register-id 838
 reset (voice logout-profile and voice user-profile) 847
 security 874
 session-server 908
 softkeys remote-in-use 1086
 softkeys ringing 1091
 speed-dial (voice rlogout-profile and voice user-profile) 1103
 timeouts transfer-recall 1140
 transfer-digit-collect 1149

url authentication 1193
 url services 1202
 user (voice logout-profile) 1204
 user (voice user-profile) 1206

Modified Commands

codec (ephone) 209
 codec (telephony-service) 212
 codec (voice register pool) 213
 device-security-mode 264
 ephone-dn 389,427
 ephone-template (ephone) 405
 fac 418
 huntstop (ephone-dn and ephone-dn-template) 469
 list (voice hunt-group) 519
 load (telephony-service) 523

utf8 1219
 voice logout-profile 1243
 voice register session-server 1269
 voice user-profile 1273

load (voice register global) 527
 max-ephones 570
 service phone 899
 softkeys connected 1076
 srst dn line-mode 1107
 type 1178
 type (voice register dialplan) 1184
 type (voice register pool) 1186
 voice hunt-group 1240

12.4(15)T

New Commands

type 1178

12.4(15)T1

Modified Commands

elin 370
 emergency response callback 379
 emergency response location 381
 emergency response zone 383

show voice emergency callers 1027
 subnet 1118
 voice emergency response location 1234

12.4(20)YA

New Commands

reset tapi 850

12.4(22)YB

New Commands

debug ephone whisper-intercom	355	show shared-line	996
create cnf-files (voice-gateway)	233	snr	1071
debug ephone mlpp	329	softkeys remote-in-use (voice register template)	1087
debug shared-line	361	softkeys ringin (voice register template)	1089
ip qos dscp (telephony-service and voice register global)	490	type (voice-gateway)	1183
mac-address (voice-gateway)	558	voice-gateway system	1239
mobility (ephone-dn)	591	voice-port (voice-gateway)	1260
network-locale (voice-gateway)	643	whisper-intercom	1285
park reservation-group	757	bnea	86
pickup-call any-group	780	bpa	87
privacy (voice register global)	819	mlpp indication	583
privacy (voice register pool)	821	mlpp max-precedence	585
privacy-button (voice register pool)	825	mlpp preemption	587
privacy-on-hold (voice register global)	828	preemption reserve timer	793
reset (voice-gateway)	846	preemption tone timer (voice MLPP)	794
restart (voice-gateway)	855	preemption trunkgroup	796
shared-line	912	preemption user	797
show ephone-dn whisper	950	voice mlpp	1258
		24YFa clear cti session	198

Modified Commands

busy-trigger-per-button (voice register pool)	98	park-slot	759
call-feature-uri	151	pickup-group	782
call-park system	184	service directed-pickup	884
fac	418	show presence subscription	986
huntstop (voice register dn)	473	softkeys connected	1076
max-dn (voice register global)	568	softkeys idle	1082
max-pool (voice register pool)	575		

12.4(24)T

New Commands

access-digit	32	attendant-console	58
--------------	----	-------------------	----

12.4(24)T1

Modified Commands

max-redirect 579

15.0(1)XA

New Commands

accept 30
 after-hour login http 38
 clear voice lpcor statistics 199,204
 clear voice moh-group statistics 200
 cti-aware 244
 cti csta mode basic 197,237
 cti message device-id suppress-conversion 238
 cti notify 239
 cti shutdown 241
 cti watch 242
 debug cti 302
 debug ephone lpcor 326
 description (voice moh-group) 257
 emadmin login 376
 emadmin logout 378
 em external 374
 extension-range 414
 feature-button 427
 ica 478
 index (lpcor ip-phone) 481
 index (lpcor ip-trunk) 483
 internal-call 488
 loc2 531
 lpcor outgoing 550
 lpcor type 553
 lpor incoming 548
 mlpp service-domain 589
 moh-file-buffer 598
 moh-group (ephone-dn) 600
 protocol-mode (telephony-service) 829
 show cti 918
 show voice moh-group 1032
 show voice moh-group statistics 1034
 voice moh-group 1259

Modified Commands

fac 418
 multicast moh 603
 show ephone summary 945
 url (telephony-service) 1195

