



Command List by Config Mode

Revised: February 27, 2009
First Published: October 22, 2009

param voice-mail 745
param welcome-prompt 747

A

application-parameter configuration

param aa-hunt 688
param aa-pilot 690
param call-retry-timer 693
param co-did-max 696
param co-did-min 698
param dial-by-extension-option 700
param did-prefix 702
param drop-through-option 704
param drop-through-prompt 706
param ea-password 708
param hand-off string 710
param max-extnsion-length 712
param max-time-call-retry 714
param max-time-vm-retry 717
param menu-timeout 719
param number-of-hunt-grps 721
param queue-exit-extension 723
param queue-exit-option 725
param queue-len 729
param queue-manager-debug 731
param queue-overflow-extension 727
param secondary-prefix 733
param second-greeting-time 735
param send-account true 737
param service-name 739
param store-did-max 741
param store-did-min 743

C

CAPF-server configuration

auth-mode 59
cert-enroll-trustpoint 189
cert-oper 191
keygen-retry 503
phone-key-size 772
port 788
source-addr 1093
trustpoint-label 1173

credentials configuration

ctl-service admin 242
ip source-address 489
trustpoint 1171

CTL-client configuration

regenerate 833
sast1 trustpoint 858
sast2 trustpoint 859
server 873

D

dial peer configuration

lpcor outgoing 546

dial-peer configuration

b2bua 78
emergency response callback 375
emergency response location 377
emergency response zone 379

mailbox-selection 555
 paramspace callsetup after-hours-exempt 751

E

ephone configuration

after-hour exempt 32, 34
 auto-line 72
 blf-speed-dial 80
 bulk-speed-dial-list 87
 busy-trigger-per-button 92
 button 97
 capf-auth-str 186
 codec 205
 conference add-mode 214
 conference admin 216
 conference drop-mode 218
 description 249
 device-security-mode 260
 dnd feature-ring 277
 emergency response location 377
 ephone-template 401
 fastdial 419
 feature-button 423
 headset auto-answer line 446
 keepalive 494
 keep-conference 498
 keypad-normalize 504
 keyphone 505
 logout-profile 538
 lpcor incoming 544
 lpcor outgoing 546
 lpcor type 549
 mac-address 552
 max-calls-per-button 558
 missed-calls 578
 mtp 597
 multicast-moh 601
 mwi-line 619

night-service bell 641
 nte-end-digit-delay 660
 paging-dn 685
 park reservation-group 753
 phone-ui speeddial-fastdial 775
 pin 784
 presence call-list 806
 privacy (ephone) 811
 privacy-button 819
 provision-tag 827
 reset 837
 reset tapi 846
 restart 847
 speed-dial 1096
 transfer-park blocked 1152
 transfer-pattern blocked 1156
 type 1176
 username 1212
 video 1222
 vm-device-id 1225

ephone template configuration

lpcor incoming 544
 lpcor outgoing 546
 snr calling-number local 1069

ephone-dn configuration

allow watch 46
 caller-id 140
 caller-id block 142
 call-forward all 153
 call-forward busy 165
 call-forward max-length 168
 call-forward night-service 170
 call-forward noan 172
 call-waiting beep 182
 call-waiting ring 184
 conference 211
 cor 222
 corlist 226
 cti notify 235

- cti watch 238
 - description 250
 - ehone-dn-template 389
 - ephone-hunt login 394
 - feed 427
 - forward local-calls 435
 - hold-alert 448
 - huntstop 465
 - intercom 481
 - label 508
 - loopback-dn 541
 - mailbox-selection 557
 - mobility 587
 - moh 589
 - moh-group 596
 - mwi 603
 - mwi qsig 609
 - mwi sip 614
 - mwi-type 622
 - name 626
 - night-service bell 643
 - number 663
 - paging 680
 - paging group 683
 - park-slot 756
 - pickup-call any-group 776
 - pickup-group 778
 - preference 794
 - ring 854
 - session-server 904
 - snr 1067
 - timeouts transfer-recall 1136
 - transfer-mode 1150
 - translate 1161
 - translation-profile 1165
 - trunk 1168
 - whisper-intercom 1281
- ephone-dn-template configuration**
- allow watch 46
 - caller-id block 142
 - call-forward all 153
 - call-forward busy 165
 - call-forward max-length 168
 - call-forward night-service 170
 - call-forward noan 172
 - call-waiting beep 182
 - call-waiting ring 184
 - cti notify 235
 - cti watch 238
 - description 250
 - hold-alert 448
 - huntstop 465
 - mwi 603
 - mwi qsig 609
 - mwi sip 614
 - mwi-type 622
 - pickup-group 778
 - timeouts transfer-recall 1136
 - translate 1161
 - translation-profile 1165
- ephone-hunt configuration**
- auto logout 66
 - description 252
 - display-logout 275
 - final 432
 - forward local-calls 435
 - from-ring 438
 - fwd-final 440
 - hops 451
 - list 512
 - max-timeout 577
 - no-reg 657
 - pilot 780
 - preference 796
 - present-call 809
 - secondary start 866
 - statistics collect 1111
 - timeout 1128

ephone-template configuration

- after-hour exempt 32, 34
- after-hours block pattern 36
- after-hours date 38
- after-hours day 40
- after-hours override-code 42
- busy-trigger-per-button 92
- button-layout 104
- codec 205
- conference add-mode 214
- conference admin 216
- conference drop-mode 218
- emergency response location 377
- fastdial 419
- feature-button 423
- features blocked 425
- keepalive 494
- keep-conference 498
- keypad-normalize 504
- keyphone 505
- max-calls-per-button 558
- mlpp indication 579
- mlpp max-precedence 581
- mlpp preemption 583
- mlpp service-domain 585
- mtp 597
- multicast-moh 601
- network-locale 631
- night-service bell 641
- nte-end-digit-delay 660
- paging-dn 685
- park reservation-group 753
- privacy (ephone) 811
- privacy-button 819
- service phone 895
- softkeys alerting 1070
- softkeys connected 1072
- softkeys hold 1076
- softkeys idle 1078

- softkeys remote-in-use 1082
- softkeys ringing 1087
- softkeys seized 1089
- speed-dial 1096
- transfer max-length 1147
- transfer-park blocked 1152
- transfer-pattern blocked 1156
- type 1176
- url services 1198
- user-locale 1204

ephone-type configuration

- addon 29
- device-id 255
- device-name 257
- device-type 258
- max-presentation 573
- num-buttons 674
- phoneload 773
- security 870
- utf8 1215

G**global configuration**

- call application voice aa-hunt 108
- call application voice aa-name 110
- call application voice aa-pilot 112
- call application voice call-retry-timer 114
- call application voice dial-by-extension-option 116
- call application voice drop-through-prompt 119
- call application voice handoff-string 120
- call application voice max-extension-length 121
- call application voice max-time-call-retry 122
- call application voice max-time-vm-retry 124
- call application voice number-of-hunt-grps 125
- call application voice queue-len 127
- call application voice queue-manager-debugs 129
- call application voice second-greeting-time 131
- call application voice voice-mail 134

call application voice welcome-prompt 136
 capf-server 188
 credentials 231
 ctl-client 241
 ephone 383
 ephone-dn 385
 ephone-dn-template 387
 ephone-hunt 391
 ephone-template 398
 ephone-type 404
 integration 1226
 presence 804
 telephony-service 1118
 voice emergency response location 1230
 voice emergency response settings 1232
 voice emergency response zone 1234
 voice hunt-group 1236
 voice logout-profile 1239
 voice mlpp 1254
 voice moh-group 1255
 voice register dialplan 1257
 voice register dn 1259
 voice register global 1261
 voice register pool 1263
 voice register session-server 1265
 voice register template 1267
 voice user-profile 1269

group configuration

url 1191

L

lpcor ip-phone subnet configuration

index 477

lpcor IP-trunk subnet configuration

index 479

lpcor policy configuration

accept 26

P

presence configuration

max-subscription 576
 presence call-list 806
 server 875

S

SIP configuration

registrar server 835

SIP UA configuration

presence enable 808
 refer-ood enable 832
 standby username password 1110

T

telephony-service configuration

after-hour login http 34
 after-hours block pattern 36
 after-hours date 38
 after-hours day 40
 after-hours override-code 42
 after-hours pstn-prefix 44
 application 49
 authentication credential 57
 auto assign 62
 auto-reg-ephone 74
 bulk-speed-dial-list 87
 bulk-speed-dial-prefix 90
 caller-id block code 146
 call-forward 149
 call-forward pattern 175
 calling-number local 177
 call-park system 180
 cnf-file 201
 cnf-file location 203
 codec 208

- conference hardware 220
- create cnf-files 228
- date-format 246
- device-security-mode 260
- dialplan-pattern 264
- directory 271
- directory entry 273
- dn-webedit 280
- em external 370
- em keep-history 381
- em logout 382
- extension-assigner tag-type 408
- fac 415
- fxo hook-flash 442
- hunt-group logout 454
- hunt-group report delay hours 456
- hunt-group report every hours 458
- hunt-group report url 460
- internal-call 484
- ip qos dscp 487
- ip source-address 491
- keepalive 496
- live-record 517
- load 520
- load-cfg-file 526
- log password 531
- log table 532
- login 535
- max-conferences 560
- max-dn 562
- max-ephones 566
- max-redirect 575
- moh 592
- moh-file-buffer 594
- multicast moh 599
- mwi expires 606
- mwi prefix 607
- mwi reg-e164 611
- mwi relay 613
- mwi sip-server 616
- network-locale 634
- night-service code 645
- night-service date 647
- night-service day 649
- night-service everyday 651
- night-service weekday 653
- night-service weekend 655
- privacy 813
- privacy-on-hold 823
- protocol-mode 825
- reset 839
- restart 849
- sdspfarm 861
- sdspfarm conference mute-on mute-off 860
- sdspfarm transcode sessions 863
- sdspfarm units 864
- sdspfarm unregister force 865
- secondary-dialtone 868
- secure-signaling trustpoint 869
- server-security-mode 877
- service directed-pickup 880
- service dnis dir-lookup 882
- service dnis overlay 886
- service dss 892
- service local-directory 894
- service phone 895
- srst dn line-mode 1103
- srst dn template 1105
- srst ephone description 1106
- srst ephone template 1107
- srst mode auto-provision 1108
- standby username password 1110
- system message 1113
- tftp-server-credentials trustpoint 1125
- time-format 1126
- timeouts busy 1131
- timeouts interdigit 1132
- timeouts night-service-bell 1134

- timeouts ringing 1133
- timeouts transfer-recall 1136
- time-webedit 1138
- time-zone 1140
- transfer-digit-collect 1145
- transfer-pattern 1154
- transfer-system 1158
- url 1191
- url authentication 1189
- url idle 1197
- user-locale 1207
- video 1224
- voicemail 1271
- web admin custome 1276
- web admin system 1278
- web customize load 1280
- xml user 1284
- xmlschema 1286
- xmltest 1287
- xmlthread 1288

trunk group configuration

- lpcor incoming 544
- lpcor outgoing 546

V

video configuration

- maximum bit-rate 570

voice emergency response location configuration

- address 30
- elin 366
- name 628
- subnet 1114

voice emergency response settings configuration

- callback 138
- elin 368
- expiry 406
- logging 533

voice emergency response zone configuration

- location 529

voice hunt-group configuration

- default 248
- final 434
- hops 453
- list 515
- pilot 782
- preference 798
- timeout 1130

voice logout-profile configuration

- feature-button 423
- number 668
- pin 786
- privacy-button 819
- reset 843
- speed-dial 1099
- user 1200

voice MLPP configuration

- access-digit 28
- attendant-console 54
- bnea 82
- bpa 83
- ica 474
- loc2 527
- preemption reserve timer 789
- preemption tone timer 790
- preemption trunkgroup 792
- preemption user 793

voice moh-group configuration

- description 253
- extension-range 410

voice port configuration

- lpcor incoming 544
- lpcor outgoing 546

voice register dialplan configuration

- filename 430
- pattern 760
- type 1180

voice register dn configuration

- allow watch 46
- auto-answer 70
- call-forward b2bua all 155
- call-forward b2bua busy 157
- call-forward b2bua mailbox 159
- call-forward b2bua noan 161
- call-forward b2bua unreachable 163
- huntstop 469
- label 510
- mwi 605
- name 630
- no-reg 659
- number 666
- pickup-call any-group 776
- pickup-group 778
- preference 800
- refer target dial-peer 830
- session-server 904
- shared-line 908
- translation-profile incoming 1167

voice register global configuration

- application 50
- authenticate 55
- bulk 85
- call-feature-uri 147
- call-forward 151
- create profile 230
- date-format 247
- dialplan-pattern 267
- dst 281
- dst auto-adjust 283
- external-ring 412
- forwarding local 437
- hold-alert 450
- ip qos dscp 487
- logo 537
- max-dn 564
- max-pool 571
- mode 588

- mwi reg-e164 612
- mwi stutter 618
- ntp-server 662
- outbound-proxy system 678
- phone-redirect-limit 774
- privacy 815
- privacy-on-hold 824
- reset 844
- restart 852
- source-address 1094
- tftp-path 1124
- time-format 1127
- timezone 1142
- upgrade 1187
- url 1195
- voicemail 1272

voice register pool configuration

- application 52
- blf-speed-dial 80
- busy-trigger-per-button 94
- call-forward b2bua all 155
- call-forward b2bua busy 157
- call-forward b2bua mailbox 159
- call-forward b2bua noan 161
- call-forward b2bua unreachable 163
- call-waiting 181
- codec 209
- cor 223
- description 254
- dialplan 262
- digit collect kpml 270
- dnd 276
- dtmf-relay 284
- emergency response location 377
- fastdial 421
- id 475
- keep-conference 501
- lpcor incoming 544
- lpcor outgoing 546

- number 672
- park reservation-group 753
- preference 802
- presence call-list 806
- privacy initial-state 817
- privacy-button 821
- reset 845
- restart 852
- session-server 904
- session-transport 906
- speed-dial 1101
- template 1122
- translate-outgoing 1163
- type 1182
- username 1214
- vad 1218
- voice-class codec 1228
- voice register session-server configuration**
 - keepalive 497
 - register-id 834
- voice register template configuration**
 - anonymous block 48
 - caller-id block 144
 - conference 213
 - dialplan 262
 - digit collect kpml 270
 - dnd-control 279
 - emergency response location 377
 - lpcor incoming 544
 - lpcor outgoing 546
 - park reservation-group 753
 - privacy initial-state 817
 - privacy-button 821
 - semi-attended enable 871
 - session-transport 906
 - softkeys connected 1074
 - softkeys idle 1080
 - softkeys remote-in-use 1083
 - softkeys ringing 1085
 - softkeys seized 1091
 - transfer-attended 1148
 - transfer-blind 1149
 - vad 1219
 - voicemail 1273
- voice service configuration**
 - lpcor incoming 544
- voice session-server configuration**
 - cti-aware 240
- voice user-profile configuration**
 - feature-button 423
 - max-idle-time 568
 - number 668
 - pin 786
 - privacy-button 819
 - reset 843
 - speed-dial 1099
 - user 1202
- voice-gateway system configuration**
 - create cnf-files 229
 - mac-address 554
 - network-locale 639
 - reset 842
 - restart 851
 - type 1179
 - voice-port 1256
- voice-mail integration configuration**
 - pattern direct 762
 - pattern ext-to-ext busy 764
 - pattern ext-to-ext no-answer 766
 - pattern trunk-to-ext busy 768
 - pattern trunk-to-ext no-answer 770
- voice-moh-group configuration**
 - multicast moh 599
- voice-port configuration**
 - mlpp indication 579
 - mlpp max-precedence 581
 - mlpp preemption 583
 - mlpp service-domain 585
- voice-service configuration**

cti csta mode basic 193, 233

cti message device-id suppress-conversion 234

cti shutdown 237