



Incoming ACL

In the Access Control List (ACL), you can configure patterns that control which hosts and domains can access Cisco Unified Presence.

Finding Incoming ACL Entries

Because you might have several ACL entries in your network, Cisco Unified Presence lets you locate specific incoming ACL entries on the basis of specific criteria. Use the following procedure to locate ACL entries.



Note

During your work in a browser session, the cookies on the client machine store your find/list search preferences. If you navigate to other menu items and return to this menu item, or if you close the browser and then open a new browser window, the system retains your Cisco Unified Presence search preferences until you modify your search.

Procedure

Step 1 Choose Cisco Unified Presence > **Proxy Server** > **Incoming ACL**.

The Find and List Allowed Incoming Hosts window displays. Records from an active (prior) query may also display in the window.

Step 2 To find all records in the database, ensure the dialog box is empty; go to [Step 3](#).

To filter or search records

- From the drop-down list box, choose a search pattern.
- Specify the appropriate search text, if applicable.



Note

To add additional search criteria, click the + button. When you add criteria, the system searches for a record that matches all criteria that you specify. To remove criteria, click the – button to remove the last added criterion or click the **Clear Filter** button to remove all added search criteria.

Step 3 Click **Find**.

All matching records display. You can change the number of items that display on each window by choosing a different value from the Rows per Page drop-down list box.



Note You can delete multiple records from the database by checking the check boxes next to the appropriate record and clicking **Delete Selected**. You can delete all configurable records for this selection by clicking **Select All** and then clicking **Delete Selected**.

Step 4 From the list of records that display, click the link for the record that you want to view.



Note To reverse the sort order, click the up or down arrow, if available, in the list header.

The window displays the item that you choose.

Additional Information

See the “[Related Topics](#)” section on page 14-3.

Configuring Incoming ACL

This section describes how to add or update incoming ACL information in the Cisco Unified Presence database.

Procedure

Step 1 Perform one of the following tasks:

- To add an incoming ACL entry, choose Cisco Unified Presence > **Proxy Server**>**Incoming ACL** and click **Add New**.
- To update an incoming ACL entry, find the ACL entry by using the procedure in the “[Finding Incoming ACL Entries](#)” section on page 14-1.

The Proxy Access Control List Configuration window displays.

Step 2 Enter the appropriate settings as described in [Table 14-1](#).

Step 3 To save the data, click the **Save** icon that displays in the tool bar in the upper, left corner of the window (or click the **Save button** that displays at the bottom of the window).

Additional Information

See the “[Related Topics](#)” section on page 14-3.

Incoming ACL Configuration Settings

[Table 14-1](#) describes the incoming ACL configuration settings. For related procedures, see the “[Related Topics](#)” section on page 14-3.

Table 14-1 Incoming ACL Configuration Settings

Field	Description
Description	This parameter specifies a general description of the ACL entry.
Address Pattern	This parameter specifies the address or pattern of the incoming host or domain as either an IP address or a fully qualified domain name.

Deleting an Incoming ACL Entry

This section describes how to delete an incoming ACL entry.

Procedure

-
- Step 1** Find the ACL entry by using the procedure in the [“Finding Incoming ACL Entries”](#) section on page 14-1.
 - Step 2** From list of matching records, choose the ACL entry that you want to delete.
 - Step 3** To delete the ACL entry, click the **Delete Selected Item** icon that displays in the tool bar in the upper, left corner of the window (or click the **Delete Selected** button that displays at the bottom of the window).
If the ACL entry is not in use, Cisco Unified Presence deletes it. If it is in use, a message displays.
-

Additional Information

See the [“Related Topics”](#) section on page 14-3.

Related Topics

- [Finding Incoming ACL Entries](#), page 14-1
- [Configuring Incoming ACL](#), page 14-2
- [Deleting an Incoming ACL Entry](#), page 14-3

