



Hardware and Software Compatibility Information for Cisco Unified Presence Release 6.0

Revised: October 22, 2009

This document describes the version and compatibility requirements for installing and upgrading Cisco Unified Presence. The document also provides information about the hardware platforms and IP phone models that are compatible with Cisco Unified Presence Release 1.0(1) up to and including Cisco Unified Presence Release 6.0(6).

Before you install Cisco Unified Presence, Cisco recommends that you review the [“Cisco Unified Presence Software Compatibility”](#) section on page 5 for information about issues that may affect your system.

Contents

- [Codes Used in the Tables in This Document](#), page 2
- [Cisco Unified Presence Hardware Compatibility](#), page 3
- [Cisco Unified Presence Software Compatibility](#), page 5
- [Compatibility with Cisco IP Phones and Third-Party IP Phones](#), page 7
- [Related Documentation](#), page 8



Codes Used in the Tables in This Document

Table 1 defines the codes that are used in the compatibility tables in this document:

Table 1 **Key to Compatibility Codes**

Compatibility Key	Description
Y or Yes	Compatibility tested
Yes *	Compatibility tested with SCCP-based Cisco IP Phones; not yet supported with SIP-based Cisco IP Phones.
Not Supported	Known incompatibilities; do not upgrade.
New Install or Upgrade	The platform model is compatible with a new installation or upgrade of Cisco Unified Presence.
Future Release	The Cisco IP Phone model will be available in a future release.
Server EOS	The platform model is at End-of-Sale, and you can no longer order the server.

Cisco Unified Presence Hardware Compatibility

Table 2 shows the servers that Cisco Unified Presence supports from Release 1.0(2) through Release 6.0(6).

Table 2 Cisco Unified Presence Server Support

MCS Platform Model	Cisco Unified Presence Software Releases							
	1.0(2)	1.0(3)	6.0(1)	6.0(2)	6.0(3)	6.0(4)	6.0(5)	6.0(6)
7816 Servers								
MCS-7816-H3	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
MCS-7816-I3	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
7825 Servers								
MCS-7825-H1-IPC1	New Install	New Install or Upgrade	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)
MCS-7825-I1-IPC1	New Install	New Install or Upgrade	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)
MCS-7825-H2-IPC1	New Install	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)
MCS-7825-I2-IPC1	New Install	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)
MCS-7825-H2-IPC2	Not Supported	Not Supported	New Install or Upgrade	New Install or Upgrade	New Install or Upgrade	New Install or Upgrade	New Install or Upgrade	New Install or Upgrade
MCS-7825-I2-IPC2	Not Supported	Not Supported	New Install or Upgrade	New Install or Upgrade	New Install or Upgrade	New Install or Upgrade	New Install or Upgrade	New Install or Upgrade
MCS-7825-H3-IPC1	Not Supported	Not Supported	New Install	New Install	New Install	New Install	New Install	New Install
MCS-7825-I3-IPC1	Not Supported	Not Supported	New Install	New Install	New Install	New Install	New Install	New Install
7835 Servers								
MCS-7835-H1-IPC1	New Install	New Install or Upgrade	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)

MCS-7835-I1-IPC1	New Install	New Install or Upgrade	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)
MCS-7835-H2-IPC1	Not Supported	Not Supported	New Install	New Install	New Install	New Install	New Install	New Install
MCS-7835-I2-IPC1	Not Supported	Not Supported	New Install	New Install	New Install	New Install	New Install	New Install
MCS-7835-H2-IPC2	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
MCS-7835-I2-IPC2	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
7845 Servers								
MCS-7845-H1-IPC1	New Install	New Install or Upgrade	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)
MCS-7845-I1-IPC1	New Install	New Install or Upgrade	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)	New Install or Upgrade (Server EOS)
MCS-7845-H2-IPC1	Not Supported	Not Supported	New Install	New Install	New Install	New Install	New Install	New Install
MCS-7845-I2-IPC1	Not Supported	Not Supported	New Install	New Install	New Install	New Install	New Install	New Install
MCS-7845-H2-IPC2	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported
MCS-7845-I2-IPC2	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported	Not Supported

Cisco Unified Presence Software Compatibility

Table 3 informs you which Cisco Unified Presence releases are compatible with versions of:

- Cisco Unified Communications Manager
- Cisco Unified Personal Communicator
- Third-party software products, including Microsoft and IBM

Table 3 Supported Cisco Unified Presence Upgrades for Release 1.0(1) through Release 6.0(6)

		Cisco Unified Presence System Release									
		5.0	5.1	6.0	6.0	6.0	6.0	6.0	6.0	6.0	
		Cisco Unified Presence Software Releases									
		1.0(1)	1.0(2)	1.0(3)	6.0(1)	6.0(2)	6.0(3)	6.0(4)	6.0(5)	6.0(6)	
Cisco Unified Communications Manager	4.x	No	No	No	No	No	No	No	No	No	
	5.0(4)	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	5.1(3)	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	6.0(1)	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	
	6.1 (1)	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	
	6.1 (2)	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	
	6.1(3)	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	
	6.1(4)	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	
	7.0(1)	No	No	No	No	No	No	No	No	No	
	7.0(2)	No	No	No	No	No	No	No	No	No	
7.1(2)	No	No	No	No	No	No	No	No	No		
Cisco Unified Personal Communicator	1.0	Yes	No	No	No	No	No	No	No	No	
	1.1(1)	No	Yes	No	No	No	No	No	No	No	
	1.1(2)	No	Yes	Yes	No	No	No	No	No	No	
	1.1(3)	No	No	Yes	No	No	No	No	No	No	
	1.2	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	7.0(1)	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	
Microsoft Call Control	LCS 2005	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	OCS 2007	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes	

Table 3 Supported Cisco Unified Presence Upgrades for Release 1.0(1) through Release 6.0(6) (continued)

Microsoft IMP Federation	LCS 2005	No	No	No	No	No	No	No	No	No
	OCS 2007	No	No	No	No	No	No	No	No	No
IBM SameTime - Click-to-Call and Click-to-Conference	ST Server 7.5	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
	ST Server 8.0	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes

Compatibility with Cisco IP Phones and Third-Party IP Phones

Table 4 displays support for Cisco IP Phone models with Cisco Unified Presence Release 6.x.

Table 4 *Cisco Unified Presence IP Phone Messenger Support*

Cisco IP Phone Model	IP Phone Messenger Support	
	SCCP	SIP
7905	Yes	No*
7906	Yes	Yes
7911	Yes	Yes
7912	Yes	No*
7931	Yes	Yes
7940	Yes	No*
7941	Yes	Yes
7960	Yes	No*
7961	Yes	Yes
7970	Yes	Yes
7971	Yes	Yes

* Support available on the SCCP-based Cisco Unified IP Phone models only.

Related Documentation

Cisco strongly recommends that you review the following documents for more details about Cisco Unified Presence installation and maintenance, and for related compatibility information.

- For the compatibility information relating to Cisco Unified Presence Release 7.x, refer to the *Compatibility Information for Cisco Unified Presence Release 7.x*, at the following URL:
http://www.cisco.com/en/US/products/ps6837/products_device_support_tables_list.html
- For Release 6.x Cisco Unified Presence requirements, refer to the *Release Notes for Cisco Unified Presence* at the following URL:
http://www.cisco.com/en/US/products/ps6837/prod_release_notes_list.html
- *Installing Cisco Unified Presence Release 6.0(1)*
This document describes procedures to follow when installing or upgrading Cisco Unified Presence.
- *Cisco Unified Communications Operating System Administration Guide for Cisco Unified Presence Release 6.0(1)*
This document provides information about software upgrades, and informs you how to access and use the utilities that are available through the operating system GUI and the command line interface.
- *Cisco Unified Presence Administration Guide Release 6.0(1)*
This document provides step-by-step instructions for configuring, maintaining, and administering Cisco Unified Presence.
- *Cisco Unified Presence Deployment Guide Release 6.0(1)*
This document provides an overview of the configuration process for Cisco Unified Presence and Cisco Unified Communications Manager, as well as information about integrating Cisco Unified Presence with Microsoft Live Communications Server, Microsoft Active Directory, and Microsoft Office Communicator.
- *Cisco Unified Serviceability Administration Guide for Cisco Unified Presence Release 6.0(1)*
This document provides descriptions of Cisco Unified Presence serviceability, as well as step-by-step instructions for configuring alarms, traces, and other reporting.
- *Disaster Recovery System Administration Guide for Cisco Unified Presence Release 6.0(1)*
This document describes how to configure the backup settings, back up Cisco Unified Presence data, and restore the data.
- For product compatibility information relating to a Cisco Unified Communications system release, refer to the *Cisco Unified Communications Tool* at the following URL:
<http://tools.cisco.com/ITDIT/vtgsca/VTGServlet>
- For a summary matrix of IP telephony components in a given Cisco Unified Communications system release, refer to the following URL:
http://www.cisco.com/en/US/docs/voice_ip_comm/uc_system/unified/communications/system/versions/IPTMtrix.html

CCDE, CCENT, CCSI, Cisco Eos, Cisco HealthPresence, Cisco IronPort, the Cisco logo, Cisco Nurse Connect, Cisco Pulse, Cisco SensorBase, Cisco StackPower, Cisco StadiumVision, Cisco TelePresence, Cisco Unified Computing System, Cisco WebEx, DCE, Flip Channels, Flip for Good, Flip Mino, Flipshare (Design), Flip Ultra, Flip Video, Flip Video (Design), Instant Broadband, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn, Cisco Capital, Cisco Capital (Design), Cisco:Financed (Stylized), Cisco Store, Flip Gift Card, and One Million Acts of Green are service marks; and Access Registrar, Aironet, AllTouch, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Lumin, Cisco Nexus, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, Continuum, EtherFast, EtherSwitch, Event Center, Explorer, Follow Me Browsing, GainMaker, iLYNX, IOS, iPhone, IronPort, the IronPort logo, Laser Link, LightStream, Linksys, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, PCNow, PIX, PowerKEY, PowerPanels, PowerTV, PowerTV (Design), PowerVu, Prisma, ProConnect, ROSA, SenderBase, SMARTnet, Spectrum Expert, StackWise, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0910R)

