



## **Hardware and System Software Specification for Cisco Unified Web and E-Mail Interaction Manager**

**For Unified Contact Center Express**

Release 4.2(5)  
October 2009

**Americas Headquarters**  
Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
<http://www.cisco.com>  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

CCDE, CCENT, CCSI, Cisco Eos, Cisco HealthPresence, Cisco IronPort, the Cisco logo, Cisco Lumin, Cisco Nexus, Cisco Nurse Connect, Cisco StackPower, Cisco StadiumVision, Cisco TelePresence, Cisco Unified Computing System, Cisco WebEx, DCE, Flip Channels, Flip for Good, Flip Mino, Flip Video, Flip Video (Design), Flipshare (Design), Flip Ultra, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn, Cisco Store, and Flip Gift Card are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0907R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

*Hardware and System Software Specification for Cisco Unified Web and E-Mail Interaction Manager: For Unified Contact Center Express*  
© 2009 Cisco Systems, Inc. All rights reserved.

# Contents

- About This Guide ..... 2
- Server Components ..... 2
  - Hardware for Server Components ..... 2
  - Software for Server Components ..... 3
    - File Server ..... 3
    - Application Servers ..... 3
    - Web Servers ..... 4
    - Services Server ..... 4
    - Database Server ..... 5
- User Desktops ..... 5
  - Bandwidth for User Desktops ..... 5
  - Hardware for User Desktops ..... 6
  - Software for User Desktops ..... 7
- Customer Desktops ..... 8
  - Hardware for Customer Desktops ..... 8
  - Software for Customer Desktops ..... 8
    - Supported Web Browsers ..... 8
    - Additional Requirements ..... 8

Welcome to Cisco® Interaction Manager™, multichannel interaction software used by businesses all over the world to build and sustain customer relationships. A unified suite of the industry's best applications for web and email interaction management, it is the backbone of many innovative contact centers and customer service helpdesk organizations.

Cisco Interaction Manager includes a common platform and one or both of the following applications:

- ▶ Cisco Unified Web Interaction Manager (Unified WIM)
- ▶ Cisco Unified E-Mail Interaction Manager (Unified EIM)

## About This Guide

---

This document outlines the recommended hardware and software specification for Unified Web and E-Mail Interaction Manager. It provides details about compatible third party software requirements and contains links to other documents that provide hardware and bandwidth specifications.

### Document Conventions

This guide uses the following typographical conventions.

Convention	Indicates
<i>Italic</i>	Emphasis, or the title of a published document.
<b>Bold</b>	Labels of items on the user interface, such as buttons, boxes, and lists.
Monospace	The name of a file or folder, a database table column or value, or a command.
<i>Variable</i>	User-specific text, provided by the user. Or, text that must be typed by the user.

*Document conventions*

## Server Components

---

### Hardware for Server Components

- ▶ To determine hardware requirements for servers, use the following resources: *Cisco Unified Contact Center Express (CCX) Configuration & Ordering Tool*
- ▶ *Cisco Customer Response Solutions (CRS) Software and Hardware Compatibility Guide*. This document is available at [http://www.cisco.com/en/US/products/sw/custcosw/ps1001/products\\_user\\_guide\\_list.html](http://www.cisco.com/en/US/products/sw/custcosw/ps1001/products_user_guide_list.html)
- ▶ *Cisco Unified Web and E-Mail Interaction Manager Solutions Reference Network Design Guide*.

## Software for Server Components

- ▶ These are the requirements for Unified Web and E-Mail Interaction Manager server components. For more information about each server component, refer to *Cisco Unified Web and E-Mail Interaction Manager Solutions Reference Network Design Guide* (for Cisco Unified Contact Center Express).

### File Server

Item	Requirements
Operating system (OS)	<ul style="list-style-type: none"><li>▶ Microsoft® Windows® 2003 SP2 Edition: Standard or Enterprise Version: 32-bit Language: English</li></ul>

*Software requirements for the file server*

### Application Servers

Item	Requirements
Operating system (OS)	<ul style="list-style-type: none"><li>▶ Microsoft® Windows® 2003 SP2 Edition: Standard or Enterprise Version: 32-bit Language: English</li></ul>
JDBC driver	Microsoft® SQL Server® 2005 JDBC™ Driver version 2.0
Application server and servlet engine	Oracle® WebLogic Server™ 9.2 MP2 (included on the product CD)
Java runtime environment	JDK 1.5 Update 10 (included on the product CD)
Cisco Security Agent	<ul style="list-style-type: none"><li>▶ For single-server deployments: Cisco® Security Agent version 4.5.1.655</li><li>▶ For split-server and distributed-server deployments: Cisco® Security Agent version 5.2.0.272</li></ul>
Anti-virus	<ul style="list-style-type: none"><li>▶ McAfee® VirusScan® Enterprise version 8.1</li></ul> or <ul style="list-style-type: none"><li>▶ Symantec® AntiVirus® Corporate Edition 9.0</li></ul>

*Software requirements for application servers*

## Web Servers

Item	Requirements
<b>Operating system (OS)</b>	<ul style="list-style-type: none"> <li>▶ Microsoft® Windows® 2003 SP2</li> <li>Edition: Standard or Enterprise</li> <li>Version: 32-bit</li> <li>Language: English</li> </ul>
<b>Web server</b>	Microsoft® IIS® 6.0
<b>Cisco Security Agent</b>	<ul style="list-style-type: none"> <li>▶ For single-server deployments: Cisco® Security Agent version 4.5.1.655</li> <li>▶ For split-server and distributed-server deployments: Cisco® Security Agent version 5.2.0.272</li> </ul>
<b>Anti-virus</b>	<ul style="list-style-type: none"> <li>▶ McAfee® VirusScan® Enterprise version 8.1</li> </ul> <p>or</p> <ul style="list-style-type: none"> <li>▶ Symantec® AntiVirus® Corporate Edition 9.0</li> </ul>

*Software requirements for web servers*

## Services Server

Item	Requirements
<b>Operating system (OS)</b>	<ul style="list-style-type: none"> <li>▶ Microsoft® Windows® 2003 SP2</li> <li>Edition: Standard or Enterprise</li> <li>Version: 32-bit</li> <li>Language: English</li> </ul>
<b>JDBC driver</b>	Microsoft® SQL Server® 2005 JDBC™ Driver version 1.2
<b>Java runtime environment</b>	JDK 1.5 Update 10 (included on the product CD)
<b>Cisco Security Agent</b>	<ul style="list-style-type: none"> <li>▶ For single-server deployments: Cisco® Security Agent version 4.5.1.655</li> <li>▶ For split-server and distributed-server deployments: Cisco® Security Agent version 5.2.0.272</li> </ul>
<b>Anti-virus</b>	<ul style="list-style-type: none"> <li>▶ McAfee® VirusScan® Enterprise version 8.1</li> </ul> <p>or</p> <ul style="list-style-type: none"> <li>▶ Symantec® AntiVirus® Corporate Edition 9.0</li> </ul>

*Software requirements for the services server*

## Database Server

Item	Requirements
Operating system (OS)	<ul style="list-style-type: none"><li>▶ Microsoft® Windows® 2003 SP2 Edition: Standard or Enterprise Version: 32-bit Language: English</li></ul>
Database	Microsoft® SQL Server® 2005 SP 2 Edition: Standard or Enterprise
Cisco Security Agent	<ul style="list-style-type: none"><li>▶ For single-server deployments: Cisco® Security Agent version 4.5.1.655</li><li>▶ For split-server and distributed-server deployments: Cisco® Security Agent version 5.2.0.272</li></ul>
Anti-virus	<ul style="list-style-type: none"><li>▶ McAfee® VirusScan® Enterprise version 8.1</li></ul> or <ul style="list-style-type: none"><li>▶ Symantec® AntiVirus® Corporate Edition 9.0</li></ul>

*Software requirements for the database server*

## User Desktops

---

### Bandwidth for User Desktops

At login

- ▶ Average bandwidth requirement at login is 384 kilobits/second per user.

At steady state

- ▶ Average bandwidth requirement after login, working at a steady state, is 40 kilobits/second per user.

These values are based on load tests run in our labs.

## Hardware for User Desktops

While determining hardware needs, in addition to the minimum requirements mentioned here, consider the resources required for other applications that will be running on the desktop at the same time as Unified Web and E-Mail Interaction Manager.

<b>Item</b>	<b>Minimum requirements</b>
<b>CPU</b>	Intel® Pentium™ 4 with a clock speed of 2 GHz or higher
<b>RAM</b>	▶ For Microsoft® Windows® XP: (Minimum: 512 MB); (Recommended: 1 GB) 256 MB available physical memory for Unified Web and E-Mail Interaction Manager.
<b>Hard disk</b>	512 MB for the Temporary Internet Files folder used by Internet Explorer
<b>Screen resolution</b>	1024 x 768 pixels (minimum as well as recommended setting)

*Minimum hardware requirements for user desktops*

## Software for User Desktops

Item	Requirements
<b>Operating system (OS)</b>	<ul style="list-style-type: none"> <li>▶ Microsoft® Windows® XP (SP 2 or higher) Languages: Dutch, English, French, German, Italian, Spanish, and Brazilian Portuguese.</li> <li>▶ Microsoft® Windows® XP (SP 2 or higher) with Multilingual User Interface Pack (MUI)</li> </ul> <p><b>Note:</b> See <i>Cisco Agent Desktop Installation Guide</i> to identify the OS that will work with both Unified Web and E-Mail Interaction Manager and Cisco Agent Desktop (CAD).</p>
<b>Java runtime environment</b>	Sun JRE 1.6.0_4, 1.6.0_5, 1.6.0_6 or 1.6.0_7
<b>Web browser or Cisco Agent Desktop</b>	<ul style="list-style-type: none"> <li>▶ Microsoft® Internet Explorer® 6.0 (SP 2 or higher)</li> </ul> <p>or</p> <ul style="list-style-type: none"> <li>▶ Microsoft® Internet Explorer® 7.0</li> </ul> <p>or</p> <ul style="list-style-type: none"> <li>▶ Cisco Agent Desktop 7.0 or 7.2.</li> </ul>
<b>Optional item for web collaboration</b>	MeadCo Security Manager 6,3,434,5
<b>Cisco Security Agent</b>	<ul style="list-style-type: none"> <li>▶ For single-server deployments: Cisco® Security Agent version 4.5.1.655</li> <li>▶ For split-server and distributed-server deployments: Cisco® Security Agent version 5.2.0.272</li> </ul>
<b>Anti-virus</b>	<ul style="list-style-type: none"> <li>▶ McAfee® VirusScan® Enterprise version 8.1</li> </ul> <p>or</p> <ul style="list-style-type: none"> <li>▶ Symantec® AntiVirus® Corporate Edition 9.0</li> </ul>

*Software requirements for user desktops*

# Customer Desktops

## Hardware for Customer Desktops

We do not mandate any minimum requirements for customer desktops used in chat interactions.

## Software for Customer Desktops

These software requirements are for customer desktops used in chat interactions. There are no specific software requirements for desktops used for emails.

### Supported Web Browsers

Web Browser/Operating System	Microsoft® Vista	Microsoft® Windows® XP	Microsoft® Windows® 2000	Microsoft® Windows® 2003	Mac OS X (10.4 and 10.5)
Microsoft® Internet Explorer® 7.0	Yes	Yes	-	Yes	-
Microsoft® Internet Explorer® 6.0	-	Yes	Yes	Yes	-
Mozilla® Firefox® 2.0.x	Yes	Yes	Yes	Yes	Yes
Mozilla® Firefox® 1.5	-	Yes	Yes	Yes	-
Safari 2.x	-	-	-	-	Yes
Safari 3.x	-	-	-	-	Yes
Netscape 8.x	-	Yes	Yes	Yes	-
Netscape 7.x	-	Yes	Yes	Yes	-

*Browsers supported on customer desktops for chat interactions*

### Additional Requirements

Item	Requirements
JavaScript	JavaScript must be enabled on the customer desktop.
Cookies	Cookies must be enabled on the customer desktop.
Popup blockers	Popup blockers need to be disabled for web collaboration.

*Additional requirements for chat interactions*