

# RightFax Database Schema Report

Tables, 64 items

Table: 'dbo.AdminPagerNotify', 13 fields

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	
Owner	int		NOT NULL	
Flags	bigint		NOT NULL	
Type	bigint		NOT NULL	
d_data	smallint		NULL	
PagerID	varchar(64)		NULL	
ServiceName	varchar(22)		NULL	
Types1	bigint		NULL	
Types2	bigint		NULL	
HeartBeatInterval	int		NULL	
QueueFaxDepth	bigint		NULL	
QueuePageDepth	bigint		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.AdminPagerNotify'

Primary Key Name	Field Name
PK_AdminPagerNotify	ID

Foreign keys for table 'dbo.AdminPagerNotify', 1 item

Foreign	Primary
AdminPagerNotify.Owner	Users.handle

Indexes for table 'dbo.AdminPagerNotify', 1 item

Index Name	Clustered	Unique	Fields
PK_AdminPagerNotify	Yes	Yes	ID

Dependencies for table 'dbo.AdminPagerNotify', 8 items

Object Name	Type
dbo.CK_AdminPagerNotify_d_data_Unsigned	check cns
dbo.CK_AdminPagerNotify_Flags_Unsigned	check cns
dbo.CK_AdminPagerNotify_HeartBeatInterval_Unsigned	check cns
dbo.CK_AdminPagerNotify_QueueFaxDepth_Unsigned	check cns
dbo.CK_AdminPagerNotify_QueuePageDepth_Unsigned	check cns
dbo.CK_AdminPagerNotify_Type_Unsigned	check cns
dbo.CK_AdminPagerNotify_Types1_Unsigned	check cns
dbo.CK_AdminPagerNotify_Types2_Unsigned	check cns

Table: 'dbo.Audits', 7 fields

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	
Action	nvarchar(80)		NULL	The audit event type: Added, Modified, Deleted.
AuditedType	nvarchar(80)		NULL	The type of record audited.
CreationTime	datetime		NULL	The time this audit event happened.

Creator	nvarchar(128)		NULL	The person generating this audit event.
AuditedValue	nvarchar(128)		NULL	The value that was audited.
ServerGUID	uniqueidentifier		NULL	

Table: 'dbo.BillingCodes', 6 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Flags	bigint		NULL	
BillInfo1	varchar(16)		NULL	
BillInfo2	varchar(16)		NULL	
Description	varchar(120)		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.BillingCodes'

Primary Key Name	Field Name
PK_BillingCodes	handle

Indexes for table 'dbo.BillingCodes', 6 items

Index Name	Clustered	Unique	Fields
PK_BillingCodes	Yes	Yes	handle
IX_BillingCodes_BillInfo1_BillInfo2	No	Yes	BillInfo1, BillInfo2
IX_BillingCodes_BillInfo1	No	No	BillInfo1
IX_BillingCodes_BillInfo2	No	No	BillInfo2
IX_BillingCodes_Description	No	No	Description

Dependencies for table 'dbo.BillingCodes', 2 items

Object Name	Type
dbo.CK_BillingCodes_Flags_Unsigned	check cns
dbo.fnGenerateObjectCounts	table function

Table: 'dbo.Configuration', 13 fields

Field Name	Type and Size	Default	Nullable	Description
ServerGUID	uniqueidentifier		NOT NULL	
BumpData	varchar(193)		NULL	
Flags	bigint		NULL	
ReqFieldsSend	binary(28)		NULL	
ReqFieldsRec	binary(28)		NULL	
BillDesc1	varchar(16)		NULL	
BillDesc2	varchar(16)		NULL	
VerifyCodes	smallint		NULL	
BumpRunDate	datetime		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	
FSRunning	int		NULL	
ServerKey	varchar(193)		NULL	
ClusterGUID	uniqueidentifier		NULL	

Primary key for table 'dbo.Configuration'

Primary Key Name	Field Name
PK_Configuration	ServerGUID

Indexes for table 'dbo.Configuration', 1 item

Index Name	Clustered	Unique	Fields
PK_Configuration	Yes	Yes	ServerGUID

Dependencies for table 'dbo.Configuration', 4 items

Object Name	Type
dbo.CK_Configuration_Flags_Unsigned	check cns
dbo.fnGenerateObjectCounts	table function
dbo.fnWorkRequestCounts	table function
dbo.InsertBaseConfiguration	stored procedure

Table: 'dbo.Contacts', 23 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
OwnerHandle	int		NOT NULL	
ID	varchar(18)		NOT NULL	
Name	varchar(256)		NULL	
Company	varchar(256)		NULL	
Address1	varchar(256)		NULL	
Address2	varchar(256)		NULL	
Address3	varchar(256)		NULL	
City	varchar(256)		NULL	
State	varchar(50)		NULL	
Zip	varchar(50)		NULL	
PrimaryFax	varchar(128)		NULL	
SecondaryFax	varchar(128)		NULL	
PrimaryVoice	varchar(128)		NULL	
SecondaryVoice	varchar(128)		NULL	
MobilePhone	varchar(128)		NULL	
EmailAddress	varchar(256)		NULL	
Notes	varchar(256)		NULL	
BillInfo1	varchar(18)		NULL	
BillInfo2	varchar(18)		NULL	
Flags	bigint		NULL	
SecureCSID	varchar(22)		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.Contacts'

Primary Key Name	Field Name
PK_Contacts	handle

Foreign keys for table 'dbo.Contacts', 1 item

Foreign	Primary
Contacts.OwnerHandle	Users.handle

Indexes for table 'dbo.Contacts', 4 items

Index Name	Clustered	Unique	Fields
IX_Contacts_ID	No	Yes	ID, OwnerHandle
PK_Contacts	No	Yes	handle
IX_Contacts_OwnerHandle	No	No	OwnerHandle

Dependencies for table 'dbo.Contacts', 7 items

Object Name	Type
dbo.CK_ContactsValidID	check cns
dbo.ExpandedContacts	view

dbo.fnGenerateGroupContents	table function
dbo.fnGenerateObjectCounts	table function
dbo.fnGetContentsOfDL	inline function
dbo.RFView_UserPhoneEntries	view
dbo.RFView_UserPhoneGroups	view

Table: 'dbo.Delegates', 9 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Flags	bigint		NULL	
Delegator	int		NULL	
Delegatee	int		NULL	
ReadPermissions	bigint		NULL	
WritePermissions	bigint		NULL	
DeletePermissions	bigint		NULL	
MiscPermissions	bigint		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.Delegates'

Primary Key Name	Field Name
PK_Delegates	handle

Foreign keys for table 'dbo.Delegates', 2 items

Foreign	Primary
Delegates.Delegatee	Users.handle
Delegates.Delegator	Users.handle

Indexes for table 'dbo.Delegates', 3 items

Index Name	Clustered	Unique	Fields
PK_Delegates	Yes	Yes	handle
IX_Delegates_Delegatee	No	No	Delegatee
IX_Delegates_Delegator	No	No	Delegator

Dependencies for table 'dbo.Delegates', 6 items

Object Name	Type
dbo.CK_Delegates_DeletePermissions_Unsigned	check cns
dbo.CK_Delegates_Flags_Unsigned	check cns
dbo.CK_Delegates_MiscPermissions_Unsigned	check cns
dbo.CK_Delegates_ReadPermissions_Unsigned	check cns
dbo.CK_Delegates_WritePermissions_Unsigned	check cns
dbo.fnDelegatorsFromID	inline function

Table: 'dbo.DistributionLists', 5 fields

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	
ItemHandle	int		NOT NULL	
ListHandle	int		NOT NULL	
ContactType	varchar(50)		NOT NULL	
Extension	int		NULL	Used to map distribution list relationships back to an extension for the old API

Primary key for table 'dbo.DistributionLists'

Primary Key Name	Field Name
PK_DistributionLists	ID

Foreign keys for table 'dbo.DistributionLists', 2 items

Foreign	Primary
DistributionLists.ItemHandle	Contacts.handle
DistributionLists.Extension	ExtensionJoin.handle

Indexes for table 'dbo.DistributionLists', 3 items

Index Name	Clustered	Unique	Fields
PK_DistributionLists	Yes	Yes	ID
IX_ContactsDistributionLists	No	No	ListHandle
IX_ContactsDistributionLists_ContactType	No	No	ContactType

Dependencies for table 'dbo.DistributionLists', 3 items

Object Name	Type
dbo.fnGenerateGroupContents	table function
dbo.fnGetContentsOfDL	inline function
dbo.RFView_UserPhoneGroups	view

Table: 'dbo.DocFiles', 17 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Flags	bigint		NULL	
Links	int		NULL	
JobID	int		NULL	
DocType	int		NULL	
BodyFilename	varchar(14)		NULL	
InputFilename	varchar(14)		NULL	
NumPages	int		NULL	
PaperNum	smallint		NULL	
PrintJobType	smallint		NULL	
FineMode	smallint		NULL	
BFTFile	varchar(14)		NULL	
BFTBytes	bigint		NULL	
OrigBFTName	varchar(14)		NULL	
ImageBytes	bigint		NULL	
reserved	varchar(12)		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.DocFiles'

Primary Key Name	Field Name
PK_DocFiles	handle

Indexes for table 'dbo.DocFiles', 1 item

Index Name	Clustered	Unique	Fields
PK_DocFiles	Yes	Yes	handle

Dependencies for table 'dbo.DocFiles', 18 items

Object Name	Type
dbo.CK_FaxFiles_BFTBytes_Unsigned	check cns
dbo.CK_FaxFiles_DocType_Unsigned	check cns
dbo.CK_FaxFiles_Flags_Unsigned	check cns

dbo.CK_FaxFiles_ImageBytes_Unsigned	check cns
dbo.CK_FaxFiles_JobID_Unsigned	check cns
dbo.CK_FaxFiles_Links_Unsigned	check cns
dbo.CK_FaxFiles_NumPages_Unsigned	check cns
dbo.DeleteAllDocuments	stored procedure
dbo.DeleteDocument	stored procedure
dbo.fnDocumentAttachmentStatus	scalar function
dbo.fnDocumentPageCount	scalar function
dbo.fnDocumentPDFStatus	scalar function
dbo.fnFormatDocumentPageCount	scalar function
dbo.fnGenerateDocumentCounts	table function
dbo.fnGetFileFlagsFromDocumentHandle	scalar function
dbo.fnViewDocTransactions	table function
dbo.fnViewDocuments	table function
dbo.PurgeDocument	stored procedure

Table: 'dbo.Documents', 67 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
OwnerID	int		NOT NULL	
Flags	bigint		NULL	
Destination	varchar(32)		NULL	
ToContactNum	varchar(32)		NULL	
ToName	varchar(60)		NULL	
ToCompany	varchar(60)		NULL	
ToCityState	varchar(60)		NULL	
FromName	varchar(60)		NULL	
FromPhoneNum	varchar(32)		NULL	
BillInfo1	varchar(16)		NULL	
BillInfo2	varchar(16)		NULL	
FaxDIDNum	varchar(32)		NULL	
OperatorNum	varchar(32)		NULL	
GeneralFaxNum	varchar(32)		NULL	
CallBack	smallint		NULL	
CreationTime	datetime		NULL	
ElapsedSendTime	bigint		NULL	
Status	int		NULL	
ErrorCode	int		NULL	
Disposition	int		NULL	
TermStat	int		NULL	
RemoteID	varchar(22)		NULL	
DocFileDBA	int		NULL	
NoteDBA	int		NULL	
FCSFile	varchar(14)		NULL	
FCSText	varchar(14)		NULL	
FaxID	int		NULL	
NotifyChannel	int		NULL	
PhoneUserID	varchar(22)		NULL	
PhoneEntryID	varchar(18)		NULL	
DelaySendUntilTime	datetime		NULL	
UniqueID	varchar(16)		NULL	
fcstype	int		NULL	
EmailType	smallint		NULL	
Priority	smallint		NULL	
SendChannel	int		NULL	
Custom1	int		NULL	
BoardSrv	int		NULL	
OldStatus	int		NULL	
OldErrorCode	int		NULL	
PagesInFront	int		NULL	
MaxTries	smallint		NULL	
TryInterval	smallint		NULL	
FolderIndex	int		NULL	

SendNotify	int		NULL	
SecureCSID	varchar(22)		NULL	
FromNameCont	varchar(41)		NULL	
AutoFwdCount	smallint		NULL	
HistChgDateTime	datetime		NULL	
TUIFaxDBA	bigint		NULL	
FRFlags2	bigint		NULL	
CCListDBA	bigint		NULL	
CmdData	varchar(14)		NULL	
AltDestination	varchar(32)		NULL	
FCSBytes	bigint		NULL	
Comment	varchar(70)		NULL	
ExpiresIn	int		NULL	
RecNotType	smallint		NULL	
RecNotAddr	varchar(32)		NULL	
PrefContType	smallint		NULL	
FRReserved2	varchar(914)		NULL	
ServerGUID	uniqueidentifier		NULL	
MsgFromTransport	varchar(32)		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	
UsnCreated	bigint	((0))	NULL	
UsnUpdated	bigint	((0))	NULL	

Primary key for table 'dbo.Documents'

Primary Key Name	Field Name
PK_Documents	handle

Foreign keys for table 'dbo.Documents', 3 items

Foreign	Primary
Documents.DocFileDBA	DocFiles.handle
Documents.NoteDBA	Notes.handle
Documents.OwnerID	Users.handle

Indexes for table 'dbo.Documents', 6 items

Index Name	Clustered	Unique	Fields
PK_Documents	Yes	Yes	handle
IX_Documents_DocFileDBA	No	No	DocFileDBA
IX_Documents_Flags	No	No	Flags
IX_Documents_OwnerID	No	No	OwnerID
IX_Documents_OwnerID_Flags	No	No	OwnerID, Flags

Triggers for table 'dbo.Documents', 2 items

Name	Type	Enabled
OnInsertDocumentsUsn	after INSERT	Yes
OnUpdateDocumentsUsn	after UPDATE	Yes

Dependencies for table 'dbo.Documents', 49 items

Object Name	Type
dbo.CK_Documents_AutoFwdCount_Unsigned	check cns
dbo.CK_Documents_BoardSrv_Unsigned	check cns
dbo.CK_Documents_CCListDBA_Unsigned	check cns
dbo.CK_Documents_Custom1_Unsigned	check cns
dbo.CK_Documents_Disposition_Unsigned	check cns
dbo.CK_Documents_ElapsedSendTime_Unsigned	check cns
dbo.CK_Documents_EmailType_Unsigned	check cns
dbo.CK_Documents_ErrorCode_Unsigned	check cns
dbo.CK_Documents_FaxID_Unsigned	check cns

dbo.CK_Documents_FCSBytes_Unsigned	check cns
dbo.CK_Documents_fcstype_Unsigned	check cns
dbo.CK_Documents_Flags_Unsigned	check cns
dbo.CK_Documents_FolderIndex_Unsigned	check cns
dbo.CK_Documents_FRFlags2_Unsigned	check cns
dbo.CK_Documents_MaxTries_Unsigned	check cns
dbo.CK_Documents_NotifyChannel_Unsigned	check cns
dbo.CK_Documents_OldErrorCode_Unsigned	check cns
dbo.CK_Documents_OldStatus_Unsigned	check cns
dbo.CK_Documents_PagesInFront_Unsigned	check cns
dbo.CK_Documents_Priority_Unsigned	check cns
dbo.CK_Documents_SendChannel_Unsigned	check cns
dbo.CK_Documents_SendNotify_Unsigned	check cns
dbo.CK_Documents_Status_Unsigned	check cns
dbo.CK_Documents_TermStat_Unsigned	check cns
dbo.CK_Documents_TryInterval_Unsigned	check cns
dbo.CK_Documents_TUIFaxDBA_Unsigned	check cns
dbo.DeleteAllDocuments	stored procedure
dbo.DeleteDocument	stored procedure
dbo.fnDocumentAttachmentStatus	scalar function
dbo.fnDocumentPageCount	scalar function
dbo.fnDocumentPDFStatus	scalar function
dbo.fnDocumentPrintedStatus	scalar function
dbo.fnDocumentSentReceivedStatus	scalar function
dbo.fnDocumentType	scalar function
dbo.fnDocumentViewedStatus	scalar function
dbo.fnFormatDocumentPageCount	scalar function
dbo.fnGenerateDocumentCounts	table function
dbo.fnGenerateObjectCounts	table function
dbo.fnGetAgedDocuments	inline function
dbo.fnGetDocumentCountForUser	scalar function
dbo.fnGetFileFlagsFromDocumentHandle	scalar function
dbo.fnViewDocTransactions	table function
dbo.fnViewDocuments	table function
dbo.GetNextDocument	stored procedure
dbo.OnInsertDocumentsUsn	trigger
dbo.OnUpdateDocumentsUsn	trigger
dbo.PurgeDocument	stored procedure
dbo.UpdateHistChgDateTime	stored procedure
dbo.UsersFull	view

Table: 'dbo.DTActivities', 65 fields

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	Primary key used to identify this activity
ActID	int		NOT NULL	Activity ID (0 to 0xFFFF)
Marked	smallint		NOT NULL	Set when a server has retrieved this record from DocTransport
Age	smallint		NULL	Age of this record in terms of number of maintenance cycles it has been through
Type	smallint		NULL	Type of transport event (e.g., remote send, local receive, etc.)

Unit	smallint		NULL	Local channel responsible for orchestrating this activity
Pages	smallint		NULL	Total number of pages in this activity
BadPages	smallint		NULL	Number of pages that involved errors
GoodPages	smallint		NULL	Number of pages that were handled successfully
BoardType	smallint		NULL	Type of board, if any, involved in this activity
CallStatus	smallint		NULL	Status result of the activity
CallLineStatus	smallint		NULL	Status result of the communication medium
TransactionStatus	smallint		NULL	Status result for the transaction
TransactionLineStatus	smallint		NULL	Status result of the transaction medium
SenderID	varchar(48)		NULL	ID of sender for receive transactions
CallType	smallint		NULL	Flags regarding the type of call
Destination	varchar(260)		NULL	Destination of recipient for outbound transactions (e.g., fax number, e-mail address, etc.)
Filename	varchar(260)		NULL	Name of document file used in transaction
TransactionTime	datetime		NULL	Time this transaction began
TransactionDuration	int		NULL	Duration of transaction in seconds
ForeignReqID	varchar(50)		NULL	ID of request in foreign system
ForeignDocID	bigint		NULL	Integer ID of document in foreign system
DocumentName	varchar(64)		NULL	Friendly name for document
ForeignLoginID	varchar(128)		NULL	Login ID used to authenticate on foreign system
ForeignLoginPassword	varchar(128)		NULL	Login password used to authenticate on foreign system
BroadcastID	int		NULL	ID of broadcast that this transaction is part of
BroadcastIndex	int		NULL	Index of broadcast that this transaction is part of

Progress	int		NULL	Progress identifier (see DTEnumActivitiesProgress)
TransportType	varchar(32)		NULL	Type of the transport used to perform this transaction
TransportError	bigint		NULL	Error code specific to the transport used for this transaction
Flags	int		NULL	Transaction specific flags
ANI	varchar(32)		NULL	ANI information for this transaction when available
AOCData1	bigint		NULL	
AOCData2	bigint		NULL	
AOCData3	bigint		NULL	
ISDNCauseValue	int		NULL	Cause value for ISDN only
TransportMessage	varchar(96)		NULL	Transport specific message to record in Document
RemoteServerName	varchar(260)		NULL	Name of the remote server used in this transaction
RemoteID	char(10)		NULL	ID of this transaction in the remote DocTransport when sending via or into another server
RemoteProtocol	int		NULL	Protocol used to communicate with remote DocTransport when sending via or into another server
ToContactNum	varchar(32)		NULL	Voice contact number for recipient
ToName	varchar(60)		NULL	Recipient name
ToCompany	varchar(60)		NULL	Recipient company information
BillInfo1	varchar(16)		NULL	Billing information
BillInfo2	varchar(16)		NULL	Billing information
SecureCSID	varchar(22)		NULL	Identifier of intended recipient's equipment for verification purposes
AuditFlags	bigint		NULL	Audit specific flags
SubscriberID	bigint		NULL	Subscriber ID of sender in RightFax
UniqueID	varchar(16)		NULL	RightFax document unique ID
FromName	varchar(60)		NULL	Sender name
SourceServerName	varchar(260)		NULL	Originating server name
UserID	varchar(22)		NULL	RightFax User ID this transaction was made on behalf of
ServerGUID	uniqueidentifier		NOT NULL	GUID of DocTransport identified in DTConfigurations

SendFlags	bigint		NULL	Flags used in scheduling this document
MinSendChannel	int		NULL	Minimum channel number that this document is allowed to be sent on (origin is 1; 0 indicates all)
MaxSendChannel	int		NULL	Maximum channel number that this document is allowed to be sent on (origin is 1)
TimeScheduled	datetime		NULL	Time this document was scheduled
QuickHeaderFormat	varchar(134)		NULL	Formatting for fax quick headers
TTIHeaderID	varchar(24)		NULL	Header field on the TTI line
Priority	int		NULL	Document send priority
ExpirationTime	datetime		NULL	Time this fax expires (and, after which, it should be aborted, if possible).
GroupID	varchar(22)		NULL	RightFax sender's RightFax group ID
DocumentFlags	int		NULL	Flags specified by document server
QueueName	varchar(30)		NULL	Name of schedule queue
DTDialingRuleUsed	int		NULL	

Primary key for table 'dbo.DTActivities'

Primary Key Name	Field Name
PK_DTActivities	ID

Foreign keys for table 'dbo.DTActivities', 1 item

Foreign	Primary
DTActivities.ServerGUID	DTConfigurations.ServerGUID

Indexes for table 'dbo.DTActivities', 5 items

Index Name	Clustered	Unique	Fields
PK_DTActivities	Yes	Yes	ID
IX_DTActivities	No	No	ActID
IX_DTActivities_Marked	No	No	Marked
IX_DTActivities_QueueName	No	No	QueueName
IX_DTActivities_Type	No	No	Type

Dependencies for table 'dbo.DTActivities', 5 items

Object Name	Type
dbo.fnCalculatePagesInFront	scalar function
dbo.fnGenerateDTActivityCounts	table function
dbo.GetDTActivitySend	stored procedure
dbo.PurgeDTActivities	stored procedure
dbo.RescheduleDTActivitySend	stored procedure

Table: 'dbo.DTActivityState', 13 fields

Field Name	Type and Size	Default	Nullable	Description
ServerGUID	uniqueidentifier		NOT NULL	
CurrentFile	bigint		NOT NULL	Identifier of last unique file number used
CurrentID	int		NOT NULL	Last ID used for DTActivities
TotalsReset	datetime		NOT NULL	Time at which "All-time" totals was last reset.
LocalDocsSent	bigint		NOT NULL	Documents sent locally since last reset
LocalDocsReceived	bigint		NOT NULL	Documents received locally since last reset
LocalPagesSent	bigint		NOT NULL	Pages sent locally since last reset
LocalPagesReceived	bigint		NOT NULL	Pages recieved locally since last reset
RemoteDocsSent	bigint		NOT NULL	Documents sent remotely since last reset.
RemoteDocsReceived	bigint		NOT NULL	Documents received remotely since last reset.
RemotePagesSent	bigint		NOT NULL	Pages sent remotely since last reset
RemotePagesReceived	bigint		NOT NULL	Pages recieved remotely since last reset
LastPulseTime	datetime	('01/01/2005')	NOT NULL	Pulse value periodically updated by the corresponding DT to show signs of life.

Primary key for table 'dbo.DTActivityState'

Primary Key Name	Field Name
PK_DTActivityState	ServerGUID

Foreign keys for table 'dbo.DTActivityState', 1 item

Foreign	Primary
DTActivityState.ServerGUID	DTConfigurations.ServerGUID

Indexes for table 'dbo.DTActivityState', 1 item

Index Name	Clustered	Unique	Fields
PK_DTActivityState	Yes	Yes	ServerGUID

Dependencies for table 'dbo.DTActivityState', 3 items

Object Name	Type
dbo.DTPulse	stored procedure
dbo.DTPulseExpired	stored procedure
dbo.DTSecondsSinceLastPulse	stored procedure

Table: 'dbo.DTConfigurations', 4 fields, Each row in this table defines server specific settings

Field Name	Type and Size	Default	Nullable	Description
ServerGUID	uniqueidentifier		NOT NULL	Server identifier used to relate rows to particular servers
ServerName	varchar(260)		NULL	Optional name of this server (for reference only)
ImageDir	varchar(260)		NULL	Path to the server's image dir. This is the same dir for all DT's connected to the same server group but each DT could have a different path to access it.
FilenamePrefix	char(2)		NULL	

Primary key for table 'dbo.DTConfigurations'

Primary Key Name	Field Name
PK_DTConfigurations	ServerGUID

Indexes for table 'dbo.DTConfigurations', 1 item

Index Name	Clustered	Unique	Fields
PK_DTConfigurations	Yes	Yes	ServerGUID

Dependencies for table 'dbo.DTConfigurations', 2 items

Object Name	Type
dbo.DTPulseExpired	stored procedure
dbo.DTSetFilenamePrefix	stored procedure

Table: 'dbo.DTConfigurationsDialingRules', 7 fields

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	
ServerGUID	uniqueidentifier		NOT NULL	
DTDialingRulesID	int		NOT NULL	
Enabled	bit	((1))	NULL	
TimeAvailable	datetime	((0))	NULL	
DownReason	varchar(128)		NULL	
DisabledReason	bigint		NULL	

Primary key for table 'dbo.DTConfigurationsDialingRules'

Primary Key Name	Field Name
PK_DTConfigurationsDialingRules	ID

Foreign keys for table 'dbo.DTConfigurationsDialingRules', 2 items

Foreign	Primary
DTConfigurationsDialingRules.ServerGUID	DTConfigurations.ServerGUID
DTConfigurationsDialingRules.DTDialingRulesID	DTDialingRules.ID

Indexes for table 'dbo.DTConfigurationsDialingRules', 1 item

Index Name	Clustered	Unique	Fields
PK_DTConfigurationsDialingRules	Yes	Yes	ID

Table: 'dbo.DTDestinationGroups', 9 fields, This table describes "prefix" or destination tables.

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	
Name	varchar(50)		NOT NULL	Name of this table for reference in UI and queries
IsExtConnection	bit		NULL	
ExtConnection	varchar(256)		NULL	Optional external data source connection string
ExtTable	varchar(256)		NULL	Name of table in external datasource
ExtColumn	varchar(50)		NULL	Name of column containing destination address in external data source
ExtPK	varchar(50)		NULL	
Condition	varchar(256)		NULL	Condition binding data in ExtTable to this destinations group
ServerGUID	uniqueidentifier		NULL	Optional identifier of a specific server to associate this record with. This allows separate tables with the same name to exist on multiple servers in the same database.

Primary key for table 'dbo.DTDestinationGroups'

Primary Key Name	Field Name
PK_DTDestinationGroups	ID

Foreign keys for table 'dbo.DTDestinationGroups', 1 item

Foreign	Primary
DTDestinationGroups.ServerGUID	DTConfigurations.ServerGUID

Indexes for table 'dbo.DTDestinationGroups', 3 items

Index Name	Clustered	Unique	Fields
PK_DTDestinationGroups	Yes	Yes	ID
IX_DTDestinationGroups_NameServerGUID	No	Yes	Name, ServerGUID

Table: 'dbo.DTDestinations', 3 fields, Destinations table containing data for non-external destination groups

Field Name	Type and Size	Default	Nullable	Description
------------	---------------	---------	----------	-------------

ID	int identity		NOT NULL	Primary key for deletion or other unique identification
Destination	varchar(50)		NOT NULL	Destination address
OwnerID	int		NOT NULL	ID of DTDestinationGroups row that owns this address

Primary key for table 'dbo.DTDestinations'

Primary Key Name	Field Name
PK_DTDestinations	ID

Foreign keys for table 'dbo.DTDestinations', 1 item

Foreign	Primary
DTDestinations.OwnerID	DTDestinationGroups.ID

Indexes for table 'dbo.DTDestinations', 1 item

Index Name	Clustered	Unique	Fields
PK_DTDestinations	Yes	Yes	ID

Table: 'dbo.DTDialingRules', 33 fields

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	
SourceServer	varchar(48)		NULL	
Pattern	varchar(64)		NULL	
DestinationServer	varchar(48)		NULL	
Protocol	int		NULL	
PriorityDelta	smallint		NULL	
Flags	bigint		NULL	
PriorityMask	int		NULL	
StartChannel	int		NULL	
TimeOfDayMask_0	bigint		NULL	
TimeOfDayMask_1	bigint		NULL	
TimeOfDayMask_2	bigint		NULL	
TimeOfDayMask_3	bigint		NULL	
TimeOfDayMask_4	bigint		NULL	
TimeOfDayMask_5	bigint		NULL	
TimeOfDayMask_6	bigint		NULL	
BeginDelete	smallint		NULL	
BeginReplace	varchar(48)		NULL	
EndDelete	smallint		NULL	
EndReplace	varchar(48)		NULL	
UserID	varchar(128)		NULL	
GroupID	varchar(128)		NULL	
EndChannel	int		NULL	
Comment	varchar(64)		NULL	
MinQueueDepth	bigint		NULL	
ExtraWeight	bigint		NULL	
DelayHour	int		NULL	
FaxSize	smallint		NULL	
MLAccount	varchar(12)		NULL	
MLPassCode	varchar(12)		NULL	
MLDocAccount	varchar(32)		NULL	
DNDNotifyList	varchar(128)		NULL	
NotifySender	int		NULL	

Primary key for table 'dbo.DTDialingRules'

Primary Key Name	Field Name
PK_DTDialingRules	ID

Indexes for table 'dbo.DTDialingRules', 1 item

Index Name	Clustered	Unique	Fields
PK_DTDialingRules	Yes	Yes	ID

Table: 'dbo.DTRxDocs', 10 fields

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	Primary key
DTActivitiesID	int		NOT NULL	Indicates which DTActivities entry this received document corresponds to
Dequeued	bit	((0))	NOT NULL	Indicates whether this entry has been dequeued
Filename	varchar(260)		NOT NULL	Name of the corresponding file in the image directory
RoutingInfo	varchar(256)		NULL	Routing info (such as DID number or e-mail address)
RoutingInfoValid	bit		NOT NULL	
Error	bigint		NOT NULL	Error, if any, in receiving this document
ServerGUID	uniqueidentifier		NOT NULL	GUID of server that received this document
TimeZoneBias	smallint		NOT NULL	Number of minutes of timezone bias accumulated through server routing
ReceiveType	smallint		NOT NULL	Type of receive

Primary key for table 'dbo.DTRxDocs'

Primary Key Name	Field Name
PK_DTRxDocs	ID

Foreign keys for table 'dbo.DTRxDocs', 2 items

Foreign	Primary
DTRxDocs.DTActivitiesID	DTActivities.ID
DTRxDocs.ServerGUID	DTConfigurations.ServerGUID

Indexes for table 'dbo.DTRxDocs', 1 item

Index Name	Clustered	Unique	Fields
PK_DTRxDocs	Yes	Yes	ID

Dependencies for table 'dbo.DTRxDocs', 1 item

Object Name	Type
dbo.GetNextRxDoc	stored procedure

Table: 'dbo.EnumEventsType', 3 fields

Field Name	Type and Size	Default	Nullable	Description
Type	int		NOT NULL	Event type identifier
Name	varchar(64)		NOT NULL	Name for this type
Description	varchar(256)		NOT NULL	Description for this type

Primary key for table 'dbo.EnumEventsType'

Primary Key Name	Field Name
PK_EnumEventsType	Type

Indexes for table 'dbo.EnumEventsType', 2 items

Index Name	Clustered	Unique	Fields
PK_EnumEventsType	Yes	Yes	Type
IX_EnumEventsType	No	Yes	Type

Dependencies for table 'dbo.EnumEventsType', 2 items

Object Name	Type
dbo.EventsAll	view
dbo.EventsTotals	view

Table: 'dbo.ErrorLog', 2 fields

Field Name	Type and Size	Default	Nullable	Description
handle	smallint identity		NOT NULL	
Description	varchar(256)		NOT NULL	

Primary key for table 'dbo.ErrorLog'

Primary Key Name	Field Name
PK_ErrorLog	handle

Indexes for table 'dbo.ErrorLog', 1 item

Index Name	Clustered	Unique	Fields
PK_ErrorLog	Yes	Yes	handle

Table: 'dbo.Events', 14 fields

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	
Type	int		NOT NULL	The type of event
Retries	smallint		NOT NULL	Number of times this event has been reposted
EnqueueTime	datetime		NOT NULL	Time this event was enqueued
DequeueTime	datetime		NOT NULL	When this event should be dequeued. Events that are not to be delayed use the current time
DocumentHandle	int		NULL	Handle to the document in the Documents table that this event affects

UserHandle	int		NULL	Handle to the user in the Users table that this event corresponds to
Msg	varchar(128)		NULL	Text message for the event
Parm0	int		NULL	General purpose data value for the event
Parm1	int		NULL	
Parm2	int		NULL	
Parm3	int		NULL	
ServerGUID	uniqueidentifier		NOT NULL	Server that posted this event (but not necessarily who will process it)
Dequeued	bit	((0))	NOT NULL	

Primary key for table 'dbo.Events'

Primary Key Name	Field Name
PK_Events	ID

Foreign keys for table 'dbo.Events', 3 items

Foreign	Primary
Events.DocumentHandle	Documents.handle
Events.Type	EnumEventsType.Type
Events.UserHandle	Users.handle

Indexes for table 'dbo.Events', 5 items

Index Name	Clustered	Unique	Fields
PK_Events	Yes	Yes	ID
IX_Events	No	No	DequeueTime, EnqueueTime
IX_Events_DocumentHandle	No	No	DocumentHandle
IX_Events_Type	No	No	Type

Dependencies for table 'dbo.Events', 4 items

Object Name	Type
dbo.DeleteDocument	stored procedure
dbo.EventsAll	view
dbo.EventsTotals	view
dbo.GetNextEvent	stored procedure

Table: 'dbo.ExtensionJoin', 3 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Owner	int		NULL	
Type	bigint		NULL	

Primary key for table 'dbo.ExtensionJoin'

Primary Key Name	Field Name
PK_ExtensionJoin	handle

Indexes for table 'dbo.ExtensionJoin', 3 items

Index Name	Clustered	Unique	Fields
PK_ExtensionJoin	Yes	Yes	handle
IX_ExtensionJoin_Owner	No	No	Owner

IX_ExtensionJoin_Type	No	No	Type
-----------------------	----	----	------

Dependencies for table 'dbo.ExtensionJoin', 1 item

Object Name	Type
dbo.CK_ExtensionJoin_Type_Unsigned	check cns

Table: 'dbo.Forms', 12 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
FTFlags	bigint		NULL	
FTNum	smallint		NULL	
FTCode	varchar(16)		NULL	
FTName	varchar(40)		NULL	
FTFilename	varchar(20)		NULL	
FTStartPage	smallint		NULL	
FTNumPages	smallint		NULL	
FTNextType	smallint		NULL	
FTSecurityID	varchar(20)		NULL	
ServerGUID	uniqueidentifier		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.Forms'

Primary Key Name	Field Name
PK_Forms	handle

Indexes for table 'dbo.Forms', 17 items

Index Name	Clustered	Unique	Fields
PK_Forms	Yes	Yes	handle
IX_Forms_FTCode	No	Yes	FTCode, ServerGUID
IX_Forms_FTNum	No	Yes	FTNum, ServerGUID
Forms2	No	No	ServerGUID, handle, FTFlags, FTNum, FTCode, FTName, FTFilename, FTStartPage, FTNumPages, FTNextType, FTSecurityID
IX_Forms_ServerGUID	No	No	ServerGUID

Dependencies for table 'dbo.Forms', 3 items

Object Name	Type
dbo.CK_Forms_FTFlags_Unsigned	check cns
dbo.fnGenerateObjectCounts	table function
dbo.InsertBaseServerSpecificData	stored procedure

Table: 'dbo.GlobalConfiguration', 4 fields

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	
CurrentUSN	bigint	((0))	NOT NULL	
DBVersion	varchar(16)		NULL	
CurrentFile	bigint	((0))	NOT NULL	

Primary key for table 'dbo.GlobalConfiguration'

Primary Key Name	Field Name
PK_GlobalConfiguration	ID

Indexes for table 'dbo.GlobalConfiguration', 1 item

Index Name	Clustered	Unique	Fields
PK_GlobalConfiguration	Yes	Yes	ID

Dependencies for table 'dbo.GlobalConfiguration', 2 items

Object Name	Type
dbo.GetNextFile	stored procedure
dbo.spGetNextUsn	stored procedure

Table: 'dbo.Globalization', 4 fields

Field Name	Type and Size	Default	Nullable	Description
Namespace	nvarchar(100)		NOT NULL	
LocKey	nvarchar(100)		NOT NULL	
IsoLanguageName	nvarchar(6)		NOT NULL	
Data	ntext		NULL	

Primary key for table 'dbo.Globalization'

Primary Key Name	Field Names
PK_Globalization	Namespace, LocKey, IsoLanguageName

Indexes for table 'dbo.Globalization', 3 items

Index Name	Clustered	Unique	Fields
PK_Globalization	Yes	Yes	Namespace, LocKey, IsoLanguageName

Dependencies for table 'dbo.Globalization', 9 items

Object Name	Type
dbo.fnGetChildrenOffFolder	inline function
dbo.fnGetChildrenOffFolder2	table function
dbo.fnGetFolderFromID	table function
dbo.fnGetFolderNameFromID	scalar function
dbo.fnGetGammaString	scalar function
dbo.fnGetHangupStatusString	scalar function
dbo.fnGetTermStatString	scalar function
dbo.fnGetUntranslatedStringsForLanguage	inline function
dbo.GetUntranslatedStringsForAllLanguages	stored procedure

Table: 'dbo.Groups', 28 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Flags	bigint		NULL	
GroupID	varchar(22)		NULL	
Admin	varchar(22)		NULL	
AltAdmin	varchar(22)		NULL	
GroupFCS	varchar(14)		NULL	
NotifyType	int		NULL	
RecvDocAge	int		NULL	
SentDocAge	int		NULL	
DelDocAge	int		NULL	
GroupRoutingCode	bigint		NULL	
SFDType	int		NULL	
SFDFlags	int		NULL	
ChangeTag	bigint		NULL	
MaxConcurrentPages	int		NULL	
MaxConcurrentDocs	int		NULL	
ConcurrentDelayTime	smalldatetime		NULL	

ConcurrentStartTime	smalldatetime		NULL	
ConcurrentEndTime	smalldatetime		NULL	
NewDocAge	int		NULL	
FailedDocAge	int		NULL	
INCSentDocAge	int		NULL	
FCSDlgCtrl1	bigint		NULL	
FCSDlgCtrl2	bigint		NULL	
HotLinkDocAge	int		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	
UsnCreated	bigint	((0))	NULL	
UsnUpdated	bigint	((0))	NULL	

Primary key for table 'dbo.Groups'

Primary Key Name	Field Name
PK_Groups	handle

Indexes for table 'dbo.Groups', 3 items

Index Name	Clustered	Unique	Fields
PK_Groups	Yes	Yes	handle
IX_Groups_GroupID	No	Yes	GroupID
IX_Groups_GroupRoutingCode	No	No	GroupRoutingCode

Triggers for table 'dbo.Groups', 2 items

Name	Type	Enabled
OnInsertGroupsUsn	after INSERT	Yes
OnUpdateGroupsUsn	after UPDATE	Yes

Dependencies for table 'dbo.Groups', 30 items

Object Name	Type
dbo.CK_Groups_ChangeTag_Unsigned	check cns
dbo.CK_Groups_DelDocAge_Unsigned	check cns
dbo.CK_Groups_FailedDocAge_Unsigned	check cns
dbo.CK_Groups_FCSDlgCtrl1_Unsigned	check cns
dbo.CK_Groups_FCSDlgCtrl2_Unsigned	check cns
dbo.CK_Groups_Flags_Unsigned	check cns
dbo.CK_Groups_GroupRoutingCode_Unsigned	check cns
dbo.CK_Groups_HotLinkDocAge_Unsigned	check cns
dbo.CK_Groups_INCSentDocAge_Unsigned	check cns
dbo.CK_Groups_MaxConcurrentDocs_Unsigned	check cns
dbo.CK_Groups_MaxConcurrentPages_Unsigned	check cns
dbo.CK_Groups_NewDocAge_Unsigned	check cns
dbo.CK_Groups_NotifyType_Unsigned	check cns
dbo.CK_Groups_RecvDocAge_Unsigned	check cns
dbo.CK_Groups_SentDocAge_Unsigned	check cns
dbo.CK_Groups_SFDFlags_Unsigned	check cns
dbo.CK_Groups_SFDFType_Unsigned	check cns
dbo.fnGetAgedDocuments	inline function
dbo.fnGetGroupIDFromUserHandle	scalar function
dbo.fnGetGroupsAdmindedBy	inline function
dbo.fnGroupHandleFromID	scalar function
dbo.fnGroupMembersFromID	inline function
dbo.fnViewUserSettings	table function
dbo.GroupsFull	view
dbo.InsertBaseRecords	stored procedure
dbo.OnInsertGroupsUsn	trigger
dbo.OnUpdateGroupsUsn	trigger
dbo.OnUpdateUsersUsn	trigger
dbo.PurgeDocuments	stored procedure

dbo.UsersFull	view
---------------	------

Table: 'dbo.HangupStatusToStatusCode', 2 fields

Field Name	Type and Size	Default	Nullable	Description
HangupStatus	int		NOT NULL	
StatusCode	int		NOT NULL	

Primary key for table 'dbo.HangupStatusToStatusCode'

Primary Key Name	Field Names
PK_HangupStatusToStatusCode	HangupStatus, StatusCode

Indexes for table 'dbo.HangupStatusToStatusCode', 2 items

Index Name	Clustered	Unique	Fields
PK_HangupStatusToStatusCode	Yes	Yes	HangupStatus, StatusCode

Dependencies for table 'dbo.HangupStatusToStatusCode', 1 item

Object Name	Type
dbo.fnGetHangupStatusString	scalar function

Table: 'dbo.History', 5 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Owner	int		NULL	
TRDateTime	datetime		NULL	
TRRecType	smallint		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.History'

Primary Key Name	Field Name
PK_History	handle

Foreign keys for table 'dbo.History', 1 item

Foreign	Primary
History.Owner	Documents.handle

Indexes for table 'dbo.History', 2 items

Index Name	Clustered	Unique	Fields
PK_History	Yes	Yes	handle
IX_History_Owner	No	No	Owner

Triggers for table 'dbo.History', 1 item

Name	Type	Enabled
OnInsertHistory	after INSERT	Yes

Dependencies for table 'dbo.History', 4 items

Object Name	Type
dbo.CK_History_TRRecType_Unsigned	check cns
dbo.fnDocumentCountMatchingAniRecords	scalar function
dbo.fnGetHistoryCountForDocument	scalar function
dbo.fnViewDocTransactions	table function

Table: 'dbo.HistoryApproved', 4 fields

Field Name	Type and Size	Default	Nullable	Description
Flags	bigint		NULL	
ApproverID	varchar(22)		NULL	
Notes	varchar(454)		NULL	
handle	int		NOT NULL	

Primary key for table 'dbo.HistoryApproved'

Primary Key Name	Field Name
PK_HistoryApproved	handle

Foreign keys for table 'dbo.HistoryApproved', 1 item

Foreign	Primary
HistoryApproved.handle	History.handle

Indexes for table 'dbo.HistoryApproved', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryApproved	Yes	Yes	handle

Dependencies for table 'dbo.HistoryApproved', 1 item

Object Name	Type
dbo.CK_HistoryApproved_Flags_Unsigned	check cns

Table: 'dbo.HistoryConversionError', 5 fields

Field Name	Type and Size	Default	Nullable	Description
ConvType	varchar(64)		NULL	
Error1	bigint		NULL	
Error2	bigint		NULL	
ErrorMsg	varchar(384)		NULL	
handle	int		NOT NULL	

Primary key for table 'dbo.HistoryConversionError'

Primary Key Name	Field Name
PK_HistoryConversionError	handle

Foreign keys for table 'dbo.HistoryConversionError', 1 item

Foreign	Primary
HistoryConversionError.handle	History.handle

Indexes for table 'dbo.HistoryConversionError', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryConversionError	Yes	Yes	handle

Dependencies for table 'dbo.HistoryConversionError', 2 items

Object Name	Type
dbo.CK_HistoryConversionError_Error1_Unsigned	check cns
dbo.CK_HistoryConversionError_Error2_Unsigned	check cns

Table: 'dbo.HistoryDisapproved', 4 fields

Field Name	Type and Size	Default	Nullable	Description
Flags	bigint		NULL	
ApproverID	varchar(22)		NULL	
Notes	varchar(454)		NULL	
handle	int		NOT NULL	

Primary key for table 'dbo.HistoryDisapproved'

Primary Key Name	Field Name
PK_HistoryDisapproved	handle

Foreign keys for table 'dbo.HistoryDisapproved', 1 item

Foreign	Primary
HistoryDisapproved.handle	History.handle

Indexes for table 'dbo.HistoryDisapproved', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryDisapproved	Yes	Yes	handle

Dependencies for table 'dbo.HistoryDisapproved', 1 item

Object Name	Type
dbo.CK_HistoryDisapproved_Flags_Unsigned	check cns

Table: 'dbo.HistoryFileRouted', 4 fields

Field Name	Type and Size	Default	Nullable	Description
Flags	bigint		NULL	
Error	bigint		NULL	
RoutePath	varchar(256)		NULL	
handle	int		NOT NULL	

Primary key for table 'dbo.HistoryFileRouted'

Primary Key Name	Field Name
PK_HistoryFileRouted	handle

Foreign keys for table 'dbo.HistoryFileRouted', 1 item

Foreign	Primary
HistoryFileRouted.handle	History.handle

Indexes for table 'dbo.HistoryFileRouted', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryFileRouted	Yes	Yes	handle

Dependencies for table 'dbo.HistoryFileRouted', 2 items

Object Name	Type
dbo.CK_HistoryFileRouted_Error_Unsigned	check cns
dbo.CK_HistoryFileRouted_Flags_Unsigned	check cns

Table: 'dbo.HistoryGeneric', 18 fields

Field Name	Type and Size	Default	Nullable	Description
GenType	bigint		NULL	
UserID	varchar(22)		NULL	
ErrCode	bigint		NULL	

Number1	bigint		NULL	
Number2	bigint		NULL	
Number3	bigint		NULL	
Number4	bigint		NULL	
Number5	bigint		NULL	
Number6	bigint		NULL	
Number7	bigint		NULL	
Number8	bigint		NULL	
String1	varchar(32)		NULL	
String2	varchar(32)		NULL	
String3	varchar(32)		NULL	
String4	varchar(32)		NULL	
String5	varchar(32)		NULL	
String6	varchar(32)		NULL	
handle	int		NOT NULL	

Primary key for table 'dbo.HistoryGeneric'

Primary Key Name	Field Name
PK_HistoryGeneric	handle

Foreign keys for table 'dbo.HistoryGeneric', 1 item

Foreign	Primary
HistoryGeneric.handle	History.handle

Indexes for table 'dbo.HistoryGeneric', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryGeneric	Yes	Yes	handle

Table: 'dbo.HistoryInterConnect', 5 fields

Field Name	Type and Size	Default	Nullable	Description
Flags	bigint		NULL	
FromServer	varchar(256)		NULL	
Msg	varchar(128)		NULL	
handle	int		NOT NULL	
Error	bigint		NULL	

Primary key for table 'dbo.HistoryInterConnect'

Primary Key Name	Field Name
PK_HistoryInterConnect	handle

Foreign keys for table 'dbo.HistoryInterConnect', 1 item

Foreign	Primary
HistoryInterConnect.handle	History.handle

Indexes for table 'dbo.HistoryInterConnect', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryInterConnect	Yes	Yes	handle

Dependencies for table 'dbo.HistoryInterConnect', 1 item

Object Name	Type
dbo.CK_HistoryInterConnect_Flags_Unsigned	check cns

Table: 'dbo.HistoryLoc', 5 fields

Field Name	Type and Size	Default	Nullable	Description
GenType	bigint		NOT NULL	
LangID	int		NOT NULL	
ShortMsg	varchar(32)		NULL	
DetailMsg	varchar(144)		NULL	
handle	int identity		NOT NULL	

Primary key for table 'dbo.HistoryLoc'

Primary Key Name	Field Name
PK_HistoryLoc	handle

Indexes for table 'dbo.HistoryLoc', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryLoc	Yes	Yes	handle

Table: 'dbo.HistoryNetForward', 5 fields

Field Name	Type and Size	Default	Nullable	Description
Flags	bigint		NULL	
PrevOwnerID	varchar(22)		NULL	
UsersForwardedTo	varchar(128)		NULL	
Notes	varchar(128)		NULL	
handle	int		NOT NULL	

Primary key for table 'dbo.HistoryNetForward'

Primary Key Name	Field Name
PK_HistoryNetForward	handle

Foreign keys for table 'dbo.HistoryNetForward', 1 item

Foreign	Primary
HistoryNetForward.handle	History.handle

Indexes for table 'dbo.HistoryNetForward', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryNetForward	Yes	Yes	handle

Dependencies for table 'dbo.HistoryNetForward', 1 item

Object Name	Type
dbo.CK_HistoryNetForward_Flags_Unsigned	check cns

Table: 'dbo.HistoryOCR', 4 fields

Field Name	Type and Size	Default	Nullable	Description
TimeToOCR	int		NULL	
Error1	bigint		NULL	
Msg	varchar(128)		NULL	
handle	int		NOT NULL	

Primary key for table 'dbo.HistoryOCR'

Primary Key Name	Field Name
PK_HistoryOCR	handle

Foreign keys for table 'dbo.HistoryOCR', 1 item

Foreign	Primary
HistoryOCR.handle	History.handle

Indexes for table 'dbo.HistoryOCR', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryOCR	Yes	Yes	handle

Dependencies for table 'dbo.HistoryOCR', 1 item

Object Name	Type
dbo.CK_HistoryOCR_Error1_Unsigned	check cns

Table: 'dbo.HistoryPrint', 9 fields

Field Name	Type and Size	Default	Nullable	Description
Flags	bigint		NOT NULL	
TimeToPrint	int		NULL	
Error1	bigint		NULL	
Error2	bigint		NULL	
PagesPrinted	int		NULL	
CopiesPrinted	int		NULL	
NetPrintID	varchar(10)		NULL	
Msg	varchar(128)		NULL	
handle	int		NOT NULL	

Primary key for table 'dbo.HistoryPrint'

Primary Key Name	Field Name
PK_HistoryPrint	handle

Foreign keys for table 'dbo.HistoryPrint', 1 item

Foreign	Primary
HistoryPrint.handle	History.handle

Indexes for table 'dbo.HistoryPrint', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryPrint	Yes	Yes	handle

Dependencies for table 'dbo.HistoryPrint', 5 items

Object Name	Type
dbo.CK_HistoryPrint_CopiesPrinted_Unsigned	check cns
dbo.CK_HistoryPrint_Error1_Unsigned	check cns
dbo.CK_HistoryPrint_Error2_Unsigned	check cns
dbo.CK_HistoryPrint_Flags_Unsigned	check cns
dbo.CK_HistoryPrint_PagesPrinted_Unsigned	check cns

Table: 'dbo.HistoryRoute', 4 fields

Field Name	Type and Size	Default	Nullable	Description
Flags	bigint		NULL	
PrevOwnerID	varchar(22)		NULL	
Notes	varchar(454)		NULL	
handle	int		NOT NULL	

Primary key for table 'dbo.HistoryRoute'

Primary Key Name	Field Name
------------------	------------

PK_HistoryRoute	handle
-----------------	--------

Foreign keys for table 'dbo.HistoryRoute', 1 item

Foreign	Primary
HistoryRoute.handle	History.handle

Indexes for table 'dbo.HistoryRoute', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryRoute	Yes	Yes	handle

Dependencies for table 'dbo.HistoryRoute', 1 item

Object Name	Type
dbo.CK_HistoryRoute_Flags_Unsigned	check cns

Table: 'dbo.HistorySecureDocs', 9 fields

Field Name	Type and Size	Default	Nullable	Description
Flags	bigint		NULL	
SMTPSender	varchar(64)		NULL	
SMTPHost	varchar(64)		NULL	
RemoteIP	varchar(32)		NULL	
UserAgent	varchar(64)		NULL	
CurrentStatus	varchar(32)		NULL	
TermStat	int		NULL	
ExtendStatus	varchar(202)		NULL	
handle	int		NOT NULL	

Primary key for table 'dbo.HistorySecureDocs'

Primary Key Name	Field Name
PK_HistorySecureDocs	handle

Foreign keys for table 'dbo.HistorySecureDocs', 1 item

Foreign	Primary
HistorySecureDocs.handle	History.handle

Indexes for table 'dbo.HistorySecureDocs', 1 item

Index Name	Clustered	Unique	Fields
PK_HistorySecureDocs	Yes	Yes	handle

Dependencies for table 'dbo.HistorySecureDocs', 2 items

Object Name	Type
dbo.CK_HistorySecureDocs_Flags_Unsigned	check cns
dbo.CK_HistorySecureDocs_TermStat_Unsigned	check cns

Table: 'dbo.HistoryTRX', 24 fields

Field Name	Type and Size	Default	Nullable	Description
ElapsedTime	int		NULL	
HangupStatus	smallint		NULL	
BadPageCount	int		NULL	
ChannelUsed	int		NULL	
Disposition	int		NULL	
TermStat	int		NULL	
RemoteID	varchar(22)		NULL	

BoardType	int		NULL	
GoodPageCount	int		NULL	
CXMessageID	varchar(32)		NULL	
FaxNumber	varchar(32)		NULL	
MsgFromTransport	varchar(96)		NULL	
RemoteServer	varchar(48)		NULL	
ANI	varchar(32)		NULL	
AOCData	binary(3)		NULL	
ISDNCauseVal	int		NULL	
Reserved	smallint		NULL	
Flags	int		NULL	
GammaErr	int		NULL	
BTCallResult_Status	smallint		NULL	
BTCallResult_LineStatus	smallint		NULL	
BTFaxResult_Status	smallint		NULL	
BTFaxResult_LineStatus	smallint		NULL	
handle	int		NOT NULL	

Primary key for table 'dbo.HistoryTRX'

Primary Key Name	Field Name
PK_HistoryTRX	handle

Foreign keys for table 'dbo.HistoryTRX', 1 item

Foreign	Primary
HistoryTRX.handle	History.handle

Indexes for table 'dbo.HistoryTRX', 1 item

Index Name	Clustered	Unique	Fields
PK_HistoryTRX	Yes	Yes	handle

Dependencies for table 'dbo.HistoryTRX', 13 items

Object Name	Type
dbo.CK_HistoryTRX_BadPageCount_Unsigned	check cns
dbo.CK_HistoryTRX_BoardType_Unsigned	check cns
dbo.CK_HistoryTRX_ChannelUsed_Unsigned	check cns
dbo.CK_HistoryTRX_Disposition_Unsigned	check cns
dbo.CK_HistoryTRX_ElapsedTime_Unsigned	check cns
dbo.CK_HistoryTRX_Flags_Unsigned	check cns
dbo.CK_HistoryTRX_GammaErr_Unsigned	check cns
dbo.CK_HistoryTRX_GoodPageCount_Unsigned	check cns
dbo.CK_HistoryTRX_HangupStatus_Unsigned	check cns
dbo.CK_HistoryTRX_ISDNCauseVal_Unsigned	check cns
dbo.CK_HistoryTRX_TermStat_Unsigned	check cns
dbo.fnDocumentCountMatchingAniRecords	scalar function
dbo.fnViewDocTransactions	table function

Table: 'dbo.LibraryDocuments', 18 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Flags	bigint		NULL	
ObjectID	varchar(22)		NULL	
Filename	varchar(14)		NULL	
Description	varchar(36)		NULL	
NumPages	int		NULL	
TimesRequestedFOD	bigint		NULL	
TimesUsedLAN	bigint		NULL	

EmbargoDate	datetime		NULL	
ExpireDate	datetime		NULL	
ParentFolder	bigint		NULL	
FolderID	bigint		NULL	
TimesRequestedWEB	bigint		NULL	
LastUsed	datetime		NULL	
FodPassword	varchar(63)		NULL	
reserved	varchar(1000)		NULL	
ServerGUID	uniqueidentifier		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.LibraryDocuments'

Primary Key Name	Field Name
PK_LibraryDocuments	handle

Indexes for table 'dbo.LibraryDocuments', 5 items

Index Name	Clustered	Unique	Fields
PK_LibraryDocuments	Yes	Yes	handle
IX_LibraryDocuments_ObjectID	No	Yes	ObjectID, ServerGUID
IX_LibraryDocuments	No	No	ObjectID
IX_LibraryDocuments_ServerGUID	No	No	ServerGUID

Dependencies for table 'dbo.LibraryDocuments', 9 items

Object Name	Type
dbo.CK_LibraryDocuments_Flags_Unsigned	check cns
dbo.CK_LibraryDocuments_FolderID_Unsigned	check cns
dbo.CK_LibraryDocuments_NumPages_Unsigned	check cns
dbo.CK_LibraryDocuments_ParentFolder_Unsigned	check cns
dbo.CK_LibraryDocuments_TimesRequestedFOD_Unsigned	check cns
dbo.CK_LibraryDocuments_TimesRequestedWEB_Unsigned	check cns
dbo.CK_LibraryDocuments_TimesUsedLAN_Unsigned	check cns
dbo.fnGenerateObjectCounts	table function
dbo.InsertBaseServerSpecificData	stored procedure

Table: 'dbo.Locks', 8 fields

Field Name	Type and Size	Default	Nullable	Description
ServerGUID	uniqueidentifier		NOT NULL	
UserID	varchar(22)		NOT NULL	
Module	varchar(128)		NOT NULL	
BlockReads	bit		NOT NULL	
BlockWrites	bit		NOT NULL	
FSRecognized	bit		NOT NULL	
FDRecognized	bit		NOT NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.Locks'

Primary Key Name	Field Name
PK_Locks	ServerGUID

Indexes for table 'dbo.Locks', 1 item

Index Name	Clustered	Unique	Fields
PK_Locks	Yes	Yes	ServerGUID

Table: 'dbo.NewDocAttachments', 12 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
NewDocHandle	int		NOT NULL	
Dir	varchar(260)		NULL	The RightFax dir (e.g., outgoing) containing FileName. Null indicates FileName is a full path.
FileName	varchar(260)		NOT NULL	Source file name of this attachment.
Password	varchar(256)		NULL	Password for creating or opening encrypted documents
Native	bit		NULL	Indicates whether this document is to be attached in its native form.
NativeFileName	varchar(260)		NULL	If Native, name of file when in transport.
AltBody	bit		NULL	Indicates whether this document is to be an alternate body (e-mail and Native only).
DeleteSource	bit		NOT NULL	Indicates whether to delete the source file after processing
Lib	bit		NULL	Indicates this attachment is a RightFax Library Document
Usage	varchar(50)		NULL	Indicates how this lib document is being used (e.g., Web = WebClient/Util, FOD = Fax On Demand, LAN = Win32 Client)
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.NewDocAttachments'

Primary Key Name	Field Name
PK_NewDocAttachments	handle

Foreign keys for table 'dbo.NewDocAttachments', 1 item

Foreign	Primary
NewDocAttachments.NewDocHandle	NewDocs.handle

Indexes for table 'dbo.NewDocAttachments', 1 item

Index Name	Clustered	Unique	Fields
PK_NewDocAttachments	Yes	Yes	handle

Dependencies for table 'dbo.NewDocAttachments', 2 items

Object Name	Type
dbo.fnGenerateDocumentCounts	table function

dbo.fnGetAttachmentCountForDoc	scalar function
--------------------------------	-----------------

Table: 'dbo.NewDocRecipients', 35 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
NewDocHandle	int		NOT NULL	
Type	varchar(50)		NOT NULL	Recipient Type (e.g., Fax, SMS, E-mail)
BillInfo1	varchar(16)		NULL	Accounting code #1
BillInfo2	varchar(16)		NULL	Accounting code #2
DelaySendUntil	datetime		NULL	Null if ASAP, else time fax should be sent (delay send) (GMT0)
FromName	varchar(60)		NULL	Source name
FromDestination	varchar(256)		NULL	From address (destination for response)
FromPhoneNum	varchar(32)		NULL	Source voice number
ToDestination	varchar(256)		NULL	Destination address
ToAltDestination	varchar(256)		NULL	Alternate destination address
ToCityState	varchar(60)		NULL	Destination location name
ToCompany	varchar(60)		NULL	Destination voice number
ToContactNum	varchar(32)		NULL	Destination company name
ToName	varchar(60)		NULL	Destination name
SecureCSID	varchar(22)		NULL	Null if secure sending is not enabled
Priority	tinyint		NULL	Fax job priority level - see PRIORITY_* in rfapi.h
JobID	varchar(16)		NULL	Unique user or system provided id for fax job
CompletionEvent	bit		NULL	Null = use default, 0 = No complete event, 1 = fire complete event
CoverSheet	bit		NULL	Null = use default, 0 = No cover sheet, 1 = cover sheet
AutoDeleteSuccess	bit		NULL	Null = use default, 0 = no delete on success, 1 = delete on success
AutoDeleteFailure	bit		NULL	Null = use default, 0 = no delete on failure, 1 = delete on failure (currently, if this is set to 1, AutoDeleteSuccess must also be 1)
RecipientNotifyType	varchar(50)		NULL	Type of recipient notification to use (e.g., SMS) or NULL if none

RecipientNotifyDestination	varchar(256)		NULL	Recipient notification destination address
PreferredContentType	varchar(50)		NULL	Type of file we prefer to send (e.g., G3, TXT, PDF)
OwnerPassword	varchar(256)		NULL	Owner password for document body (Secure PDF only)
UserPassword	varchar(256)		NULL	User password for document body (Secure PDF only)
PermAllowPrinting	bit		NULL	Allow printing of document body (Secure PDF only)
PermAllowModification	bit		NULL	Allow modification document body (Secure PDF only)
PermAllowExtraction	bit		NULL	Allow copying/extraction of document body (Secure PDF only)
PermAllowAnnotation	bit		NULL	Allow annotation of document body (Secure PDF only)
PermAllowSaveAs	bit		NULL	Allow document body (Secure PDF only) to be saved as another file name
CC	bit		NULL	Indicates the recipient is a CC recipient (a recipient receiving a Carbon Copy)
Certified	bit		NULL	Indicates use of Certified Delivery (applies to Type = "Email" only)
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.NewDocRecipients'

Primary Key Name	Field Name
PK_NewDocRecipients	handle

Foreign keys for table 'dbo.NewDocRecipients', 1 item

Foreign	Primary
NewDocRecipients.NewDocHandle	NewDocs.handle

Indexes for table 'dbo.NewDocRecipients', 1 item

Index Name	Clustered	Unique	Fields
PK_NewDocRecipients	Yes	Yes	handle

Dependencies for table 'dbo.NewDocRecipients', 2 items

Object Name	Type
dbo.fnGenerateDocumentCounts	table function
dbo.fnGetRecipientCountForDoc	scalar function

Table: 'dbo.NewDocs', 23 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
UserHandle	int		NOT NULL	Owner from Users table.
DocumentHandle	int		NULL	Referenced Document (see Forward)
Ready	bit		NULL	Set when NewDoc and related data are ready. Document will not be created until this is set.
Notes	varchar(1470)		NULL	Note text for FCS or SMS content.
Subject	varchar(512)		NULL	Subject text.
BodyCoverPDF	bit		NULL	Requests a PDF of the body and/or cover
NotesTXT	bit		NULL	Requests a TXT of the notes
HoldForPreview	bit		NULL	Requests the document be held for preview before sending
FineBody	bit		NULL	Indicates to use 200x200 dpi for the G3 body (normal is 200x100)
FineCover	bit		NULL	Indicates to use 200x200 dpi for the G3 cover sheet (normal is 200x100)
SmartResume	bit		NULL	Set when the fax should use partial-retries
Forward	bit		NULL	Indicates that this document is to be a forward of the document referred to by DocumentHandle
FolderIndex	int		NULL	Index of the user's folder where this document will reside (0 is Main)
CreationTime	datetime		NULL	The time this document was created
CoverTemplate	varchar(260)		NULL	Name of the cover sheet template to use. Null indicates use user/system default.
Comment	varchar(70)		NULL	Comment for owner's convenience--this value is not transmitted
ServerGUID	uniqueidentifier		NULL	Identifies the server this document is to processed by
FromOperatorNum	varchar(32)		NULL	Source generic voice number
FromGeneralFaxNum	varchar(50)		NULL	Source generic fax number
ObjectGuid	uniqueidentifier	(newid())	NULL	

FormID	varchar(16)		NULL	The ID or Code of the Form to overlay on the new document. Null or empty string for none.
NeedsApproval	bit		NULL	Indicates that the document request requires approval.

Primary key for table 'dbo.NewDocs'

Primary Key Name	Field Name
PK_NewDocs	handle

Foreign keys for table 'dbo.NewDocs', 1 item

Foreign	Primary
NewDocs.UserHandle	Users.handle

Indexes for table 'dbo.NewDocs', 1 item

Index Name	Clustered	Unique	Fields
PK_NewDocs	Yes	Yes	handle

Dependencies for table 'dbo.NewDocs', 2 items

Object Name	Type
dbo.fnGenerateDocumentCounts	table function
dbo.fnGenerateObjectCounts	table function

Table: 'dbo.Notes', 3 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Text	varchar(1470)		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.Notes'

Primary Key Name	Field Name
PK_Notes	handle

Indexes for table 'dbo.Notes', 1 item

Index Name	Clustered	Unique	Fields
PK_Notes	Yes	Yes	handle

Dependencies for table 'dbo.Notes', 1 item

Object Name	Type
dbo.PurgeDocument	stored procedure

Table: 'dbo.Printers', 13 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Flags	bigint		NULL	
NetPrintID	varchar(10)		NULL	
Description	varchar(48)		NULL	
ServerName	varchar(48)		NULL	
QueueName	varchar(48)		NULL	

PrinterType	smallint		NULL	
Spooled	smallint		NULL	
NovellFormType	smallint		NULL	
DefSize	smallint		NULL	
DefSource	smallint		NULL	
ServerGUID	uniqueidentifier		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.Printers'

Primary Key Name	Field Name
PK_Printers	handle

Indexes for table 'dbo.Printers', 15 items

Index Name	Clustered	Unique	Fields
PK_Printers	Yes	Yes	handle
IX_Printers_NetPrintID	No	Yes	NetPrintID
IX_Printers_Load	No	No	ServerGUID, handle, Flags, NetPrintID, Description, ServerName, QueueName, PrinterType, Spooled, NovellFormType, DefSize, DefSource
IX_Printers_ServerGUID	No	No	ServerGUID

Dependencies for table 'dbo.Printers', 2 items

Object Name	Type
dbo.CK_Printers_Flags_Unsigned	check cns
dbo.fnGenerateObjectCounts	table function

Table: 'dbo.RequestStatus', 7 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Flags	bigint		NULL	
Item	int		NULL	
Status	smallint		NULL	
UserID	varchar(22)		NULL	
ServerGUID	uniqueidentifier		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.RequestStatus'

Primary Key Name	Field Name
PK_RequestStatus	handle

Indexes for table 'dbo.RequestStatus', 1 item

Index Name	Clustered	Unique	Fields
PK_RequestStatus	Yes	Yes	handle

Dependencies for table 'dbo.RequestStatus', 2 items

Object Name	Type
dbo.CK_RequestStatus_Flags_Unsigned	check cns
dbo.DeleteDocument	stored procedure

Table: 'dbo.SecureDocsContacts', 6 fields

Field Name	Type and Size	Default	Nullable	Description
WM_UID	numeric() identity(18)		NOT NULL	
WM_Email	varchar(250)		NOT NULL	
WM_Password	varchar(250)		NOT NULL	
WM_Date	datetime		NULL	
REMOTE_ADDR	varchar(50)		NULL	
Admin	tinyint		NULL	

Primary key for table 'dbo.SecureDocsContacts'

Primary Key Name	Field Name
PK_SecureDocsContacts	WM_UID

Indexes for table 'dbo.SecureDocsContacts', 1 item

Index Name	Clustered	Unique	Fields
PK_SecureDocsContacts	No	Yes	WM_UID

Table: 'dbo.SecureDocsRecipients', 3 fields

Field Name	Type and Size	Default	Nullable	Description
Handle	int		NOT NULL	
Recipient	varchar(255)		NOT NULL	
TimeStmp	datetime	(getdate())	NOT NULL	

Primary key for table 'dbo.SecureDocsRecipients'

Primary Key Name	Field Name
PK_SecureDocsRecipients	Handle

Indexes for table 'dbo.SecureDocsRecipients', 3 items

Index Name	Clustered	Unique	Fields
PK_SecureDocsRecipients	No	Yes	Handle
IX_SecureDocsRecipients	Yes	No	TimeStmp, Recipient

Table: 'dbo.Signatures', 11 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Flags	bigint		NULL	
SignID	varchar(22)		NULL	
SignOwner	varchar(22)		NULL	
SignFile	varchar(14)		NULL	
SignDesc	varchar(36)		NULL	
SignUsers_0	varchar(22)		NULL	
SignUsers_1	varchar(22)		NULL	
SignUsers_2	varchar(22)		NULL	
ServerGUID	uniqueidentifier		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.Signatures'

Primary Key Name	Field Name
PK_Signatures	handle

Indexes for table 'dbo.Signatures', 14 items

Index Name	Clustered	Unique	Fields
PK_Signatures	Yes	Yes	handle

IX_Signatures_SignID	No	Yes	SignID
IX_Signatures_Load	No	No	ServerGUID, handle, Flags, SignID, SignOwner, SignFile, SignDesc, SignUsers_0, SignUsers_1, SignUsers_2
IX_Signatures_ServerGUID	No	No	ServerGUID
IX_Signatures_SignOwner	No	No	SignOwner

Dependencies for table 'dbo.Signatures', 2 items

Object Name	Type
dbo.CK_Signatures_Flags_Unsigned	check cns
dbo.fnGenerateObjectCounts	table function

Table: 'dbo.StatDescs', 8 fields, Descriptions for statistics created by RightFax services

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	Primary Key
ModuleName	varchar(128)		NOT NULL	Name of module hosting statistic
StatisticName	varchar(128)		NOT NULL	Name of statistic
IndexingFormat	varchar(128)		NULL	Format for indexing or null, if none.
Expiration	int		NULL	Expiration of values in seconds or null, if never.
RequiresAdmin	bit		NOT NULL	True to indicate this statistic can only be viewed by administrators
MinValue	varchar(50)		NULL	Minimum value this statistic is expected to have or null if none.
MaxValue	varchar(50)		NULL	Maximum value this statistic is expected to have or null if none.

Primary key for table 'dbo.StatDescs'

Primary Key Name	Field Name
PK_StatDescs	ID

Indexes for table 'dbo.StatDescs', 3 items

Index Name	Clustered	Unique	Fields
PK_StatDescs	Yes	Yes	ID
IX_StatDescs	No	Yes	ModuleName, StatisticName

Table: 'dbo.StatLives', 6 fields

Field Name	Type and Size	Default	Nullable	Description
Instance	uniqueidentifier		NOT NULL	Execution instance.
ModuleName	varchar(128)		NOT NULL	Name of the host module whose lifetime is being tracked.

ConfigurationInstance	varchar(50)		NOT NULL	Service configuration instance (e.g., the 1 in WorkSrv1).
FirstPulse	datetime		NOT NULL	First pulse received.
LastPulse	datetime		NOT NULL	Last pulse received.
NextPulse	datetime		NOT NULL	Next time the host anticipated it would pulse.

Primary key for table 'dbo.StatLives'

Primary Key Name	Field Name
PK_StatLives	Instance

Indexes for table 'dbo.StatLives', 3 items

Index Name	Clustered	Unique	Fields
PK_StatLives	Yes	Yes	Instance
IX_StatLives	No	Yes	Instance
IX_StatLives_ModuleName	No	No	ModuleName

Table: 'dbo.StatRangeValues', 4 fields

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	
StatDescsID	int		NOT NULL	ID of item in StatDescs table this range value is an instance of
Indexer	varchar(50)		NOT NULL	Specific statistic index for range values that are index range values or null, if none
Data	varchar(128)		NOT NULL	Value of this range value

Primary key for table 'dbo.StatRangeValues'

Primary Key Name	Field Name
PK_StatRangeValues	ID

Foreign keys for table 'dbo.StatRangeValues', 1 item

Foreign	Primary
StatRangeValues.StatDescsID	StatDescs.ID

Indexes for table 'dbo.StatRangeValues', 4 items

Index Name	Clustered	Unique	Fields
PK_StatRangeValues	Yes	Yes	ID
IX_StatRangeValues	No	Yes	StatDescsID, Indexer, Data

Table: 'dbo.StatValues', 6 fields, Values for statistics output by RightFax services

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	

StatDescsID	int		NOT NULL	ID of item in StatDescs table this value is an instance of
StatLivesInstance	uniqueidentifier		NOT NULL	
Recorded	datetime		NOT NULL	Time this statistic was recorded
Indexer	varchar(128)		NOT NULL	Specific statistic index for statistics that are indexable or null, if none
Data	varchar(128)		NOT NULL	Value of this statistic

Primary key for table 'dbo.StatValues'

Primary Key Name	Field Name
PK_StatValues	ID

Foreign keys for table 'dbo.StatValues', 2 items

Foreign	Primary
StatValues.StatDescsID	StatDescs.ID
StatValues.StatLivesInstance	StatLives.Instance

Indexes for table 'dbo.StatValues', 2 items

Index Name	Clustered	Unique	Fields
PK_StatValues	Yes	Yes	ID
IX_StatValues	No	No	Recorded

Dependencies for table 'dbo.StatValues', 1 item

Object Name	Type
dbo.GetStatistics	stored procedure

Table: 'dbo.SystemMessages', 9 fields

Field Name	Type and Size	Default	Nullable	Description
SysMsgType	int		NULL	
SysMsgDBA	int		NULL	Handle to the fax
SysMsgUserID	varchar(22)		NULL	
handle	int identity		NOT NULL	Handle of object this message refers to, if any
SysMsgInfo	varchar(24)		NULL	
SysMsgUL1	bigint		NULL	
ServerGUID	uniqueidentifier		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	
Dequeued	bit	((0))	NOT NULL	

Primary key for table 'dbo.SystemMessages'

Primary Key Name	Field Name
PK_SystemMessages	handle

Indexes for table 'dbo.SystemMessages', 8 items

Index Name	Clustered	Unique	Fields
PK_SystemMessages	Yes	Yes	handle

IX_SystemMessages	No	No	SysMsgDBA, SysMsgType, SysMsgUserID, handle, SysMsgInfo, SysMsgUL1, ServerGUID
-------------------	----	----	--

Dependencies for table 'dbo.SystemMessages', 4 items

Object Name	Type
dbo.CK_SystemMessages_SysMsgType_Unsigned	check cns
dbo.CK_SystemMessages_SysMsgUL1_Unsigned	check cns
dbo.DeleteDocument	stored procedure
dbo.GetNextSystemMessage	stored procedure

Table: 'dbo.TermStatToStatusCode', 3 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int		NOT NULL	
StatusCode	int		NULL	
Description	varchar(40)		NULL	

Primary key for table 'dbo.TermStatToStatusCode'

Primary Key Name	Field Name
PK_TermStatToStatusCode	handle

Indexes for table 'dbo.TermStatToStatusCode', 1 item

Index Name	Clustered	Unique	Fields
PK_TermStatToStatusCode	Yes	Yes	handle

Table: 'dbo.TimeEvents', 7 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
EventDateTime	datetime		NULL	
TimedFRDBA	int		NULL	
Converting	smallint		NULL	
NumPages	smallint		NULL	
ServerGUID	uniqueidentifier		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.TimeEvents'

Primary Key Name	Field Name
PK_TimeEvents	handle

Indexes for table 'dbo.TimeEvents', 3 items

Index Name	Clustered	Unique	Fields
PK_TimeEvents	Yes	Yes	handle
IX_TimeEvents_EventDateT ime	No	No	EventDateTime
IX_TimeEvents_TimedFRDBA	No	No	TimedFRDBA

Table: 'dbo.UserFolders', 8 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Owner	int		NULL	
Flags	bigint		NULL	
Type	bigint		NULL	

FolderName	varchar(255)		NULL	
ID	bigint		NOT NULL	
ParentID	bigint		NULL	
ObjectGuid	uniqueidentifier	(newid())	NOT NULL	

Primary key for table 'dbo.UserFolders'

Primary Key Name	Field Name
PK_UserFolders	handle

Foreign keys for table 'dbo.UserFolders', 1 item

Foreign	Primary
UserFolders.Owner	Users.handle

Indexes for table 'dbo.UserFolders', 7 items

Index Name	Clustered	Unique	Fields
PK_UserFolders	Yes	Yes	handle
IX_UserFolders_FolderName_ParentID_Owner	No	Yes	FolderName, ParentID, Owner
IX_UserFolders_Owner_ID	No	Yes	Owner, ID
IX_UserFolders	No	No	Owner

Dependencies for table 'dbo.UserFolders', 9 items

Object Name	Type
dbo.CK_UserFolders_Flags_Unsigned	check cns
dbo.CK_UserFolders_ID_Unsigned	check cns
dbo.CK_UserFolders_ParentID_Unsigned	check cns
dbo.CK_UserFolders_Type_Unsigned	check cns
dbo.fnGetChildrenOfFolder	inline function
dbo.fnGetChildrenOfFolder2	table function
dbo.fnGetFolderFromID	table function
dbo.fnGetFolderNameFromID	scalar function
dbo.InsertBaseRecords	stored procedure

Table: 'dbo.UserPagerNotify', 10 fields

Field Name	Type and Size	Default	Nullable	Description
ID	int identity		NOT NULL	
Owner	int		NOT NULL	
Flags	bigint		NULL	
Type	bigint		NOT NULL	
PagerID	varchar(64)		NULL	
ServiceName	varchar(22)		NULL	
Types1	bigint		NULL	
Types2	bigint		NULL	
CSIDList	varchar(256)		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	

Primary key for table 'dbo.UserPagerNotify'

Primary Key Name	Field Name
PK_UserPagerNotify	ID

Foreign keys for table 'dbo.UserPagerNotify', 1 item

Foreign	Primary
UserPagerNotify.Owner	Users.handle

Indexes for table 'dbo.UserPagerNotify', 1 item

Index Name	Clustered	Unique	Fields
PK_UserPagerNotify	Yes	Yes	ID

Dependencies for table 'dbo.UserPagerNotify', 4 items

Object Name	Type
dbo.CK_UserPagerNotify_Flags_Unsigned	check cns
dbo.CK_UserPagerNotify_Type_Unsigned	check cns
dbo.CK_UserPagerNotify_Types1_Unsigned	check cns
dbo.CK_UserPagerNotify_Types2_Unsigned	check cns

Table: 'dbo.UserRouteType', 3 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int		NOT NULL	
RouteType	varchar(10)		NULL	
RouteTypeDescription	varchar(30)		NULL	

Primary key for table 'dbo.UserRouteType'

Primary Key Name	Field Name
PK_UserRouteType	handle

Indexes for table 'dbo.UserRouteType', 1 item

Index Name	Clustered	Unique	Fields
PK_UserRouteType	Yes	Yes	handle

Table: 'dbo.Users', 84 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
GroupID	int		NULL	
UserFlags	bigint		NULL	
UserID	varchar(22)		NULL	
UserName	varchar(29)		NULL	
Password	varchar(34)		NULL	
UserDIDNumber	bigint		NULL	
FCSModelName	varchar(14)		NULL	
NotifyType	int		NULL	
STDIDNum	varchar(32)		NULL	
STGenFaxNum	varchar(32)		NULL	
STCallback	smallint		NULL	
STOperNum	varchar(32)		NULL	
STFromName	varchar(60)		NULL	
STFromPhone	varchar(32)		NULL	
STToFaxNum	varchar(32)		NULL	
STToContactNum	varchar(32)		NULL	
STToName	varchar(60)		NULL	
STToCompany	varchar(60)		NULL	
STToCityState	varchar(60)		NULL	
AutoPrintNetPrintID	varchar(10)		NULL	
DefaultPrinter	varchar(10)		NULL	
WebImageFormat	smallint		NULL	
LastUpgradedFolderID	smallint		NULL	
AutoSentPrinter	varchar(10)		NULL	
AutoPrintFlags	int		NULL	
SubscriberID	bigint		NULL	
UserFlags2	bigint		NULL	
HighestPriority	smallint		NULL	
DefaultPriority	smallint		NULL	
NewDocNotifyUser	varchar(22)		NULL	

RouteType	smallint		NULL	
RouteFmt	smallint		NULL	
AFPhone	varchar(32)		NULL	
SendNotify	int		NULL	
ReceiveNotify	int		NULL	
UpdateInterval	int		NULL	
AutoDelete	int		NULL	
DefaultViewScale	int		NULL	
AutoOCRFlags	int		NULL	
AutoOCRLayout	smallint		NULL	
AutoOCRFormat	smallint		NULL	
AutoOCRExt	varchar(4)		NULL	
AFUser	smallint		NULL	
RouteDeleteAfter	smallint		NULL	
ChangeTag	bigint		NULL	
RouteInfo	varchar(100)		NULL	
NWDSName	varchar(80)		NULL	
Folders	varchar(256)		NULL	
OtherPBID_0	varchar(22)		NULL	
OtherPBID_1	varchar(22)		NULL	
OtherPBID_2	varchar(22)		NULL	
OtherPBID_3	varchar(22)		NULL	
OtherPBPass_0	varchar(34)		NULL	
OtherPBPass_1	varchar(34)		NULL	
OtherPBPass_2	varchar(34)		NULL	
OtherPBPass_3	varchar(34)		NULL	
RPOStartPage	smallint		NULL	
RPOEndPage	smallint		NULL	
RPOFlags	smallint		NULL	
RPORes	smallint		NULL	
RPOSize	smallint		NULL	
RPOSource	smallint		NULL	
RPOOutputBin	smallint		NULL	
RPODuplex	smallint		NULL	
RPOSecurityCode	int		NULL	
RPOCopies	smallint		NULL	
EmailRouteForm	smallint		NULL	
RPOAcctCode	binary(8)		NULL	
RPOPriority	smallint		NULL	
RPOOther	smallint		NULL	
DefaultBI1	varchar(16)		NULL	
DefaultBI2	varchar(16)		NULL	
SID	varchar(88)		NULL	
EmailAddr	varchar(256)		NULL	
SMSServiceID	varchar(22)		NULL	
MobileAddr	varchar(32)		NULL	
NotifyInfo	varchar(100)		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	
UsnCreated	bigint	((0))	NULL	
UsnUpdated	bigint	((0))	NULL	
SyncGuid	varchar(128)		NULL	
SyncSource	varchar(32)		NULL	
SyncUSN	bigint		NULL	

Primary key for table 'dbo.Users'

Primary Key Name	Field Name
PK_Users	handle

Foreign keys for table 'dbo.Users', 1 item

Foreign	Primary
Users.GroupID	Groups.handle

Indexes for table 'dbo.Users', 10 items

Index Name	Clustered	Unique	Fields
PK_Users	Yes	Yes	handle
IX_Users_UserID	No	Yes	UserID
IX_Users_GroupID	No	No	GroupID
IX_Users_NotifyInfo	No	No	NotifyInfo
IX_Users_NWDSName	No	No	NWDSName
IX_Users_RouteInfo	No	No	RouteInfo
IX_Users_SID	No	No	SID
IX_Users_SMSServiceID	No	No	SMSServiceID
IX_Users_SubscriberID	No	No	SubscriberID
IX_Users_UserDIDNumber	No	No	UserDIDNumber

Triggers for table 'dbo.Users', 2 items

Name	Type	Enabled
OnInsertUsersUsn	after INSERT	Yes
OnUpdateUsersUsn	after UPDATE	Yes

Dependencies for table 'dbo.Users', 57 items

Object Name	Type
dbo.CK_Users_AFUser_Unsigned	check cns
dbo.CK_Users_AutoDelete_Unsigned	check cns
dbo.CK_Users_AutoOCRFlags_Unsigned	check cns
dbo.CK_Users_AutoOCRFormat_Unsigned	check cns
dbo.CK_Users_AutoOCRLayout_Unsigned	check cns
dbo.CK_Users_AutoPrintFlags_Unsigned	check cns
dbo.CK_Users_ChangeTag_Unsigned	check cns
dbo.CK_Users_DefaultPriority_Unsigned	check cns
dbo.CK_Users_DefaultViewScale_Unsigned	check cns
dbo.CK_Users_EmailRouteForm_Unsigned	check cns
dbo.CK_Users_HighestPriority_Unsigned	check cns
dbo.CK_Users_LastUpgradedFolderID_Unsigned	check cns
dbo.CK_Users_NotifyType_Unsigned	check cns
dbo.CK_Users_ReceiveNotify_Unsigned	check cns
dbo.CK_Users_RouteDeleteAfter_Unsigned	check cns
dbo.CK_Users_RouteFmt_Unsigned	check cns
dbo.CK_Users_RouteType_Unsigned	check cns
dbo.CK_Users_RPOCopies_Unsigned	check cns
dbo.CK_Users_RPODuplex_Unsigned	check cns
dbo.CK_Users_RPOFlags_Unsigned	check cns
dbo.CK_Users_RPOOther_Unsigned	check cns
dbo.CK_Users_RPOOutputBin_Unsigned	check cns
dbo.CK_Users_RPOPriority_Unsigned	check cns
dbo.CK_Users_RPORes_Unsigned	check cns
dbo.CK_Users_RPOSecurityCode_Unsigned	check cns
dbo.CK_Users_RPOSize_Unsigned	check cns
dbo.CK_Users_RPOSource_Unsigned	check cns
dbo.CK_Users_SendNotify_Unsigned	check cns
dbo.CK_Users_SubscriberID_Unsigned	check cns
dbo.CK_Users_UpdateInterval_Unsigned	check cns
dbo.CK_Users_UserDIDNumber_Unsigned	check cns
dbo.CK_Users_UserFlags_Unsigned	check cns
dbo.CK_Users_UserFlags2_Unsigned	check cns
dbo.CK_Users_WebImageFormat_Unsigned	check cns
dbo.fnDelegatorsFromID	inline function
dbo.fnGenerateGroupContents	table function
dbo.fnGenerateObjectCounts	table function
dbo.fnGetAgedDocuments	inline function
dbo.fnGetGroupIDFromUserHandle	scalar function
dbo.fnGetUserCountForGroup	scalar function

dbo.fnGroupMembers	inline function
dbo.fnGroupMembersFromID	inline function
dbo.fnIsAdmin	scalar function
dbo.fnUserHandleFromID	scalar function
dbo.fnUserIDFromHandle	scalar function
dbo.fnUserNameFromHandle	scalar function
dbo.fnViewDocTransactions	table function
dbo.fnViewDocuments	table function
dbo.fnViewUserSettings	table function
dbo.GroupsFull	view
dbo.InsertBaseRecords	stored procedure
dbo.OnInsertUsersUsn	trigger
dbo.OnUpdateDocumentsUsn	trigger
dbo.OnUpdateUsersUsn	trigger
dbo.RFView_UserPhoneEntries	view
dbo.RFView_UserPhoneGroups	view
dbo.UsersFull	view

Table: 'dbo.UserViews', 23 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
Owner	int		NULL	
ID	bigint		NOT NULL	
ViewName	varchar(255)		NULL	
Comment	varchar(255)		NULL	
AndFlags	bigint		NULL	
AndNotFlags	bigint		NULL	
OrFlags	bigint		NULL	
OrNotFlags	bigint		NULL	
AndFlags2	bigint		NULL	
AndNotFlags2	bigint		NULL	
OrFlags2	bigint		NULL	
OrNotFlags2	bigint		NULL	
StartTime	datetime		NULL	
EndTime	datetime		NULL	
StatusList	varchar(255)		NULL	
StatusNotList	varchar(255)		NULL	
DocTypes	int		NULL	
UserIDList	varchar(255)		NULL	
GroupIDList	varchar(255)		NULL	
GeneralList	varchar(500)		NULL	
AniMatch	varchar(32)		NULL	
ObjectGuid	uniqueidentifier	(newid())	NOT NULL	

Primary key for table 'dbo.UserViews'

Primary Key Name	Field Name
PK_UserViews	handle

Foreign keys for table 'dbo.UserViews', 1 item

Foreign	Primary
UserViews.Owner	Users.handle

Indexes for table 'dbo.UserViews', 5 items

Index Name	Clustered	Unique	Fields
PK_UserViews	Yes	Yes	handle
IX_UserViews_Owner_ID	No	Yes	Owner, ID
IX_UserViews_ViewName_Owner	No	Yes	ViewName, Owner

Dependencies for table 'dbo.UserViews', 11 items

Object Name	Type
dbo.CK_UserViews_AndFlags_Unsigned	check cns
dbo.CK_UserViews_AndFlags2_Unsigned	check cns
dbo.CK_UserViews_AndNotFlags_Unsigned	check cns
dbo.CK_UserViews_AndNotFlags2_Unsigned	check cns
dbo.CK_UserViews_ID_Unsigned	check cns
dbo.CK_UserViews_OrFlags_Unsigned	check cns
dbo.CK_UserViews_OrFlags2_Unsigned	check cns
dbo.CK_UserViews_OrNotFlags_Unsigned	check cns
dbo.CK_UserViews_OrNotFlags2_Unsigned	check cns
dbo.fnGetUserViewFromID	table function
dbo.fnGetUserViews	inline function

Table: 'dbo.WorkRequests', 94 fields

Field Name	Type and Size	Default	Nullable	Description
handle	int identity		NOT NULL	
BaseFlags	bigint		NOT NULL	
BaseRequestType	bigint		NULL	
hOwner	int		NOT NULL	
BaseRequestTime	datetime		NULL	
BaseRequestKey1	varchar(10)		NULL	
BaseRecType	bigint		NULL	
ServerGUID	uniqueidentifier		NULL	
SourceDir	varchar(128)		NULL	
OutputDir	varchar(128)		NULL	
OutputFile	varchar(14)		NULL	
FineMode	bit		NULL	
CoverSheet	bit		NULL	
UserID	varchar(22)		NULL	
FormNum	smallint		NULL	
MergeOpts	smallint		NULL	
FormHeight	smallint		NULL	
Print_PrinterID	varchar(10)		NULL	
Print_StartPage	smallint		NULL	
Print_EndPage	smallint		NULL	
Print_PrintCover	smallint		NULL	
Print_Flags	smallint		NULL	
Print_Res	tinyint		NULL	
Print_Size	tinyint		NULL	
Print_Source	tinyint		NULL	
Print_DeleteDoc	bit		NULL	
Print_UserID	varchar(22)		NULL	
Print_ZeroByte	smallint		NULL	
Print_OutputBin	smallint		NULL	
Print_JobType	smallint		NULL	
Print_Priority	smallint		NULL	
Print_AcctCode	binary(8)		NULL	
Print_SecurityCode	int		NULL	
Print_Duplex	smallint		NULL	
Print_Copies	smallint		NULL	
DeleteDoc	bit		NULL	
MsgType	smallint		NULL	
MsgText	varchar(200)		NULL	
Network	varchar(20)		NULL	
PostOffice	varchar(20)		NULL	
FileFormat	int		NULL	
OCRError	smallint		NULL	
GenMailType	smallint		NULL	
EmailRouteForm	smallint		NULL	
MailAddrCont	varchar(52)		NULL	

MailAddr	varchar(100)		NULL	
ToName	varchar(60)		NULL	
Destination	varchar(32)		NULL	
FilePath	varchar(72)		NULL	
NotifyType	int		NULL	
NotifyChannel	int		NULL	
ProdDoc	bit		NULL	
BillInfo1	varchar(16)		NULL	
BillInfo2	varchar(16)		NULL	
PhoneNum	varchar(32)		NULL	
OCRFlags	smallint		NULL	
Startpage	smallint		NULL	
Endpage	smallint		NULL	
Layout	smallint		NULL	
Format	smallint		NULL	
OutputName	varchar(14)		NULL	
LogicalSourceDir_0	smallint		NULL	
LogicalSourceDir_1	smallint		NULL	
LogicalSourceDir_2	smallint		NULL	
LogicalSourceDir_3	smallint		NULL	
LogicalSourceDir_4	smallint		NULL	
LogicalSourceDir_5	smallint		NULL	
LogicalSourceDir_6	smallint		NULL	
LogicalSourceDir_7	smallint		NULL	
LogicalSourceDir_8	smallint		NULL	
LogicalSourceDir_9	smallint		NULL	
LogicalSourceDir_10	smallint		NULL	
LogicalSourceDir_11	smallint		NULL	
SourceFile_0	varchar(14)		NULL	
SourceFile_1	varchar(14)		NULL	
SourceFile_2	varchar(14)		NULL	
SourceFile_3	varchar(14)		NULL	
SourceFile_4	varchar(14)		NULL	
SourceFile_5	varchar(14)		NULL	
SourceFile_6	varchar(14)		NULL	
SourceFile_7	varchar(14)		NULL	
SourceFile_8	varchar(14)		NULL	
SourceFile_9	varchar(14)		NULL	
SourceFile_10	varchar(14)		NULL	
SourceFile_11	varchar(14)		NULL	
AltAddress	varchar(100)		NULL	
RetryCount	smallint		NULL	
WhenToTry	bigint		NULL	
ReplyType	int		NULL	
MessageID	varchar(16)		NULL	
NextUserID	varchar(22)		NULL	
UID	uniqueidentifier		NULL	
ObjectGuid	uniqueidentifier	(newid())	NULL	
ArchiveFax	smallint		NULL	

Primary key for table 'dbo.WorkRequests'

Primary Key Name	Field Name
PK_WorkRequests	handle

Indexes for table 'dbo.WorkRequests', 2 items

Index Name	Clustered	Unique	Fields
PK_WorkRequests	Yes	Yes	handle
IX_WorkRequests_BaseRequestTime	No	No	BaseRequestTime

Dependencies for table 'dbo.WorkRequests', 24 items

Object Name	Type
dbo.CK_WorkRequests	check cns
dbo.CK_WorkRequests_BaseFlags_Unsigned	check cns
dbo.CK_WorkRequests_BaseRecType_Unsigned	check cns
dbo.CK_WorkRequests_BaseRequestType_Unsigned	check cns
dbo.CK_WorkRequests_EmailRouteForm_Unsigned	check cns
dbo.CK_WorkRequests_FileFormat_Unsigned	check cns
dbo.CK_WorkRequests_GenMailType_Unsigned	check cns
dbo.CK_WorkRequests_NotifyChannel_Unsigned	check cns
dbo.CK_WorkRequests_NotifyType_Unsigned	check cns
dbo.CK_WorkRequests_Print_Copies_Unsigned	check cns
dbo.CK_WorkRequests_Print_Duplex_Unsigned	check cns
dbo.CK_WorkRequests_Print_Flags_Unsigned	check cns
dbo.CK_WorkRequests_Print_JobType_Unsigned	check cns
dbo.CK_WorkRequests_Print_OutputBin_Unsigned	check cns
dbo.CK_WorkRequests_Print_PrintCover_Unsigned	check cns
dbo.CK_WorkRequests_Print_Priority_Unsigned	check cns
dbo.CK_WorkRequests_Print_SecurityCode_Unsigned	check cns
dbo.CK_WorkRequests_Print_ZeroByte_Unsigned	check cns
dbo.CK_WorkRequests_ReplyType_Unsigned	check cns
dbo.CK_WorkRequests_WhenToTry_Unsigned	check cns
dbo.DeleteDocument	stored procedure
dbo.fnGenerateObjectCounts	table function
dbo.fnWorkRequestCounts	table function
dbo.PurgeDocument	stored procedure

## Views, 15 items

View: '50 801 103 12 re.'"dbo.CurrentWorkRequestCounts''

Field Name	Type and Size
------------	---------------

View: 'COLUMN.'"dbo.DocumentCounts''

Field Name	Type and Size
------------	---------------

View: '463 642 Td.'"dbo.DTActivityCounts''

Field Name	Type and Size
------------	---------------

View: 'TABLE.'"dbo.EventsAll''

Field Name	Type and Size
------------	---------------

View: 'S.'"dbo.EventsTotals''

Field Name	Type and Size
------------	---------------

View: '51 438 Td.'"dbo.ExpandedContacts''

Field Name	Type and Size
------------	---------------

View: 'COLUMN.'"dbo.GlobalizationUntranslated''

Field Name	Type and Size
------------	---------------

View: '0 -6 Td.'"dbo.GroupsFull''

Field Name	Type and Size
------------	---------------

View: 'dbo.ObjectCounts'

Field Name	Type and Size
CountOf	varchar(25) NULL
Server	varchar(40) NULL
Total	int NULL

View: 'Indicates this attachment is a RightFax Library Document.'"dbo.RFView\_DocTransactions''

Field Name	Type and Size
------------	---------------

View: '/F1 10 Tf.'"dbo.RFView\_Documents''

Field Name	Type and Size
------------	---------------

View: 'COLUMN.'"dbo.RFView\_UserPhoneEntries''

Field Name	Type and Size
------------	---------------

View: 'Lib.'"dbo.RFView\_UserPhoneGroups''

Field Name	Type and Size
------------	---------------

View: '0.000000 0.000000 0.000000 rg.'"dbo.RFView\_UserSettings''

Field Name	Type and Size
------------	---------------

View: '153 801 103 12 re.'"dbo.UsersFull''

Field Name	Type and Size
------------	---------------