



A

accessing

- administrator interface [4-1](#)
- user interface [5-2](#)

Add Rule section, field description [A-14](#)

administrator interface, logging into [4-1](#)

audience, for this document [x](#)

B

Barge-In

- configuring [4-7](#)
- field description [A-6](#)
- purpose of [4-7](#)

C

calendar-based routing, configuring [4-12](#)

Calendar Mailbox Name, field description [A-13](#)

Calendar Server Name, field description [A-13](#)

call forward busy

- configuring for CTI route point [3-8](#)
- disabling for media ports [3-10](#)

setting for interceptor ports [3-6](#)

use in load balancing [1-21](#)

call forward no answer

- configuring for CTI route point [3-8](#)
- disabling for media ports [3-10](#)
- setting for interceptor pots [3-6](#)
- use in load balancing [1-21](#)

calling search space

- creating for Personal Assistant [3-4](#)
- sample configuration without Personal Assistant [1-28](#)
- sample configuration with Personal Assistant [1-30](#)
- understanding [1-4](#)

call intercepting

- software requirements [1-9](#)
- understanding [1-27](#)

calls dropping, resolving [6-4](#)

CDP support, in Personal Assistant [6-9](#)

Cisco CallManager

- configuring for Personal Assistant [3-1](#)
- CTI route points and media ports [1-4](#)
- database locations, required for installation [2-7](#)
- enabling Personal Assistant to intercept calls from [1-27](#)

- load balancing [1-21](#)
 - partitions and calling search spaces [1-4](#)
 - required version [1-9](#)
 - Cisco CallManager clusters
 - effect on rule-based routing [1-6](#)
 - understanding [1-5](#)
 - using with Personal Assistant [1-5](#)
 - Cisco IP terminology, understanding [1-3](#)
 - CiscoWorks2000, integrating with [6-9](#)
 - cluster
 - configuring Personal Assistant servers [4-15](#)
 - creating [1-16](#)
 - creating with active failover [1-25](#)
 - creating with failover [1-24](#)
 - creating with spare failover [1-26](#)
 - interaction between servers [1-15](#)
 - collecting trace and debug information [6-7](#)
 - concurrent calls, supporting [1-17](#)
 - configuration
 - dial rules [A-13](#)
 - JTAPI [A-11](#)
 - Messaging [A-12](#)
 - server [A-15](#)
 - speech recognition [A-5](#)
 - configuration settings
 - Personal Assistant system [A-1](#)
 - configuring
 - CTI route point [3-7](#)
 - JTAPI user [3-8](#)
 - load balancing [1-21](#)
 - messaging [4-12](#)
 - Personal Assistant [4-1](#)
 - Personal Assistant global settings [4-2](#)
 - Personal Assistant servers [4-15](#)
 - voice mail [4-8](#)
 - Control Center, configuration [A-20](#)
 - corporate directory
 - integrating with [2-9](#)
 - understanding [1-6](#)
 - creating
 - interceptor ports [3-5](#)
 - server clusters [1-16](#)
 - server clusters with active failover [1-25](#)
 - server clusters with failover [1-24](#)
 - server clusters with spare failover [1-26](#)
 - CTI route point
 - configuration [1-4](#)
 - configuring [3-7](#)
-
- ## D
- debug, setting [6-7](#)
 - Debug Package List, field description [A-19](#)
 - Dial By Name page [A-5](#)
 - dialing Personal Assistant [5-2](#)
 - dialing rules, creating global rules [A-13](#)
 - dialog, definition [1-10](#)

dial rules

configuration settings [A-13](#)

not working properly [6-3](#)

DialRules, definition [6-8](#)

directory configuration, required for
installation [2-8](#)

domain account, used for installation [2-6](#)

E

email paging server [A-12](#)

embedded directory, integrating with [2-8](#)

estimating, usage [1-17](#)

F

Fail-over Servers, field description [A-18](#)

features, of Personal Assistant [1-2](#)

fine tuning, speech recognition [4-5](#)

G

global settings, configuring [4-2](#)

grammar, definition [1-10](#)

GRMR, definition [6-8](#)

H

hardware prerequisites, for installation [2-2](#)

Host name or IP Address, field
description [A-16](#)

installation

Cisco CallManager database locations [2-7](#)

configuring directory settings [2-8](#)

hardware and software prerequisites [2-2](#)

integrating with Cisco CallManager
embedded directory [2-8](#)

integrating with corporate directory [2-9](#)

integrating with Syslog Collector [2-10](#)

overview [2-1](#)

Personal Assistant components [2-5](#)

procedure [2-4](#)

using a domain account [2-6](#)

integrating

with CiscoWorks2000 [6-9](#)

with network management systems [6-9](#)

interaction between servers [1-15](#)

intercepting calls

explanation [1-27](#)

software required [1-9](#)

Interceptor Port Range, field description [A-18](#)

interceptor ports

creating [3-5](#)

understanding [1-3](#)

J**JTAPI**adding a user [3-8](#)configuration settings [A-11](#)JTAPI Password, field description [A-12](#)JTAPI Provider Name, field description [A-12](#)JTAPI User Name, field description [A-12](#)

L**LDAP directory**requirements [1-9](#)understanding usage [1-6](#)License Capacity, field description [A-3](#)License Code, field description [A-3](#)**license manager**not recognized [6-4](#)overview [1-14](#)starting and stopping [6-6](#)License Manager Control, field description [A-22](#)List of Rules section, field description [A-14](#)load balancing, configuration [1-21](#)login [4-1](#)

MMax Disambiguate, field description [A-6](#)

Max Error Count, field description

dial by name [A-8](#)voice mail [A-10](#)

Max Help Count, field description

dial by name [A-8](#)voice mail [A-10](#)

Max Total Error Count, field description

dial by name [A-8](#)voice mail [A-10](#)

Max Total Help Count, field description

dial by name [A-8](#)voice mail [A-10](#)**media ports**adding for Personal Assistant [3-9](#)configuring [1-4](#)Media Term UDP Port Begin, field description [A-16](#)messaging, configuring [4-12](#)Messaging configuration settings [A-12](#)Microsoft Exchange, requirements [1-9](#)monitoring, subsystem status [6-9](#)Multiple Destination Timeout, field description [A-12](#)

Nnetwork management systems, integrating with [6-9](#)Number of Telephony Ports, field description [A-17](#)

-
- O
- Operator Extension, field description [A-2](#)
 - overview, installation [2-1](#)
-
- P
- PADbn, definition [6-8](#)
 - PADtmf, definition [6-8](#)
 - paging, configuring [4-12](#)
 - paging server [A-12](#)
 - Paging SMTP Domain Name, field description [A-13](#)
 - Paging SMTP Server, field description [A-13](#)
 - Paging SMTP Server Port, field description [A-13](#)
 - partition
 - creating for Personal Assistant [3-4](#)
 - understanding [1-4](#)
 - PARULES, definition [6-8](#)
 - PASCCP, definition [6-8](#)
 - PASpeechUtil, definition [6-8](#)
 - PASpokenName, definition [6-8](#)
 - PASRV, definition [6-8](#)
 - PAVmail, definition [6-8](#)
 - Peer Keep-Alive Interval, field description [A-2](#)
 - Peer TCP Port, field description [A-2](#)
 - Perfmon, definition [6-8](#)
 - Personal Assistant
 - adding without partitions [1-32](#)
 - configuration settings reference [A-1](#)
 - configuring [4-1](#)
 - configuring global settings [4-2](#)
 - dialing [5-2](#)
 - features [1-2](#)
 - rule-based call routing [1-2](#)
 - speech-enabled conferencing [1-3](#)
 - speech-enabled directory dialing [1-2](#)
 - speech-enabled voice mail browsing [1-2](#)
 - installation procedure [2-4](#)
 - logging into and out of [4-1](#)
 - planning [1-1](#)
 - resolving problems using [6-1](#)
 - role in Cisco IP telephony network [1-7](#)
 - troubleshooting [6-1](#)
 - understanding [1-1](#)
 - understanding access to [1-11](#)
 - understanding user interactions [1-10](#)
 - Personal Assistant components, installing [2-5](#)
 - Personal Assistant number, configuring [3-7](#)
 - Personal Assistant Server
 - components of [1-12](#)
 - installing [2-5](#)
 - Personal Assistant server
 - configuring [4-15](#)
 - creating clusters [1-16](#)
 - creating clusters with failover [1-24](#)
-

determining number required [1-17](#)
 load balancing [1-21](#)
 starting and stopping [6-6](#)
 structure [1-15](#)
 understanding [1-13](#)
 Personal Assistant System Configuration [A-1](#)
 personal calendar, requirements [1-9](#)
 planning, Personal Assistant [1-1](#)
 product key, used in installation [2-4](#)

R

Reconfirm Confidence Level, field description
 dial-by-name [A-7](#)
 voice mail [A-9](#)
 Refresh User Information, field description [A-4](#)
 Rejection Confidence Level, field description
 dial-by-name [A-7](#)
 voice mail [A-9](#)
 resetting, user passwords [5-3](#)
 resolving, dropped calls [6-4](#)
 resolving problems, using Personal Assistant [6-1](#)
 resource manager, overview [1-14](#)
 Route Address, field description [A-17](#)
 rule-based call routing
 explanation [1-2](#)
 using Personal Assistant without [1-35](#)
 using with Cisco CallManager clusters [1-6](#)
 rules, creating global [4-13](#)

S

server cluster
 creating [1-16](#)
 creating with active failover [1-25](#)
 creating with failover [1-24](#)
 creating with spare failover [1-26](#)
 server configuration settings [A-15](#)
 Server Control, field description [A-20](#)
 Server List, field description [A-15](#)
 Server Name, field description [A-16](#)
 session, definition [1-10](#)
 SMTP paging server
 configuring [A-12](#)
 requirements [1-9](#)
 software prerequisites, for installation [2-2](#)
 speech commands, unable to use [6-2](#)
 speech-enabled conferencing, explanation [1-3](#)
 speech-enabled directory dialing,
 explanation [1-2](#)
 speech-enabled voice mail
 browsing, explanation [1-2](#)
 speech recognition
 configuration [A-5](#)
 fine tuning [4-5](#)
 Speech Recognition License Manager Hosts,
 field description [A-4](#)
 speech-recognition server
 creating clusters [1-16](#)
 determining number required [1-17](#)

- installing [2-5](#)
- not recognized [6-4](#)
- starting and stopping [6-6](#)
- structure [1-15](#)
- understanding [1-12](#)
- using Personal Assistant without [1-34](#)
- Speech Recognition Server Hosts, field description [A-3](#)
- Speech Server Control, field description [A-21](#)
- SS_PA, definition [6-8](#)
- SS_PA_MAIL, definition [6-8](#)
- SS_PA_TEL, definition [6-8](#)
- starting, servers and managers [6-6](#)
- stopping, servers and managers [6-6](#)
- Syslog Collector
 - collecting system logs with [6-10](#)
 - integrating with [2-10](#)

T

- Telephony Port Begin Address, field description [A-17](#)
- trace, setting [6-7](#)
- Trace Package List, field description [A-19](#)
- troubleshooting
 - fine tuning speech recognition [4-5](#)
 - Personal Assistant [6-1](#)
 - starting and stopping servers [6-6](#)

U

- understanding
 - access to Personal Assistant [1-11](#)
 - CDP support [6-9](#)
 - Cisco CallManager clusters [1-5](#)
 - Cisco IP terminology [1-3](#)
 - directory usage [1-6](#)
 - incoming call handling [1-10](#)
 - interceptor ports [1-3](#)
 - partitions and calling search spaces [1-4](#)
 - Personal Assistant [1-1](#)
 - Personal Assistant and user interactions [1-10](#)
- Unique User Attribute Name, field description [A-2](#)
- usage, estimating [1-17](#)
- user interface
 - accessing [5-2](#)
 - problems accessing [6-2](#)
- user name, for logging in [4-1](#)
- user passwords, resetting [5-3](#)
- utterance, definition [1-10](#)

V

- voice mail
 - configuring [4-8](#)
 - requirements [1-9](#)
 - setting descriptions [A-9](#)
- Voice Mail LDAP Port, field description [A-11](#)

Voicemail Number, field description [A-11](#)

Voicemail Ports, field description [A-11](#)

W

web administration

installing [2-5](#)

logging into [4-1](#)

Windows 2000

installing Personal Assistant in domains [2-2](#),
[2-6](#)

user name, for logging in [4-1](#)