



INDEX

A

ABlack list table [4-23](#)
active configuration [3-1](#)
a-digit tree [4-16](#)
Advice of Charge [1-24, 1-72](#)
A-number [1-4](#)
AOC [1-24, 1-72](#)
ATM profile [4-50](#)
AWhite list [4-22](#)

B

B-black list table [4-24](#)
b-digit tree [4-16](#)
bdigtree [3-17, 3-19, 3-21](#)
bearer trunk [2-2](#)
B-number [1-5](#)
B-white list table [4-23](#)

C

call routing [1-6](#)
cause [4-20](#)
 location [B-95](#)
 supported [B-29, B-44](#)
cause codes [B-1](#)
causes
 internal [B-2](#)
CgPn [1-23](#)
changing your configuration [3-1](#)
channels [2-3](#)
CIC [2-3](#)

CLI [2-3](#)
configuration
 active [3-1](#)
contentonly [4-10](#)
CPC [1-53](#)
customer networks [1-3](#)

D

dial plan [4-6](#)
 adding a called number to the BBLACK list [4-24](#)
 adding a called number to the BWHITE table [4-23](#)
 adding a calling number to the ABLACK list [4-23](#)
 adding a calling number to the AWHITE table [4-22](#)
 adding a cause [4-20](#)
 adding an element to a table [4-7](#)
 adding the dial plan [4-6](#)
 adding to a adigtree table [4-16](#)
 adding to a bdigtree table [4-16](#)
 adding to a location table [4-19](#)
 adding to an NPI table [4-17](#)
 adding to a NOA [4-18](#)
 adding to a result table [4-14](#)
 adding to a service table [4-14](#)
 adding to the digmodstring table [4-13](#)
 deleting an element [4-7](#)
 edit a table element [4-10](#)
 retrieving an element in a table [4-11](#)
digit modification table [4-13](#)

G

GN-ACgPN [1-23](#)

GUI [2-3](#)

I

ISDN User Part

See ISUP [1-3](#)

ISUP

contains A-number and B-number [1-3](#)

L

location table [4-19](#)

M

MML [2-3](#)

mml

ablack [4-23](#)

adigtree [4-16](#)

awhite [4-22](#)

bblack [4-24](#)

bdigtree [4-16](#)

bwhite [4-23](#)

cause [4-20](#)

digmodstring [4-13](#)

location [4-19](#)

noa [4-18](#)

npi [4-17](#)

numan-add [4-7](#)

numan-dlt [4-7](#)

numan-rtrv [4-11](#)

porttbl [4-24](#)

resulttable [4-14](#)

service [4-14](#)

termtbl [4-24](#)

N

NANP [1-57](#)

nature of address [4-18](#)

NIC [1-71](#)

NOA [1-54](#)

NPA [1-57](#)

NPI [1-54](#)

numan-ed [4-10](#)

numbering plan indicator table [4-17](#)

P

PI [1-23](#)

PSTN [1-4](#)

R

results table [4-14](#)

result type

A_NUM_DP_TABLE [1-18](#)

ADDRESSCLASS [1-16](#)

AMODDIG [1-16](#)

ANNOUNCEMENT [1-17](#)

B_NUMBER_TYPE [1-21](#)

BLACKLIST [1-20](#)

BMODDIG [1-20](#)

BSM_REQ [1-22](#)

CAUSE [1-22](#)

CC_DIG [1-23](#)

CG_PN_COPY [1-23](#)

CG_PRES_IND [1-24](#)

CG_SCREEN_IND [1-24](#)

CHARGEORIGIN [1-26](#)

CLI_NUMBER_LENGTH [1-26](#)

CLI_REQ [1-26](#)

CODEC [1-27](#)

COND_ROUTE [1-27](#)

CPC_REQ [1-27](#)

CPCMOD [1-27](#)
 DATA_EXCHANGE [1-27](#)
 DIGIT_REQD [1-28](#)
 E_PORTED_NUM [1-29](#)
 E_ROUTE_NUM [1-29](#)
 FSM_REQ [1-31](#)
 IN_TRIGGER [1-32](#)
 INC_NUMBERING [1-32](#)
 MGCPDIALPKG [1-33](#)
 NEW_DIALPLAN [1-34](#)
 OTG_NUMBERING [1-36](#)
 PERC_ROUTE [1-36](#)
 PN_NPI_TYPE [1-37](#)
 PNMODDIG [1-36](#)
 R_NUMBER_TYPE [1-40](#)
 RETRY_ACTION [1-38](#)
 RMODDIG [1-38](#)
 ROUTE [1-40](#)
 ROUTE_PREFERENCE [1-40](#)
 RTRN_START_ANAL [1-41](#)
 SCREENING [1-41](#)
 TERM_INFO [1-43](#)
 TESTCALLDETECTED [1-43](#)
 WHITELIST [1-43](#)

result types [1-11](#)

route [1-87](#)

 defined [1-6](#)

route list [1-6, 1-87, 1-94](#)

S

service name [1-10](#)

service table [4-14](#)

SI [1-23](#)

SIF [1-3](#)

Signaling Information Field

 See SIF [1-3](#)

span

 E1 [2-3](#)

 T1 [2-3](#)

span ID [2-3](#)

SS7 [1-1](#)

SysConnectDataAccess [2-6](#)

T

Tech Prefix [4-51](#)

time slots [2-3](#)

tips

 before provisioning [3-1](#)

TMR [1-54](#)

TNS [1-56](#)

trunk

 defined [1-6](#)

trunk group

 defined [1-6](#)

trunk ID [2-2](#)

X

X-windows [2-5](#)

