

# Collaboration System Validation Test Bed Summary Matrix for Collaboration Systems Release



**Note**

This table identifies the components and software release versions used in the collaboration system validation test beds for Cisco Collaboration Systems releases.

- Table cells with dashes indicate products that were not part of the system validation test bed.
- For complete software compatibility information for a Collaboration Systems release set, see the following:
  - For release 10.5 and onward, see Cisco Collaboration Systems Release Compatibility Matrix:  
[http://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/uc\\_system/unified/communications/system/Compatibility/CSR-Compatibility-Matrix.html](http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/uc_system/unified/communications/system/Compatibility/CSR-Compatibility-Matrix.html)
  - For releases prior to 10.5, see Cisco Collaboration Compatibility Tool:  
<http://tools.cisco.com/ITDIT/vtgsca>
  - Cisco Interoperability Portal:  
<http://www.cisco.com/go/interoperability>
  - [Cisco Unified Communications Contact Center Enterprise Design Guides](#)
  - [Cisco Unified Contact Center Express/Cisco Unified IP IVR Software and Hardware Compatibility Guide](#)
  - Product specific compatibility documents for complete compatibility information between components.  
<http://www.cisco.com/cisco/web/support/index.html>



**Note**

For maintenance releases, this matrix may not be updated. See individual product documents for more information on maintenance releases.



**Note**

Not all Collaboration System product release versions may be available at the same time. For latest product version availability, see individual product support pages at: <http://www.cisco.com/cisco/web/support/index.html>.

To learn more about the components' features, functions, and interaction with other system components, click the technical information site for any release from the following URL:

[http://www.cisco.com/en/US/docs/voice\\_ip\\_comm/uc\\_system/unified/communications/system/ucstart.htm](http://www.cisco.com/en/US/docs/voice_ip_comm/uc_system/unified/communications/system/ucstart.htm)



**Note**

For maintenance releases, the Collaboration Systems technical information sites may not be updated. See individual product documents for more information on maintenance releases.

- Test beds for a release set may contain multiple Cisco IOS and CatOS versions. The predominant Cisco IOS versions are listed below.
- For a list of supported servers, see the following:
  - Cisco Unified Communications Manager Compatibility Information<sup>1</sup>:  
<http://www.cisco.com/c/en/us/support/unified-communications/unified-communications-manager-callmanager/products-device-support-tables-list.html>
  - Cisco Unified Contact Center Express supported platform list:  
[http://www.cisco.com/en/US/products/sw/custcosw/ps1846/products\\_device\\_support\\_tables\\_list.html](http://www.cisco.com/en/US/products/sw/custcosw/ps1846/products_device_support_tables_list.html)
  - Cisco Unified Communications Manager IM and Presence Server supported platform list:  
[http://www.cisco.com/en/US/products/ps6837/products\\_device\\_support\\_tables\\_list.html](http://www.cisco.com/en/US/products/ps6837/products_device_support_tables_list.html)

<sup>1</sup> Beginning with Cisco Collaboration Systems Release 10.0, Cisco is migrating from non-virtualized hardware servers to virtualized servers only. Cisco 7800 Series Media Convergence Servers are end of sale as of October 30, 2013, and are not supported for new installations of 10.0 or upgrades/migrations to 10.0. Virtual Machines are the only supported platform for Cisco Unified Communications Manager 10.0, running on either Cisco Unified Computing System or 3rd-party server. For information about best practices to setup virtualization and Cisco UCS hardware for Cisco Collaboration 10.0 applications, see [http://www.cisco.com/en/US/docs/voice\\_ip\\_comm/cucm/virtual/CUCM\\_BK\\_CA526319\\_00\\_cucm-on-virtualized-servers\\_chapter\\_00.html](http://www.cisco.com/en/US/docs/voice_ip_comm/cucm/virtual/CUCM_BK_CA526319_00_cucm-on-virtualized-servers_chapter_00.html) For information about best practices to migrate from Cisco 7800 series Media Convergence Servers to virtualization on Unified Computing System Virtual Machines, see "Replace a Single Server or Cluster for Cisco Unified Communications Manager Release 9.1(1)": [http://www.cisco.com/en/US/partner/docs/voice\\_ip\\_comm/cucm/install/9\\_1\\_1/replace/CUCM\\_BK\\_R1B1A464\\_00\\_replace-server-cluster-cucm-91.html](http://www.cisco.com/en/US/partner/docs/voice_ip_comm/cucm/install/9_1_1/replace/CUCM_BK_R1B1A464_00_replace-server-cluster-cucm-91.html) For information about the Cisco 7800 Series Media Convergence Server end-of-life (EOL) notice, see: <http://www.cisco.com/en/US/products/hw/voiceapp/ps378/index.html>

- You can set up a virtualized environment by running Unified Communications applications on a virtual machine on a Unified Computing System (UCS). For additional details, including UCS hardware information and third-party requirements, see:  
<http://www.cisco.com/go/uc-virtualized>

For information on supported applications in a virtualized environment, see:

[http://docwiki.cisco.com/wiki/Unified\\_Communications\\_Virtualization\\_Supported\\_Applications](http://docwiki.cisco.com/wiki/Unified_Communications_Virtualization_Supported_Applications)

For information on supported VMware versions, see:

[http://docwiki.cisco.com/wiki/Unified\\_Communications\\_VMware\\_Requirements#Supported\\_Versions\\_of\\_VMware\\_vSphere\\_ESXi](http://docwiki.cisco.com/wiki/Unified_Communications_VMware_Requirements#Supported_Versions_of_VMware_vSphere_ESXi)



**Note** Cisco Hosted Collaboration Solution (Cisco HCS) is a hosted solution that includes various Cisco Collaboration Systems release components. For more information about Cisco HCS see: [Cisco Hosted Collaboration Solution](#) and [Cisco HCS Product Support](#).

**Figure 0-1 Summary Matrix for Collaboration System Validation Test Bed Components and Versions**

| Category                          | Component  | Release 10.5(1)                    | Release 10.0(1)  | Release 9.0(1)                   | Release 8.6(1)       | Release 8.5(1)      | Release 7.1(3) <sup>1</sup>                      | Release 7.1(2) <sup>2</sup> |
|-----------------------------------|--|------------------------------------|--|----------------------------------|----------------------|---------------------|--|-----------------------------|
| Call Control                      | Cisco Unified Communications Manager (Unified CM)            | 10.5(1)                            | 10.0(1)  | 9.1(2)SU2                        | 8.6(1a)              | 8.5(1)              | 7.1(3)   | 7.1(2a)                     |
|                                   | Cisco Business Edition 3000                                  | —                                  | — <sup>3</sup>   | 8.6(4)                           | 8.6(1a)              | 8.5(1)              | —  | —                           |
|                                   | Cisco Business Edition 5000                                  | —                                  | —  | —                                | 8.6(1a)              | 8.5(1)              | 7.1(3)   | 7.1(2a)                     |
|                                   | Cisco Business Edition 6000                                  | 10.5(1)                            | 10.0(1)  | —                                | 8.6(1a)              | 8.5(1)              | —  | —                           |
|                                   | Cisco Unified Communications Manager Express                 | 10.0(1)/IOS 15.3(3)M3 or 15.4(1)T1 | 10.0(1)/IOS 15.3(3)M1 <sup>4</sup> or 15.2(4)M5 <sup>5</sup> or 15.1(4)M7 <sup>6</sup> | 9.0(1)/IOS 15.2(3)T1 or 15.2(4)M | 8.6(1)/IOS 15.1(4)M1 | 8.5(1)/IOS 15.1(3)T | 7.2/IOS 15.0(1)M 8.0/IOS 15.0(1)XA <sup>7</sup>  | 7.1/IOS 12.4(24)T           |
|                                   | Cisco Unified Survivable Remote Site Telephony (SRST)        | 10.0(1)/IOS 15.3(3)M3 or 15.4(1)T1 | 10.0(1)/15.3(3)M1 <sup>8</sup> or 15.2(4)M5 <sup>9</sup> or 15.1(4)M7 <sup>10</sup>    | 9.0(1)/IOS 15.2(3)T1 or 15.2(4)M | 8.6(1)/IOS 15.1(4)M1 | 8.5(1)/IOS 15.1(3)T | 7.2/IOS 15.0(1)M 8.0/IOS 15.0(1)XA <sup>11</sup> | 7.1/IOS 12.4(24)T           |
|                                   | Cisco Unified SRST Manager (Enhanced Survivability (E-SRST)) | —                                  | —  | —                                | 8.6(1)               | 8.5(1)              | —  | —                           |
|                                   | Cisco Intercompany Media Engine                              | —                                  | —  | —                                | 8.6(1)               | 8.5(1)              | —  | —                           |
|                                   | Cisco TelePresence Video Communication Server (VCS)          | X8.1.1 or X8.2 <sup>12</sup>       | X8.1   | X7.2                             | X6.1                 | —                   | —  | —                           |
| Cisco TelePresence VCS Expressway | X8.1.1 or X8.2 <sup>13</sup>                                 | X8.1                               | X7.2   | X6.1                             | —                    | —                   | —  |                             |

| Category                                   | Component   | Release 10.5(1)                             | Release 10.0(1)                             | Release 9.0(1)                              | Release 8.6(1)                              | Release 8.5(1)                              | Release 7.1(3) <sup>1</sup>         | Release 7.1(2) <sup>2</sup> |
|--|---|---|---|---|---|---|-------------------------------------|-----------------------------|
| Contact Center                             | Cisco Unified Contact Center Express  | 10.5(1) <sup>14</sup>                       | 10.0(1)                                     | 9.0(1)                                      | 8.5(1) SU1                                  | 8.5(1)                                      | 7.0(1) SR4                          | 7.0(1)SR3                   |
|  | Cisco Unified Contact Center Express Operating System                             | Bundled with Unified Contact Center Express | Bundled with Unified Contact Center Express | Bundled with Unified Contact Center Express | Bundled with Unified Contact Center Express | Bundled with Unified Contact Center Express | Windows 2003 version: 2003.1.4a SR6 | 2003.1.4a SR6               |
|  | Cisco MediaSense  | 10.5(1) <sup>15</sup>                       | 10.0(1)                                     | — (original)<br>9.1(1) (current compatible) | —   | —   | —                                   | —                           |
| Server Applications                        | Cisco Unified Communications Manager IM and Presence Service                      | 10.5(1)                                     | 10.0(1)                                     | 9.0(1)                                      | —   | —   | —                                   | —                           |
|  | Cisco Unified Presence  | — <sup>16</sup>                             | — <sup>17</sup>                             | — <sup>18</sup>                             | 8.5(1)                                      | 8.5(1)                                      | 7.0(5)                              | 7.0(4)                      |
|  | Cisco Unified SIP Proxy   | —   | —   | 8.5(3)                                      | 8.5(2)                                      | 8.5(1)                                      | 1.1(2)                              | 1.1                         |
|  | Cisco Emergency Responder   | 10.0(2)                                     | 10.0(1)                                     | 9.0(1)                                      | 8.6(1a)                                     | 8.5(1)                                      | 7.1(1)                              | 7.0(3a)                     |
|  | Cisco Unified Application Environment   | —   | —   | —   | —   | —   | 2.5(1) SR2                          | 2.5(1)                      |
|  | Cisco Unified Attendant Console Standard  | 10.5(1)                                     | 10.0(1)                                     | —   | —   | —   | —                                   | —                           |
|  | Cisco Unified Attendant Console Advanced  | 10.5(1)                                     | 10.0(1)                                     | —   | —   | —   | —                                   | —                           |
|  | Cisco Unified Business Attendant Console and Unified Department Attendant Console | — <sup>19</sup>                             | — <sup>20</sup>                             | 9.0(1)                                      | 8.6(1)                                      | 8.5   | 3.1                                 | 3.0.2 CM TSP                |
| Cisco Unified Enterprise Attendant Console | — <sup>21</sup>   | — <sup>22</sup>                             | 9.0(1)                                      | 8.6(1)                                      | 8.5   | 3.1   | 3.0.2 CM TSP                        |                             |

| Category   | Component  | Release 10.5(1) | Release 10.0(1) | Release 9.0(1) | Release 8.6(1)       | Release 8.5(1)    | Release 7.1(3) <sup>1</sup> | Release 7.1(2) <sup>2</sup> |
|--|--|-----------------|-----------------|----------------|----------------------|-------------------|-----------------------------|-----------------------------|
| Conferencing   | Cisco Unified MeetingPlace   | —               | —               | 8.5(3) MR1     | 8.5(1) <sup>23</sup> | 8.0 <sup>24</sup> | 7.0 MR1                     | 7.0(2)                      |
|  | Cisco WebEx Meetings Server  | 2.0 MR2         | 1.1.1.9A        | —              | —                    | —                 | —                           | —                           |
|  | Cisco WebEx Meeting Center   | T29.6           | —               | —              | —                    | —                 | —                           | —                           |
|  | Cisco WebEx Meetings for Android                                     | —               | 3.5             | 2.0            | —                    | —                 | —                           | —                           |
|  | Cisco WebEx Meetings for iPad and iPhone                             | —               | 5.0             | 3.5            | —                    | —                 | —                           | —                           |
|  | Cisco Unified MeetingPlace Web Conferencing                          | —               | —               | —              | —                    | 8.0               | 7.0MR1                      | 7.0(2)                      |
|  | Microsoft Outlook for Cisco Unified MeetingPlace                     | —               | —               | 8.5(1)         | 8.5(1)               | 8.0               | 7.0MR1                      | 7.0(2)                      |
|  | IBM Lotus Notes for Cisco Unified MeetingPlace Release               | —               | —               | —              | —                    | —                 | 7.0MR1                      | 7.0(2)                      |
|  | Jabber for Cisco Unified MeetingPlace                                | —               | —               | —              | —                    | 8.0               | 7.0MR1                      | —                           |
|  | Microsoft Office Communicator for Cisco Unified MeetingPlace         | —               | —               | —              | —                    | 8.0               | 7.0MR1                      | —                           |
|  | Cisco Unified MeetingPlace Express                                   | —               | —               | —              | —                    | —                 | 2.1.1.2                     | 2.1.1                       |
|  | Cisco Unified Media Server for 3545 MCU (video)                      | —               | 5.7.0.0.4       | 5.7.0.0.4      | 5.7.0.0.4            | 5.7.0.0.4         | 5.3.3.0.45A                 | —                           |
|  | Cisco Unified Videoconferencing 3521 BRI Gateway                     | —               | —               | —              | —                    | —                 | 5.0.0.0.22                  | 5.0.0.0.22                  |
|  | Cisco Unified Videoconferencing 3522 BRI Gateway                     | —               | 5.0.0.0.22      | 5.0.0.0.22     | 5.0.0.0.22           | 5.0.0.0.22        | 5.0.0.0.22                  | 5.0.0.0.22                  |
|  | Cisco Unified Videoconferencing 3526 PRI Gateway                     | —               | —               | —              | —                    | —                 | 5.0.0.0.22                  | 5.0.0.0.22                  |
|  | Cisco Unified Videoconferencing 3527 and 3545 PRI Gateways           | —               | 5.0.0.0.22      | 5.0.0.0.22     | 5.0.0.0.22           | 5.0.0.0.22        | 5.0.0.0.22                  | 5.0.0.0.22                  |
|  | Cisco Unified Videoconferencing 3540 PRI Gateway                     | —               | —               | —              | —                    | —                 | 5.6.1.1.13                  | 5.6.1.1.13                  |
|  | Cisco TelePresence Management Suite (TMS)                            | 14.4            | 14.3.2          | —              | —                    | —                 | —                           | —                           |
| Cisco TelePresence Management Suite Provisioning Extension | 1.2  | 1.1             | —               | —              | —                    | —                 | —                           |                             |
| Conferencing (continued)                                   | Cisco TelePresence Management Suite Extension for Microsoft Exchange | 4.0             | 3.1.2           | —              | —                    | —                 | —                           | —                           |
|  | Cisco TelePresence Server  | 4.0             | 3.1MR1          | 2.2            | 2.2                  | —                 | —                           | —                           |
|  | Cisco TelePresence MCU   | 4.5(1.45)       | 4.4(3.57)       | 4.3            | 4.2                  | —                 | —                           | —                           |
|  | Cisco TelePresence ISDN GW 3241                                      | —               | 2.1             | 2.1            | 2.1                  | —                 | —                           | —                           |
|  | Cisco MXE 5600 (Media Experience Engine)                             | —               | 1.3             | 1.3            | —                    | —                 | —                           | —                           |
|  | Cisco TelePresence Multipoint Switch                                 | —               | 1.9.2           | 1.7            | —                    | —                 | —                           | —                           |
|  | Cisco TelePresence Conductor   | XC2.3           | XC2.2.1         | 1.2            | —                    | —                 | —                           | —                           |
| Cisco TelePresence Exchange System                         | 1.3 <sup>25</sup>  | —               | —               | —              | —                    | —                 | —                           |                             |

| <b>Category</b>                 | <b>Component</b>  | <b>Release 10.5(1)</b> | <b>Release 10.0(1)</b> | <b>Release 9.0(1)</b> | <b>Release 8.6(1)</b> | <b>Release 8.5(1)</b> | <b>Release 7.1(3)<sup>1</sup></b> | <b>Release 7.1(2)<sup>2</sup></b> |
|---------------------------------|---|------------------------|------------------------|-----------------------|-----------------------|-----------------------|-----------------------------------|-----------------------------------|
| Voicemail and Unified Messaging | Cisco Unity Connection                                    | 10.5(1)                | 10.0(1)                | 9.0(1)                | 8.6(1)                | 8.5(1)                | 7.1(3) MR                         | 7.1(2a)                           |
|                                 | Cisco Unity Connection - Survivable Remote Site Voicemail | —                      | 10.0(1)                | 9.0(1)                | —                     | —                     | —                                 | —                                 |
|                                 | Cisco Unity Express                                       | 8.6(9)                 | 8.6(7)                 | 8.6(3)                | 8.6(1)                | 8.5(1)                | 7.1                               | 7.1                               |
|                                 | Cisco Unified Messaging Gateway                           | —                      | —                      | —                     | 8.6(1)                | 8.5(1)                | 1.0(2)/IOS 15.0(1)M               | 1.0.2                             |

| Category  | Component   | Release 10.5(1)  | Release 10.0(1)                                 | Release 9.0(1)                             | Release 8.6(1)                             | Release 8.5(1)                                     | Release 7.1(3) <sup>1</sup>               | Release 7.1(2) <sup>2</sup>               |
|---|---|--|---|--|--|--|---|---|
| Devices<br>(Endpoints)  | Cisco Cius  | —  | —   | 9.2(4)                                     | 8.6(1)                                     | —  | —   | —   |
|   | Cisco Unified SIP Phone 3905  | Firmware 9.4(1)  | Firmware 9.4(1)                                 | Firmware 9.2(2)                            | Firmware 9.2(1)                            | —  | —   | —   |
|   | Cisco Unified SIP Phones 3911, 3951   | —  | 8.1(4)a   | 8.1(4a)                                    | 8.1(4a)                                    | 8.1(2) SR1   | 8.1(2)SR1                                 | 8.1(2)SR1                                 |
|   | Cisco Unified IP Phones 6901, 6911  | Firmware 9.3(1)SR1   | Firmware 9.3(1)                                 | Firmware 9.3(1)                            | Firmware 9.2(1)                            | Firmware 9.1(1)                                    | —   | —   |
|   | Cisco Unified IP Phones 6921, 6941, 6961, 6945                                    | SIP: Firmware 9.4(1.3)<br>SCCP: Firmware 9.4(1.3) SR1 for 6921, 6941, 6961 and<br>Firmware 9.4(1.3) for 6945 | Firmware 9.4(1)                                 | Firmware 9.3(1)                            | Firmware 9.2(1)                            | Firmware 9.1(1),<br>Firmware 9.0(2),<br>9.0(2) SR1 | Firmware 8.5.3                            | Firmware 8.5.1                            |
|   | Cisco IP Phones 7821, 7841, 7861  | Firmware 10.1(1)SR1  | Firmware 10.1(1)                                | —  | —  | —  | —   | —   |
|   | Cisco Unified IP Phones 7941G, 7942G, 7945G, 7961G, 7962G, 7965G, 7971G-GE, 7975G | Bundled with Unified CM<br>Firmware 9.3(1)SR4  | Bundled with Unified CM<br>Firmware 9.3(1)SR3.1 | Bundled with Unified CM<br>Firmware 9.3(1) | Bundled with Unified CM<br>Firmware 9.2(1) | Bundled with Unified CM<br>Firmware 9.1(1) SR1     | Bundled with Unified CM<br>Firmware 8.5.3 | Bundled with Unified CM<br>Firmware 8.5.2 |
|   | Cisco Unified Wireless IP Phones 7921G, 7925G, 7925G-EX                           | —  | 1.4(5.3)  | 1.4(2)                                     | 1.4(1)                                     | 1.3(4)   | Bundled with Unified CM<br>Firmware 8.5.3 | Bundled with Unified CM<br>Firmware 8.5.2 |
|   | Cisco Unified Wireless IP Phone 7926G   | —  | 1.4(5.3)  | 1.4(2)                                     | —  | —  | —   | —   |
|   | Cisco Unified IP Phone 7937G  | —  | 1.4(4)  | 1.4(4)                                     | 1.4(4)                                     | 1.4(3)   | Bundled with Unified CM<br>Firmware 8.5.3 | Bundled with Unified CM<br>Firmware 8.5.2 |
|   | Cisco Unified IP Phone 7936   | —  | 3.3(21)   | 3.3(21)                                    | 3.3(20)                                    | —  | Bundled with Unified CM<br>Firmware 8.5.3 | Bundled with Unified CM<br>Firmware 8.5.2 |
|   | Cisco Unified IP Phone 7985G  | —  | 4.1(7)  | 4.1(7)                                     | 4.1(7)                                     | —  | Bundled with Unified CM<br>Firmware 8.5.3 | Bundled with Unified CM<br>Firmware 8.5.2 |
|   | Cisco Unified IP Phones 8941, 8945  | Firmware 9.4(1)  | Firmware 9.3(4)                                 | Firmware 9.3(1)                            | Firmware 9.2(1)                            | —  | —   | —   |
|   | Cisco Unified IP Phones 8961, 9951, 9971  | Firmware 9.4(1)  | Firmware 9.3(4)                                 | Firmware 9.3(1)                            | Firmware 9.2(1)                            | Firmware 9.1(1) SR1                                | —   | —   |
|   | Cisco Desktop Collaboration Experience DX650                                      | Firmware 10.1(1)   | Firmware 10.1(1)                                | —  | —  | —  | —   | —   |
|   | Cisco DX70, Cisco DX80  | 10.2.1 <sup>26</sup>   | —   | —  | —  | —  | —   | —   |
|   | Cisco Unified IP Conference Phone 8831  | 9.3(3)   | 9.3(3)  | —  | —  | —  | —   | —   |
|   | Cisco IP Phones 8841, 8851, 8861  | 10.2.1   | —   | —  | —  | —  | —   | —   |
| Cisco TelePresence System 1000, 1100, 1300 Series, 3000 Series, 3200 Series | CTS 1.10  | CTS 1.10   | CTS 1.9   | CTS 1.7.3                                  | —  | —  | —   |   |
| Cisco TelePresence System 500-37  | CTS 1.10  | CTS 1.10   | —   | —  | —  | —  | —   |   |
| Cisco TelePresence System 500-32, Cisco TelePresence System 1300-47         | TX 6.1  | TX 6.1   | —   | —  | —  | —  | —   |   |

| Category                              | Component  | Release 10.5(1)                    | Release 10.0(1)                    | Release 9.0(1)                     | Release 8.6(1)                     | Release 8.5(1) | Release 7.1(3) <sup>1</sup> | Release 7.1(2) <sup>2</sup> |
|---------------------------------------|--|------------------------------------|------------------------------------|------------------------------------|------------------------------------|----------------|-----------------------------|-----------------------------|
| Devices<br>(Endpoints)<br>(continued) | Cisco TelePresence System EX90 and Cisco TelePresence System EX60                            | TC 7.1.1                           | TC 7.0.1                           | TE 6.0.0                           | TC 5.0                             | —              | —                           | —                           |
|                                       | Cisco TelePresence System Profile Series   | TC 7.1.1                           | TC 7.0.1                           | TC 6.0.0                           | TC 5.0                             | —              | —                           | —                           |
|                                       | Cisco TelePresence SX20 Quick Set  | TC 7.1.1                           | TC 7.0.1                           | —                                  | —                                  | —              | —                           | —                           |
|                                       | Cisco TelePresence SX10  | TC 7.1.1                           | —                                  | —                                  | —                                  | —              | —                           | —                           |
|                                       | Cisco TelePresence SX80  | TC 7.1.1                           | —                                  | —                                  | —                                  | —              | —                           | —                           |
|                                       | Cisco TelePresence System Quick Set Series and Cisco TelePresence System Integrator C Series | TC 7.1.1                           | TC 7.0.1                           | TC 6.0.0                           | TC 5.0                             | —              | —                           | —                           |
|                                       | Cisco TelePresence MX200   | TC 7.1.1                           | TC 7.0.1                           | TC 6.0.0                           | —                                  | —              | —                           | —                           |
|                                       | Cisco TelePresence MX200 G2, MX300 G2  | TC 7.1.1                           | —                                  | —                                  | —                                  | —              | —                           | —                           |
|                                       | Cisco TelePresence Precision 60 Camera   | TC 7.1.1                           | —                                  | —                                  | —                                  | —              | —                           | —                           |
|                                       | Cisco TelePresence SpeakerTrack 60   | TC 7.1.1                           | —                                  | —                                  | —                                  | —              | —                           | —                           |
|                                       | Cisco IP Video Phone E20   | —                                  | TE 6.0.0 <sup>27</sup>             | TE 6.0.0                           | TE 4.1                             | TE4.0          | —                           | —                           |
|                                       | Cisco TelePresence System 1700 MXP   | —                                  | F 9.3.1                            | F 9.0.2 PAL                        | F 9.0.2 PAL                        | —              | —                           | —                           |
|                                       | Cisco TelePresence Movi  | —                                  | —                                  | —                                  | 4.1                                | —              | —                           | —                           |
|                                       | Cisco Virtualization Experience Clients 6000 Series  | —                                  | Firmware 9.3                       | Firmware 9.2(1)                    | Firmware 9.2(1)                    | —              | —                           | —                           |
|                                       | Cisco IP Communicator  | —                                  | —                                  | 8.6(1)                             | 8.6(1)                             | 7.0(5)         | 7.0(3)MR                    | 7.0(2)                      |
|                                       | Cisco Unified Personal Communicator  | —                                  | —                                  | 8.5(5)                             | 8.5(1)                             | 8.0(1)         | 7.0(2)                      | 7.0(2)                      |
|                                       | Cisco UC Integration for IBM Sametime  | —                                  | 9.5                                | —                                  | —                                  | —              | —                           | —                           |
|                                       | Cisco UC Integration for Microsoft Office Communicator                                       | —                                  | —                                  | —                                  | —                                  | —              | 7.1                         | 7.1                         |
|                                       | Cisco UC Integration for Microsoft Lync  | —                                  | 9.2(5)                             | 8.5(2)                             | 8.5(2)                             | 8.5(1)         | —                           | —                           |
|                                       | Cisco Unified Communications for RTX   | —                                  | 8.6(4)                             | 8.5(1)                             | 8.5(1)                             | 8.5(1)         | —                           | —                           |
| Cisco Unified Video Advantage         | —  | 2.3(1)                             | 2.2(2)                             | 2.2(1)                             | 2.2(1)                             | 2.1(2)         | 2.1(1)                      |                             |
| Cisco Unified Communications Widgets  | —  | 8.5 VVM<br>8.0 C2C<br>7.1(3)SR2 PD | 8.5 VVM<br>8.0 C2C<br>7.1(3)SR2 PD | 8.0(1) VVM<br>8.0 C2C<br>7.0(1) PD | 8.0(1) VVM<br>8.0 C2C<br>7.0(1) PD | 7.0            | —                           |                             |
| Client Applications                   | Cisco Jabber for Android   | 9.6                                | 9.1.4                              | —                                  | —                                  | —              | —                           | —                           |
|                                       | Cisco Jabber for Mac   | 9.6.0                              | 9.2.1                              | 9.0(1)                             | —                                  | —              | —                           | —                           |
|                                       | Cisco Jabber for iOS   | 9.6.1                              | —                                  | —                                  | —                                  | —              | —                           | —                           |
|                                       | Cisco Jabber for iPad  | — <sup>28</sup>                    | 9.6                                | 1.1                                | —                                  | —              | —                           | —                           |
|                                       | Cisco Jabber for iPhone  | — <sup>29</sup>                    | 9.6                                | 9.0                                | —                                  | —              | —                           | —                           |
|                                       | Cisco Jabber for Windows   | 9.7.1MR1                           | 9.6                                | 9.0(1)                             | —                                  | —              | —                           | —                           |

| Category              | Component  | Release 10.5(1) | Release 10.0(1)                 | Release 9.0(1)                              | Release 8.6(1)                              | Release 8.5(1)                              | Release 7.1(3) <sup>1</sup>   | Release 7.1(2) <sup>2</sup> |
|-----------------------|--|-----------------|---------------------------------|---|---|---|-------------------------------|-----------------------------|
|                       | Cisco Virtualization Experience Media Engine (VXME) for Windows      | 9.7             | —                               | —   | —   | —   | —                             | —                           |
| Wireless and Mobility | Cisco Aironet 3502 Access Point                                      | —               | AIR-WLC4400-K9-7-0-116-0-ER.aes | AIR-WLC4400-K9-7-0-116-0-ER.aes             | AIR-WLC4400-K9-7-0-116-0-ER.aes             | —   | —                             | —                           |
|                       | Cisco Aironet 1142 Access Point                                      | —               | AIR-WLC4400-K9-7-0-116-0-ER.aes | AIR-WLC4400-K9-7-0-116-0-ER.aes             | AIR-WLC4400-K9-7-0-116-0-ER.aes             | —   | —                             | —                           |
|                       | Cisco 4400 Series Wireless LAN Controllers                           | —               | AIR-WLC4400-K9-7-0-230-0.aes    | AIR-WLC4400-K9-7-0-230-0.aes                | AIR-WLC4400-K9-7-0-116-0-ER.aes             | 6.0.188.0                                   | 5.2.193.0                     | 5.1.163.0                   |
|                       | Cisco 5508 Wireless LAN Controller                                   | —               | AIR-CT5500-K9-7-2-103-0.aes     | AIR-CT5500-K9-7-2-103-0.aes                 | AIR-WLC4400-K9-7-0-116-0-ER.aes             | —   | —                             | —                           |
|                       | Cisco Unified Mobility Advantage                                     | —               | —                               | —   | 7.1(3)                                      | 7.1(3)                                      | 7.1(3)                        | 7.0(2)                      |
|                       | Cisco Unified Mobile Communicator                                    | —               | —                               | —   | 7.1(3)                                      | 7.1(3)                                      | 7.1(3)                        | 7.0(7)                      |
|                       | Cisco Mobile for iPhone  | —               | —                               | —   | —   | 7.1(3)                                      | 7.1                           | —                           |
|                       | Cisco Mobile for Nokia   | —               | —                               | 8.5(1)                                      | 8.5(1)                                      | —   | —                             | —                           |
|                       | Cisco Mobile for Android   | —               | —                               | 8.5(1)                                      | 8.5(1)                                      | —   | —                             | —                           |
| Security              | Cisco Catalyst Firewall Service Module                               | —               | —                               | —   | —   | —   | 4.0(6)                        | 4.0(4)                      |
|                       | Cisco Intrusion Prevention System (AIP-SSM, IDSM-2 Module, IPS-4200) | —               | —                               | —   | —   | —   | 6.1(1)E2<br>Signature: S359.0 | 6.1(1)E2                    |
|                       | Cisco NAC Appliance (Clean Access)                                   | —               | —                               | —   | —   | —   | —                             | 4.2                         |
|                       | Management Center for Cisco Security Agents                          | —               | —                               | —   | —   | —   | 5.2.0.272                     | 5.2.0.272                   |
|                       | Cisco Security Agent for Unified Contact Center Express              | —               | NA                              | Bundled with Unified Contact Center Express | Bundled with Unified Contact Center Express | Bundled with Unified Contact Center Express | 5.2.0.272-3.1.2               | 5.2.0.272-3.1.2             |
|                       | Cisco Security Agent for Cisco Unified MeetingPlace                  | —               | —                               | 6.0(1)                                      | 6.0(1)                                      | 6.0(1)                                      | 5.2.0.263-7.0                 | 5.2.0.263-7.0               |
|                       | Cisco Security Agent for Cisco Unified MeetingPlace Express          | —               | —                               | —   | —   | —   | 6.0.517                       | 6.0.517                     |
| Network Management    | Cisco Prime Collaboration Provisioning                               | 10.5(1)         | 10.0(1)                         | —   | —   | —   | —                             | —                           |
|                       | Cisco Prime Collaboration Assurance                                  | 10.5(1)         | 10.0(1)                         | —   | —   | —   | —                             | —                           |
|                       | Cisco Prime Collaboration Deployment                                 | 10.5(1)         | 10.0(1)                         | —   | —   | —   | —                             | —                           |
|                       | Cisco Prime Collaboration Manager <sup>30</sup>                      | —               | —                               | 1.2   | —   | —   | —                             | —                           |
|                       | Cisco Unified Operations Manager <sup>31</sup>                       | —               | —                               | —   | 8.6(1)                                      | 8.5.1                                       | 2.2                           | 2.2                         |
|                       | Cisco Unified Provisioning Manager <sup>32</sup>                     | —               | —                               | —   | 8.6(1)                                      | 8.5   | 2.0                           | 1.3.1                       |
|                       | Cisco Unified Service Monitor <sup>33</sup>                          | —               | —                               | —   | 8.6(1)                                      | 8.5.1                                       | 2.2                           | 2.2                         |
|                       | Cisco Unified Service Statistics Manager <sup>34</sup>               | —               | —                               | —   | 8.6(1)                                      | 8.5.1                                       | 1.2                           | 1.2                         |
|                       | Cisco Resource Management Essentials                                 | —               | —                               | —   | —   | —   | 4.0.5                         | 4.0.5                       |
| Licensing             | Cisco Prime License Manager <sup>35</sup>                            | 10.5(1)         | 10.0(1)                         | 9.0(1)                                      | —   | —   | —                             | —                           |



| Category  | Component  | Release 10.5(1)            | Release 10.0(1)                                    | Release 9.0(1)               | Release 8.6(1)               | Release 8.5(1)                               | Release 7.1(3) <sup>1</sup>  | Release 7.1(2) <sup>2</sup> |
|---|--|----------------------------|--|------------------------------|------------------------------|--|------------------------------|-----------------------------|
| Communications Infrastructure                                       | Cisco IOS Extended Maintenance Deployment  | 15.3(3)M3                  | 15.1(4)M7 <sup>36</sup><br>15.3(3)M1 <sup>37</sup> | 15.1(4)M3                    | 15.1(4)M1                    | IOS Extended MR 15.0.1M4                     | 12.4(25)b                    | 12.4(23)                    |
|   | Cisco IOS Early Deployment   | 15.4(1)T1                  | —  | —                            | —                            | —  | —                            | —                           |
|   | Unified Computing System B200 M2, C200 M2, and C210 M2 (Unified Communications Virtualization) | VMWare 5.1 U1              | VMWare 5.1 U1                                      | VMWare ESXi 5.0              | VMWare ESXi 4.0              | VMWare ESXi 4.0                              | —                            | —                           |
|   | Cisco 2801, 2811, 2821, 2851, 3825, 3845 Integrated Services Router                            | 15.1(4)M7                  | 15.1(4)M7  | 15.1(4)M3                    | 15.1(4)M1                    | 15.1(3)T <sup>38</sup>                       | 15.0(1)M                     | 12.4(24)T1                  |
|   | Cisco 38xx Gatekeepers   | 15.1(4)M7                  | 15.1(4)M7  | 15.1(4)M3                    | 15.1(4)M1                    | 15.1(3)T <sup>39</sup>                       | 15.0(1)M                     | 12.4(24)T1                  |
|   | Cisco Integrated Services Router (ISR) 1861  | —                          | 15.1(4)M7  | 15.1(4)M3                    | 15.1(4)M1                    | 15.1(3)T <sup>40</sup>                       | 15.0(1)M                     | 12.4(24)T1                  |
|   | Cisco Integrated Services Router (ISR) 2900 and 3900 Series                                    | 15.3(3)M3 or 15.4(1)T1     | 15.3(3)M1 or 15.2(4)M5                             | 15.2(3)T1 or 15.2(4)M        | 15.1(4)M1                    | 15.1(3)T <sup>41</sup>                       | 15.0(1)M                     | —                           |
|   | Cisco 4451-X Integrated Services Router  | IOS-XE 3.10S2 or 15.3(3)S2 | IOS-XE 3.10  | IOS-XE 3.9                   | IOS-XE 3.9                   | —  | —                            | —                           |
|   | Cisco SRE 910 Service Module   | 15.3(3)M3 or 15.4(1)T1     | 15.3(3)M1  | 15.2(3)T1 or 15.2(4)M        | 15.1(4)M1                    | —  | —                            | —                           |
|   | Cisco 3800 (IP-to-IP gateway) <sup>42</sup>  | —                          | —  | —                            | 15.1(4)M1                    | 15.1(3)T <sup>43</sup>                       | 15.0(1)M                     | 12.4(24)T1                  |
|   | Cisco 3900 (IP-to-IP gateway) <sup>44</sup>  | —                          | —  | —                            | 15.1(4)M1                    | 15.1(3)T <sup>45</sup>                       | 15.0(1)M                     | —                           |
|   | Cisco Unified Border Element Enterprise Edition for Cisco ISR Series                           | 15.3(3)M3 or 15.4(1)T1     | 3.11.0S  | 15.2(3)T1 or 15.2(4)M        | 15.1(4)M1                    | 15.1(3)T <sup>46</sup>                       | 1.3/15.0(1)M                 | 12.4(24)T1                  |
|   | Cisco Unified Border Element Enterprise Edition for Cisco ASR 1000 Series                      | IOS-XE 3.10 or 15.3(3)S2   | IOS-XE 3.10 or 15.3(3)S1                           | 3.6                          | 3.3                          | 3.2  | —                            | —                           |
|   | Cisco 7206 (voice/data gateway)  | —                          | —  | —                            | —                            | —  | 15.0(1)M                     | 12.4(24)T1                  |
|   | Cisco Catalyst 3550  | —                          | —  | —                            | —                            | —  | 12.2(25)SEE4                 | 12.2(25)SEE4                |
|   | Cisco Catalyst 3560  | —                          | —  | —                            | —                            | —  | 12.2(25)SEE4                 | 12.2(25)SEE4                |
|   | Cisco Catalyst 3750  | 15.2(2.3.26)E              | 15.0.2SE2 or 12.2(53)SE2                           | 12.2(53)SE2                  | 12.2(53)SE2                  | 12.2(53)SE2                                  | 12.2(25)SEE4                 | 12.2(40)SE                  |
|   | Cisco Catalyst 4503 Switch   | —                          | 12.2(53)SE2  | 12.2(53)SE2                  | 12.2(53)SE2                  | 12.2(53)SE2                                  | 12.2(25)SEE4                 | 12.2(25)SEE4                |
| Cisco Catalyst 4506 Switch  | —  | 12.2(54)SG                 | 12.2(54)SG   | 12.2(54)SG                   | 12.2(54)SG                   | 12.2(25)EWA                                  | 12.2(25)EWA                  |                             |
| Cisco Catalyst 6506, 6509 (voice access switch, supervisor 2/MSFC2) | —  | 15.1(2)SY                  | 12.2(33)SXI4<br>CatOS8.6(6a)                       | 12.2(33)SXI4<br>CatOS8.6(6a) | 12.2(33)SXI4<br>CatOS8.6(6a) | Cat OS 8.6.3 /12.2.(18)SXF9<br>Cat OS 8.5(7) | Cat OS 8.6.3 / 12.2.(18)SXF9 |                             |
| Communications Infrastructure (continued)                           | Cisco Catalyst 6506, 6509 (core switch, supervisor 720)  | —                          | 15.1(2)SY  | 12.2(33)SXI4                 | 12.2(33)SXI4                 | 12.2(33)SXI4                                 | 2.2(18)SXF9                  | 12.2(18)SXF9 (native-mode)  |
|   | Cisco Catalyst 6608, 6624 (voice gateway)  | —                          | Bundled with Unified CM                            | Bundled with Unified CM      | Bundled with Unified CM      | Bundled with Unified CM                      | Bundled with Unified CM      | Bundled with Unified CM     |
|   | Cisco VG224 (analog voice gateway)   | —                          | 15.1.4M7   | 15.1(4)M3                    | 15.1(4)M1                    | 15.1(3)T <sup>47</sup>                       | 15.0(1)M                     | 12.4(24)T1                  |
|   | Cisco VG248 (analog voice gateway)   | 1.3.2                      | 1.3(2)   | 1.3(2)                       | 1.3(2)                       | 1.3(2)                                       | 1.3(2)                       | 1.3(2)                      |
|   | Cisco VG350 (analog voice gateway)   | 15.3(3)M3 or 15.4(1)T1     | 15.3(3)M1 or 15.2(4)M5                             | 15.2(4)M                     | —                            | —  | —                            | —                           |

| Category    | Component                      | Release 10.5(1) | Release 10.0(1) | Release 9.0(1)    | Release 8.6(1)    | Release 8.5(1)    | Release 7.1(3) <sup>1</sup>           | Release 7.1(2) <sup>2</sup>           |
|-------------|--------------------------------|-----------------|-----------------|-------------------|-------------------|-------------------|---------------------------------------|---------------------------------------|
| Third Party | McAfee Antivirus <sup>48</sup> | —               | —               | Enterprise 8.7.0i | Enterprise 8.7.0i | Enterprise 8.7.0i | Enterprise 8.0.0 Patch<br>Version: 11 | Enterprise 8.0.0 Patch<br>Version: 11 |

1. This is a maintenance or minor release and no new Technical Information Site was created for this release. Refer to the release notes and system test results for information on this release.
2. This is a maintenance or minor release and no new Technical Information Site was created for this release. Refer to the release notes and system test results for information on this release.
3. See Cisco Business Edition 3000 documentation.
4. For ISR-G2 devices.
5. For ISR-G2 devices.
6. For ISR-G1 devices.
7. Unified IP Phone models 6921, 6941, and 6961 were tested with Unified Communications Manager Express and Unified SRST Release 8.0 and IOS 15.0(1)XA; all other phone models were tested with Unified Communications Manager Express and Unified SRST Release 7.2 and IOS 15.0(1)M.
8. For ISR-G2 devices.
9. For ISR-G2 devices.
10. For ISR-G1 devices.
11. Unified IP Phone models 6921, 6941, and 6961 were tested with Unified Communications Manager Express and Unified SRST Release 8.0 and IOS 15.0(1)XA; all other phone models were tested with Unified Communications Manager Express and Unified SRST Release 7.2 and IOS 15.0(1)M.
12. X8.2 version will be available post Collaboration Systems Release 10.5(1).
13. X8.2 version will be available post Collaboration Systems Release 10.5(1).
14. All 10.5(1) Contact Center components will be available post Collaboration System Release 10.5(1).
15. All 10.5(1) Contact Center components will be available post Collaboration System Release 10.5(1).
16. From Collaboration Systems Release 9.0(1) onward, see Cisco Unified Communications Manager IM and Presence Service.
17. From Collaboration Systems Release 9.0(1) onward, see Cisco Unified Communications Manager IM and Presence Service.
18. From Collaboration Systems Release 9.0(1) onward, see Cisco Unified Communications Manager IM and Presence Service.
19. From Collaboration Systems Release 10.0(1) onward, see Cisco Unified Attendant Console Standard and Cisco Unified Attendant Console Advanced.
20. From Collaboration Systems Release 10.0(1) onward, see Cisco Unified Attendant Console Standard and Cisco Unified Attendant Console Advanced.
21. From Collaboration Systems Release 10.0(1) onward, see Cisco Unified Attendant Console Standard and Cisco Unified Attendant Console Advanced.
22. From Collaboration Systems Release 10.0(1) onward, see Cisco Unified Attendant Console Standard and Cisco Unified Attendant Console Advanced.
23. Adhoc conferencing feature in Unified MeetingPlace Releases 8.0/8.5 is not supported with Unified Communications Manager Release 8.5(1) and 8.6(1).
24. Adhoc conferencing feature in Unified MeetingPlace Releases 8.0/8.5 is not supported with Unified Communications Manager Release 8.5(1) and 8.6(1).
25. This product is supported as part of the Cisco Collaboration Systems Release 10.5(1), however it was not part of the system validation test bed.
26. Will be available post Collaboration Systems Release 10.5(1).
27. Component does not support CTI OS based silent monitoring.
28. See Cisco Jabber for iOS.
29. See Cisco Jabber for iOS.
30. From Collaboration Systems Release 10.0(1) onward, see Cisco Prime Collaboration.
31. From Collaboration Systems Release 9.0(1) onward, see Cisco Prime Collaboration.
32. From Collaboration Systems Release 9.0(1) onward, see Cisco Prime Collaboration.
33. From Collaboration Systems Release 9.0(1) onward, see Cisco Prime Collaboration.
34. From Collaboration Systems Release 9.0(1) onward, see Cisco Prime Collaboration.
35. In Collaboration Systems Release 10.0(1), Cisco Prime License Manager replaced Cisco Enterprise License Manager.
36. For ISR-G1 devices only.
37. For ISR-G2 devices.
38. Cisco IOS Release 15.1(3)T and 15.1(1)T are short deployment Standard Maintenance releases ideal for the very latest new features and hardware support from Cisco. Cisco provides 18 months of support for Standard Maintenance releases. Customers requiring longer-term maintenance support should consider upgrading to the next 15 M Extended Maintenance release (when it becomes available), which will incorporate all features and hardware support of previous Standard Maintenance and Extended Maintenance releases. For more information, refer to [http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa\\_c67\\_561940.html](http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa_c67_561940.html).
39. Cisco IOS Release 15.1(3)T and 15.1(1)T are short deployment Standard Maintenance releases ideal for the very latest new features and hardware support from Cisco. Cisco provides 18 months of support for Standard Maintenance releases. Customers requiring longer-term maintenance support should consider upgrading to the next 15 M Extended Maintenance release (when it becomes available), which will incorporate all features and hardware support of previous Standard Maintenance and Extended Maintenance releases. For more information, refer to [http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa\\_c67\\_561940.html](http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa_c67_561940.html).
40. Cisco IOS Release 15.1(3)T and 15.1(1)T are short deployment Standard Maintenance releases ideal for the very latest new features and hardware support from Cisco. Cisco provides 18 months of support for Standard Maintenance releases. Customers requiring longer-term maintenance support should consider upgrading to the next 15 M Extended Maintenance release (when it becomes available), which will incorporate all features and hardware support of previous Standard Maintenance and Extended Maintenance releases. For more information, refer to [http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa\\_c67\\_561940.html](http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa_c67_561940.html).

41. Cisco IOS Release 15.1(3)T and 15.1(1)T are short deployment Standard Maintenance releases ideal for the very latest new features and hardware support from Cisco. Cisco provides 18 months of support for Standard Maintenance releases. Customers requiring longer-term maintenance support should consider upgrading to the next 15 M Extended Maintenance release (when it becomes available), which will incorporate all features and hardware support of previous Standard Maintenance and Extended Maintenance releases. For more information, refer to [http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa\\_c67\\_561940.html](http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa_c67_561940.html).
42. From Collaboration Systems Release 9.0(1) onward, see Cisco Unified Border Element.
43. Cisco IOS Release 15.1(3)T and 15.1(1)T are short deployment Standard Maintenance releases ideal for the very latest new features and hardware support from Cisco. Cisco provides 18 months of support for Standard Maintenance releases. Customers requiring longer-term maintenance support should consider upgrading to the next 15 M Extended Maintenance release (when it becomes available), which will incorporate all features and hardware support of previous Standard Maintenance and Extended Maintenance releases. For more information, refer to [http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa\\_c67\\_561940.html](http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa_c67_561940.html).
44. From Collaboration Systems Release 9.0(1) onward, see Cisco Unified Border Element.
45. Cisco IOS Release 15.1(3)T and 15.1(1)T are short deployment Standard Maintenance releases ideal for the very latest new features and hardware support from Cisco. Cisco provides 18 months of support for Standard Maintenance releases. Customers requiring longer-term maintenance support should consider upgrading to the next 15 M Extended Maintenance release (when it becomes available), which will incorporate all features and hardware support of previous Standard Maintenance and Extended Maintenance releases. For more information, refer to [http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa\\_c67\\_561940.html](http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa_c67_561940.html).
46. Cisco IOS Release 15.1(3)T and 15.1(1)T are short deployment Standard Maintenance releases ideal for the very latest new features and hardware support from Cisco. Cisco provides 18 months of support for Standard Maintenance releases. Customers requiring longer-term maintenance support should consider upgrading to the next 15 M Extended Maintenance release (when it becomes available), which will incorporate all features and hardware support of previous Standard Maintenance and Extended Maintenance releases. For more information, refer to [http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa\\_c67\\_561940.html](http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa_c67_561940.html).
47. Cisco IOS Release 15.1(3)T and 15.1(1)T are short deployment Standard Maintenance releases ideal for the very latest new features and hardware support from Cisco. Cisco provides 18 months of support for Standard Maintenance releases. Customers requiring longer-term maintenance support should consider upgrading to the next 15 M Extended Maintenance release (when it becomes available), which will incorporate all features and hardware support of previous Standard Maintenance and Extended Maintenance releases. For more information, refer to [http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa\\_c67\\_561940.html](http://www.cisco.com/en/US/prod/collateral/iosswrel/ps8802/ps10587/ps10591/ps10621/qa_c67_561940.html).
48. You can install third-party antivirus agents on Windows-based servers such as Unified Operations Manager and Unified Provisioning Manager, but not on non-Windows appliances such as Unified Communications Manager and Business Edition.