



## A

- account lockouts
  - security policy for accessing Cisco Unity by phone [17-2](#)
  - security policy for GUI access [26-10](#)
- account policy
  - account lockout settings for GUI access [26-10](#)
  - account lockout settings for phone access [17-2](#)
  - overview for phone access [17-1](#)
  - password settings for GUI access [26-10](#)
  - phone password settings [17-1](#)
- accounts
  - Cisco Unity Admin, installing [4-1](#)
  - Cisco Unity Messaging System [4-2](#)
  - deleting [14-1](#)
  - Example Administrator [4-1](#)
  - Example Subscriber [4-2](#)
  - subscriber, creating [13-1](#)
- account settings
  - subscriber [15-5](#)
  - subscriber template [11-5](#)
- ActiveAssistant (AA). See Cisco Unity Assistant
- Add icon [2-16](#)
- adding
  - alternate extensions [15-25](#)
  - call handlers [19-3](#)
  - call routing rules [20-2, 22-3](#)
  - classes of service [12-3](#)
  - distribution lists [16-3](#)
  - event notifications [7-5](#)
  - holidays [26-10](#)
  - interview handlers [21-2](#)
  - languages [9-1](#)
  - public distribution lists [16-3](#)
  - records [2-17](#)
  - restriction tables [23-3](#)
  - schedules [26-8](#)
  - subscribers, with Bulk Import wizard [13-16](#)
  - subscribers, with Cisco Unity Administrator [13-18](#)
  - subscribers to a class of service [12-3](#)
  - subscribers to a public distribution list [16-4](#)
  - subscriber templates [11-2](#)
- addressing
  - messages, spelling vs. number modes [6-3](#)
  - setting options for primary location [25-5](#)
- administration account
  - limiting use of [2-10](#)
  - Using to log on to the Cisco Unity Administrator [2-10](#)
- Administrative Access Activity report [24-8](#)
- administrative rights, granting [2-12](#)
- administrator accounts [4-1](#)
- Advanced Settings tool
  - activating Optional Conversation 1 [11-9](#)
  - enabling warning tone for end of recording [26-18](#)
  - reactivating standard conversation [11-10](#)
- alias generation [13-9](#)
- All Subscribers public distribution list [16-1](#)
- alternate extensions [15-25](#)
- AMIS
  - delivery options settings [25-15](#)
  - schedule settings [25-16](#)
- AMIS In Traffic report [24-13](#)
- AMIS Out Traffic report [24-12](#)
- Anonymous authentication
  - advantages and disadvantages of [2-5](#)
  - How it works with the Cisco Unity Administrator [2-7](#)

## authentication

- how it works with Cisco Personal Communications Assistant [5-7](#)
- Integrated Windows authentication [2-5](#)
- method for Cisco Unity Administrator [2-5](#)
- overview for Cisco Personal Communications Assistant [5-7](#)
- overview for Cisco Unity administrator [2-5](#)

automated attendant [6-4](#)

**B**

billing ID [11-5](#)

Bridge options settings [25-16](#)

browser language [9-3](#)

## Bulk Edit utility

- modifying multiple call handlers [19-2](#)
- modifying multiple subscribers [13-23, 15-1](#)

## Bulk Import wizard

- creating subscribers [13-5](#)
- errors, correcting [13-17](#)
- overview [13-5](#)

Bulk Logout utility [7-19](#)

**C**

## caller input settings

- call handler [19-12](#)
- directory handler [20-7](#)
- subscriber [15-15](#)
- subscriber template [11-14](#)

call handler greetings, changing by phone [19-8, 19-10, 19-11](#)

## call handlers

- automated attendant [19-1](#)
- caller input settings [19-12](#)
- class of service access settings [12-5](#)
- deleting owner [14-1](#)
- Good-bye [19-2](#)
- greetings settings [19-8](#)

messages settings [19-13](#)

names, recording [2-18](#)

Opening Greeting [19-2](#)

Operator [19-2](#)

orphans, avoiding [14-1](#)

predefined [19-1](#)

profile settings [19-3](#)

settings overview [19-1](#)

traffic report [24-11](#)

transfer settings [19-4](#)

Call Handler Traffic report [24-11](#)

## call management

- creating a map [18-2](#)
- planning [18-2](#)
- tools overview [18-1](#)

CallManager integration settings [26-14](#)

## call routing

- call management map [18-2](#)
- using one key dialing [18-2](#)

## call routing rules

- adding [20-2, 22-3](#)
- settings [22-4](#)

## call routing tables

- class of service access settings [12-5](#)
- Direct Calls [22-1](#)
- Forwarded Calls [22-1](#)
- overview [22-1](#)

## call transfer settings

- class of service [12-8](#)
- restriction table [23-1](#)
- rules [19-5](#)

subscriber [15-11](#)

subscriber template [11-10](#)

circuit-switched integration settings [26-17](#)

## Cisco Personal Communications Assistant

about

browser settings [5-8](#)

specifying a browser language [9-3](#)

URL [6-2](#)

- Cisco Unity
  - about [1-1](#)
  - account lockout policy for GUI access [26-10](#)
  - account lockout policy for phone access [17-2](#)
  - account policy for phone access [17-1](#)
  - administrator accounts [4-1](#)
  - features [1-1](#)
  - password policy for GUI access [26-10](#)
  - password policy for phone access [17-1](#)
  - shutting down [2-21](#)
  - starting [2-22](#)
  - Status Monitor [7-3](#)
- Cisco Unity Admin account [4-1](#)
- Cisco Unity Administrator
  - accessing on networked servers [2-3](#)
  - access to [12-5](#)
  - account(s) for accessing [2-10](#)
  - accounts used to access [2-10](#)
  - adding records [2-17](#)
  - best practices for accounts used to access [2-11](#)
  - creating subscribers [13-18](#)
  - finding records [2-17](#)
  - icons [2-16](#)
  - limit to simultaneous access [2-2](#)
  - logging off [2-3](#)
  - logging on [2-2](#)
  - logging on and exiting [2-1](#)
  - saving data [2-16](#)
  - security concerns [2-2, 2-10](#)
  - specifying a browser language [9-3](#)
- Cisco Unity Assistant
  - about
  - browser settings [5-8](#)
  - settings subscribers can change [6-2](#)
  - specifying a browser language [9-3](#)
  - URL [6-2](#)
- Cisco Unity Bridge [25-16](#)
- Cisco Unity Greetings Administrator [19-8, 19-10, 19-11](#)
- Cisco Unity Inbox
  - about [1-2](#)
  - browser settings [5-8](#)
  - licenses [12-10](#)
  - message notification [15-21](#)
  - specifying a browser language [9-3](#)
  - URL [6-2](#)
- Cisco Unity Messaging System account [4-2](#)
- class of service
  - call transfer settings [12-8](#)
  - deleting [12-2](#)
  - effect on subscribers [12-1](#)
  - enhanced phone security [8-1](#)
  - FaxMail [10-1](#)
  - feature settings [12-10](#)
  - greeting settings [12-9](#)
  - handling deleted messages [12-9](#)
  - licenses [12-2](#)
  - live reply [12-9](#)
  - maximum message length [12-9](#)
  - messages settings [12-9](#)
  - overview [12-1](#)
  - predefined [12-1](#)
  - profile settings [12-4](#)
  - reassigning subscribers [12-3](#)
  - restriction table settings [12-11, 23-1](#)
  - subscriber settings [12-4](#)
  - system access settings [12-5](#)
- cleanup interval, logger data files [24-1, 24-2](#)
- codecs, list of supported [26-4](#)
- comma delimited files, report format [24-2](#)
- configuration settings [26-2](#)
- contacts, system settings [26-5](#)
- conversation, optional [11-6](#)
- conversation, standard [11-6](#)
- conversation settings
  - subscriber [15-8](#)
  - subscriber template [11-6](#)

## CSV files

- column headers used by Import utility [13-9](#)
- correcting import errors [13-17](#)
- preparing for Import utility [13-7](#)
- report format [24-2](#)

**D**data types in Cisco Unity Administrator [2-14](#)

## defaults

- call handlers [19-1](#)
- class of service [12-1](#)
- configuration settings [26-2](#)
- Direct Calls call routing table rules [22-1](#)
- Forwarded Calls call routing table rules [22-1](#)
- phone and text-to-speech languages [9-2](#)
- public distribution lists [16-1](#)
- restriction tables [23-1](#)
- schedule [26-8](#)
- subscriber accounts [4-1](#)
- subscriber template [11-1](#)

deleted messages, class of service settings [12-9](#)Delete icon [2-16](#)

## deleting

- class of service [12-2](#)
- distribution list owner [14-1](#)
- subscriber accounts [14-1](#)

delivery options settings, AMIS [25-15](#)diagnostic traces, access to [12-5](#)dialing domains, directory handler searches [20-5](#)Dialogic codecs [26-4](#)Direct Calls call routing table settings [22-4](#)directory assistance [20-1](#)

## directory handler

- caller input settings [20-7](#)
- expanding searches with Digital Networking [20-5](#)
- match list options settings [20-7](#)
- overview [20-1](#)
- profile settings [20-4](#)

search options settings [20-5](#)

## distribution lists

- All Subscribers [16-1](#)
- creating [16-3](#)
- creating private lists [15-7](#)
- default lists [16-1](#)
- deleting owner [14-1](#)
- importing from Exchange [16-2](#)
- member settings [16-4](#)
- profile settings [16-3](#)
- report [24-5](#)
- subscriber template settings [11-18](#)
- System Event Messages [16-2](#)
- Unaddressed Messages [16-2](#)
- Distribution Lists report [24-5](#)

**E**EAdministrator account [4-1](#)enabling warning tone for end of recording [26-18](#)end-user documentation [6-1](#)

## enhanced phone security

- class of service [8-1](#)
- overview [8-1](#)

Event Log report [24-9](#)

## Event Notification utility

- notification types [7-5](#)
- overview [7-5](#)
- recording a voice notification [7-6](#)
- setting up [7-5](#)
- SMTP notifications [7-7](#)

## Example Administrator

- account [4-1](#)
- message handling [4-5, 7-13](#)

## Example Interview

- about [4-5, 7-13](#)
- responsibility for screening [4-5, 7-13](#)

Example Subscriber account [4-2](#)

## Exchange

- alias generation [13-9](#)
- importing distribution lists [16-2](#)
- importing users [13-19](#)
- mailboxes, correcting import errors [13-17](#)
- mailboxes, deleting accounts [14-1](#)
- mailboxes, moving subscriber mailboxes [7-19](#)
- mailboxes, moving Unity Messaging System, UAmis, and UOmni mailboxes [7-22](#)
- Optimizer [13-23](#)
- exiting the Cisco Unity Administrator [2-3](#)
- extensions, primary vs. alternate [15-25](#)

---

**F**

- Failed Login report [24-5](#)
- failover
  - overview [7-23](#)
  - voice messaging functions during [7-23](#)
- fax
  - class of service settings [10-1](#)
  - delivery and restriction tables [23-1](#)
  - integration steps [10-3](#)
  - overview [10-1](#)
  - sending and receiving via e-mail [10-3](#)
  - server integration architecture [10-1](#)
- features, Cisco Unity [1-1](#)
- feature settings [12-10](#)
- Find icon [2-16](#)
- Forwarded Calls call routing table settings [22-4](#)
- full mailbox check feature, enabling [4-2](#)

---

**G**

- G.711 codec [26-4](#)
- G.729a codec [26-4](#)
- gateways
  - fax [10-1](#)
  - SMTP [7-7](#)

- glossary [27-1](#)
- Good-bye call handler [19-2](#)
- GrantUnityAccess utility [2-12](#)
- greetings
  - call handler settings [19-8](#)
  - class of service settings [12-9](#)
  - recording [2-18](#)
  - subscriber settings [15-13](#)
  - subscriber template settings [11-12](#)
- GUI access, account lockout policy [26-10](#)
- GUI languages
  - changing [9-3](#)
  - overview [9-1](#)
  - system settings [26-7](#)

---

**H**

- holiday settings [26-10](#)

---

**I**

- icons, in Cisco Unity Administrator [2-16](#)
- identified subscriber messaging, setting up [26-2](#)
- IIS, Configuring for Anonymous Authentication [2-8](#)
- install account [4-1](#)
- Integrated Windows authentication
  - advantages and disadvantages of [2-5](#)
  - How it works with the Cisco Unity Administrator [2-6](#)
- interview handlers
  - creating [21-1](#)
  - Example Interview [21-1](#)
  - profile settings [21-2](#)
  - questions settings [21-4](#)
- IP integration settings [26-14, 26-15](#)
- ISM (Identified Subscriber Messaging) [26-2](#)

**L**

## languages

- changing GUI language [9-3](#)
- changing phone language [9-2](#)
- installing text-to-speech [9-1](#)
- overview [9-1](#)
- subscriber conversation settings [15-8](#)
- subscriber template settings [11-6](#)

legacy phony system integration settings [26-17](#)

## licenses

- assigning feature access to subscribers [12-10](#)
- Cisco Unity Inbox [12-10](#)
- counts, for class of service [12-10](#)
- counts, for used and unused [7-3](#)
- language [9-1](#)
- Status Monitor, using to view status [7-3](#)
- text-to-speech [12-10](#)
- ViewMail for Microsoft Outlook [12-10](#)
- Visual Messaging Interface (VMI) [12-10](#)

live reply [12-9](#)

## locations

- addressing option settings [25-5](#)
- profile settings for delivery locations [25-9](#)
- profile settings for primary location [25-2](#)

logger data files [24-1, 24-2](#)**M**mailboxes, moving in Exchange [7-19, 7-22](#)mailbox storage limits [4-2, 7-7](#)match list options settings [20-7](#)maximum message length, class of service settings [12-9](#)Media Master control bar [2-18](#)member settings, public distribution lists [16-4](#)

## message notifications

- cascading [15-20](#)
- chaining [15-20](#)
- subscriber settings [15-19](#)

subscriber template settings [11-19](#)text messages [15-21](#)

## messages

- addressing in spelling vs. number modes [6-3](#)
  - call handler settings [19-13](#)
  - class of service settings [12-9](#)
  - delivery and restriction tables [23-1](#)
  - identified subscriber messaging, setting up [26-2](#)
  - subscriber settings [15-16](#)
  - subscriber template settings [11-16](#)
  - undeliverable [4-4, 7-12](#)
  - without a specific recipient [4-4, 7-11](#)
- microphones, using for recording [5-9](#)
- monitoring tools, Status Monitor [7-3](#)
- Mu-Law codec [26-4](#)

**N**names, recording [2-18](#)navigation in Cisco Unity Administrator [2-15](#)NDRs [4-2, 7-22, 16-2](#)

## network settings

- AMIS delivery options [25-15](#)
- AMIS schedule [25-16](#)
- Bridge options [25-16, 25-17](#)
- delivery locations profile [25-10](#)
- overview [25-1](#)
- primary location addressing option [25-5](#)
- primary location profile [25-2](#)

nondelivery receipts [4-2, 7-22, 16-2](#)

## notifications

- Event Notification utility [7-5](#)
- importing pager information [13-8](#)
- messages [15-19](#)

NTLM authentication [2-5](#)

---

**O**

one key dialing [18-2](#)

online Help

- accessing [2-15](#)
- Field Help icon [2-16](#)
- Online Documentation icon [2-16](#)

Opening Greeting

- call handler overview [19-2](#)
- routing to interview handlers [21-1](#)

Operator call handler

- overview [19-2](#)
- responsibility for screening [4-5, 7-12](#)

operators, training [6-4](#)

Optimizer, Exchange [13-23](#)

Optional Conversation 1 [11-9](#)

orientation

- operators [6-4](#)
- subscribers [6-1](#)

Outcall Billing report [24-7](#)

Outlook, installing [5-3](#)

---

**P**

passwords

- Example Administrator [4-1](#)
- Example Subscriber [4-2](#)
- security policy for accessing Cisco Unity by phone [17-1](#)
- security policy for GUI access [26-10](#)
- subscriber settings [15-6](#)
- subscriber template settings [11-5](#)

PBX integration settings [26-17](#)

PCA. See Cisco Personal Communications Assistant

pcAnywhere

- remote administration [7-18](#)
- setting up remote access [7-15](#)

phone access, account lockout policy [17-2](#)

phone languages

- changing [9-2](#)

- overview [9-1](#)
- system settings [26-6](#)

phone menu card [6-1](#)

phone password settings [17-1](#)

playback, speakers for subscribers [5-9](#)

Port Usage report [24-9](#)

primary server, failover [7-23](#)

private lists, creating [15-7](#)

profile settings

- call handler [19-3](#)
- class of service [12-4](#)
- delivery locations [25-9](#)
- directory handler [20-4](#)
- interview handler [21-2](#)
- primary location [25-2](#)
- public distribution list [16-3](#)
- subscriber template [11-3](#)

public distribution lists

- All Subscribers [16-1](#)
- class of service access settings [12-5](#)
- creating [16-3](#)
- default lists [16-1](#)
- deleting owner [14-1](#)
- Distribution Lists report [24-5](#)
- importing from Exchange [16-2](#)
- member settings [16-4](#)
- profile settings [16-3](#)
- subscriber template settings [11-18](#)
- System Event Messages [16-2](#)
- Unaddressed Messages [16-2](#)

---

**Q**

question settings, interview handler [21-4](#)

quick reference card [6-1](#)

**R**

## recording

- enabling warning tone for end of recording [26-18](#)
- microphones for subscribers [5-9](#)
- system settings [26-4](#)

## records

- adding [2-17](#)
- finding [2-17](#)
- saving [2-16](#)

remote access [7-15](#)

## reports

- about data [24-2](#)
- access to [12-5, 24-3](#)
- Administrative Access Activity report [24-8](#)
- AMIS In Traffic report [24-13](#)
- AMIS Out Traffic report [24-12](#)
- Call Handler Traffic report [24-11](#)
- Distribution Lists report [24-5](#)
- Event Log report [24-9](#)
- Failed Login report [24-5](#)
- format [24-2](#)
- generating [24-2](#)
- log-based [24-1, 24-2](#)
- Outcall Billing report [24-7](#)
- Port Usage report [24-9](#)
- snapshot [24-2](#)
- Storage Usage report [24-6](#)
- Subscriber Message Activity report [24-4](#)
- Subscribers report [24-4](#)
- System Configuration report [24-10](#)
- Transfer Call Billing report [24-7](#)
- Unresolved References report [24-11](#)

restarting, Cisco Unity server [2-21](#)

## restriction tables

- class of service access settings [12-5](#)
- class of service settings [12-11](#)
- creating [23-3](#)
- examples and discussion [23-2](#)

predefined [23-1](#)settings [23-5](#)

## routing rules

- adding [20-2, 22-3](#)
- providing access to the Cisco Unity Greetings Administrator [19-10](#)

RSA SecurID [8-1](#)Run icon [2-16](#)**S**Save icon [2-16](#)saving data [2-16](#)

## schedules

- AMIS settings [25-16](#)
- class of service access settings [12-5](#)
- default [26-8](#)
- effect on call routing rules [22-2](#)
- system settings [26-8](#)

secondary server, failover [7-23](#)secure logon [8-1](#)

## security

- account lockout policy for GUI access [26-10](#)
- account lockout policy for phone access [17-2](#)
- account policy for phone access [17-1](#)
- account settings for subscriber template [11-5](#)
- password policy for GUI access [26-10](#)
- password policy for phone access [17-1](#)
- subscriber passwords [11-5](#)

server, failover [7-23](#)shutting down Cisco Unity [2-21](#)SIP integration settings [26-15](#)SMTP gateway [7-7](#)software versions, system settings [26-4](#)speakers, using for playback [5-9](#)SSL [3-1](#)starting Cisco Unity [2-22](#)

## Status Monitor

access to [12-5](#)

- authentication [7-3](#)
- logging on to [7-3](#)
- overview [7-3](#)
- URL [7-3](#)
- Storage Usage report [24-6](#)
- subscriber accounts, deleting [14-1](#)
- subscriber documentation [6-1](#)
- Subscriber Message Activity report [24-4](#)
- subscribers
  - account settings [15-5](#)
  - adding multiple subscribers [13-23](#)
  - adding using the Cisco Unity Administrator [13-18](#)
  - alternate extension settings [15-25](#)
  - caller input settings [15-15](#)
  - call transfer settings [15-11](#)
  - class of service [12-1](#)
  - class of service access settings [12-5](#)
  - class of service settings [12-4](#)
  - conversation settings [15-8](#)
  - creating accounts [13-1](#)
  - creating using the Cisco Unity Bulk Import wizard [13-5](#)
  - default accounts [4-1](#)
  - deleting accounts [14-1](#)
  - greetings settings [15-13](#)
  - hiding [13-24](#)
  - identified subscriber messaging, setting up [26-2](#)
  - importing Exchange users [13-19](#)
  - mailboxes, moving [7-19](#)
  - maximum greeting length [12-9](#)
  - message notification settings [15-19](#)
  - message settings [15-16](#)
  - password settings [15-6](#)
  - preparing to create [13-2](#)
  - private list settings [15-7](#)
  - profile settings [15-2](#)
  - recording names and greetings [2-18](#)
  - secure logons [8-1](#)
  - settings overview [15-1](#)
  - settings subscribers can change [6-2](#)
  - templates [11-1](#)
  - training [6-1](#)
  - unlocking accounts [15-5](#)
- Subscribers report [24-4](#)
- subscriber templates
  - account settings [11-5](#)
  - caller input settings [11-14](#)
  - call transfer settings [11-10](#)
  - conversation settings [11-6](#)
  - creating [11-1](#)
  - defaults [11-1](#)
  - distribution list settings [11-18](#)
  - greetings settings [11-12](#)
  - message notification settings [11-19](#)
  - message settings [11-16](#)
  - password settings [11-5](#)
  - profile settings [11-3](#)
  - settings overview [11-1](#)
- SysCheck utility [24-11](#)
- system access settings [12-5](#)
- System Configuration report [24-10](#)
- system event messages distribution list, maintenance responsibilities [7-12](#)
- System Event Messages public distribution list [16-2](#)
- system security [8-1](#)
- system settings
  - configuration settings [26-2](#)
  - contacts [26-5](#)
  - enabling warning tone for end of recording [26-18](#)
  - GUI language settings [26-7](#)
  - holiday settings [26-10](#)
  - overview [26-1](#)
  - phone language settings [26-6](#)
  - recording settings [26-4](#)
  - schedule settings [26-8](#)
  - software versions [26-4](#)
  - voice port settings [26-13](#)

**T**

telephone user interface [11-6](#)

templates, subscriber

- account settings [11-5](#)
- caller input settings [11-14](#)
- call transfer settings [11-10](#)
- conversation settings [11-6](#)
- creating [11-1](#)
- defaults [11-1](#)
- distribution list settings [11-18](#)
- greetings settings [11-12](#)
- message notification settings [11-19](#)
- message settings [11-16](#)
- password settings [11-5](#)
- profile settings [11-3](#)
- settings overview [11-1](#)

text-to-speech

- e-mail licenses [12-10](#)
- fax settings [10-1](#)
- languages [9-1, 11-6](#)
- setting default [26-6](#)

Tools Depot

- Bulk Edit [13-23, 15-1, 19-2](#)
- Bulk Logout [7-19](#)

traditional phone system integration settings [26-17](#)

training

- operators [6-4](#)
- subscribers [6-1](#)

Transfer Call Billing report [24-7](#)

transfer settings, call handler [19-4](#)

TRaP [5-10](#)

TUI [11-6](#)

**U**

UAmis mailboxes, moving [7-23](#)

Unaddressed Messages public distribution list

- overview [16-2](#)

- responsibility for screening [4-4, 7-12](#)
- undeliverable messages [4-4, 7-12](#)
- unidentified callers, defined [22-1](#)
- Unity Messaging System mailboxes, moving [7-22](#)
- Unresolved References report [24-11](#)
- UOmni mailboxes, moving [7-23](#)
- URL

  - Cisco Personal Communications Assistant [6-2](#)
  - Cisco Unity Assistant [6-2](#)
  - Cisco Unity Inbox [6-2](#)
  - Status Monitor [7-3](#)

- user guide [6-1](#)
- utilities

  - Bulk Edit [13-23, 15-1, 19-2](#)
  - Bulk Logout [7-19](#)
  - Event Notification [7-5](#)
  - GrantUnityAccess [2-12](#)
  - SysCheck [24-11](#)

**V**

ViewMail for Microsoft Outlook

- installing [5-3](#)
- licenses [12-10](#)

Virtual Private Network (VPN)

- remote access [7-15](#)
- setting up remote administration [7-18](#)

Visual Messaging Interface (VMI). See Cisco Unity Inbox

voice messaging functions and failover [7-23](#)

voice port settings [26-13](#)

**W**

warning tone for end of recording, enabling [26-18](#)

Windows Event Viewer [24-9](#)

Windows NT Challenge/Response authentication [2-5](#)

Windows Terminal Services

- setting up remote administration [7-15](#)

wizards

Bulk Import [13-5](#)

