



## Use the Installation Guide That Matches the Cisco Unity 4.0(5) or Later Configuration

---

*Revised March 6, 2006*

There are eight versions of the Cisco Unity installation guide, each containing instructions for a specific configuration. Use the following list to confirm that you are using the correct version of the guide for the Cisco Unity version 4.0(5) or later configuration that you are installing.

### ***Installation Guide for Cisco Unity 4.0(5) and Later Unified Messaging with Microsoft Exchange 2003/2000 (Without Failover)***

This version of the guide is for a Cisco Unity Unified Messaging system running version 4.0(5) or later, and using Exchange 2003 or Exchange 2000 as the partner Exchange server. The system is not configured for Cisco Unity failover.

Use this guide when any Cisco Unity subscriber mailboxes will be homed in Exchange 2003 and/or Exchange 2000, regardless of whether mailboxes will also be homed in Exchange 5.5.

The guide is available at

[http://www.cisco.com/en/US/docs/voice\\_ip\\_comm/unity/405/installation/guide/cueum2k3nf/5ue2k3nf.html](http://www.cisco.com/en/US/docs/voice_ip_comm/unity/405/installation/guide/cueum2k3nf/5ue2k3nf.html).

### ***Installation Guide for Cisco Unity 4.0(5) and Later Unified Messaging with Microsoft Exchange 5.5 (Without Failover)***

This version of the guide is for a Cisco Unity Unified Messaging system running version 4.0(5) or later, and using Exchange 5.5 as the partner Exchange server. The system is not configured for Cisco Unity failover.

Use this guide only when all subscriber mailboxes will be homed in Exchange 5.5.

The guide is available at

[http://www.cisco.com/en/US/docs/voice\\_ip\\_comm/unity/405/installation/guide/cueum55nf/5ue55nf.html](http://www.cisco.com/en/US/docs/voice_ip_comm/unity/405/installation/guide/cueum55nf/5ue55nf.html).



---

**Corporate Headquarters:**

**Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA**

© 2006 Cisco Systems, Inc. All rights reserved.

## ***Installation Guide for Cisco Unity 4.0(5) and Later Voice Messaging with Microsoft Exchange 2003/2000 (Without Failover)***

This version of the guide is for a Cisco Unity Voice Messaging system running version 4.0(5) or later, and using Exchange 2003 or Exchange 2000 as the message store. The system is not configured for Cisco Unity failover.

The guide is available at [http://www.cisco.com/en/US/products/sw/voicesw/ps2237/products\\_installation\\_guide\\_book09186a008041fc78.html](http://www.cisco.com/en/US/products/sw/voicesw/ps2237/products_installation_guide_book09186a008041fc78.html).

## ***Installation Guide for Cisco Unity 4.0(5) and Later with IBM Lotus Domino (Without Failover)***

This version of the guide is for a Cisco Unity Unified Messaging or Voice Messaging system running version 4.0(5) or later, and using Domino as the message store. The system is not configured for Cisco Unity failover.

The guide is available at [http://www.cisco.com/en/US/docs/voice\\_ip\\_comm/unity/405/installation/guide/cudnf/5udnf.html](http://www.cisco.com/en/US/docs/voice_ip_comm/unity/405/installation/guide/cudnf/5udnf.html).

## ***Installation Guide for Cisco Unity 4.0(5) and Later Unified Messaging with Microsoft Exchange 2003/2000 (With Failover Configured)***

This version of the guide is for a Cisco Unity Unified Messaging system running version 4.0(5) or later, and using Exchange 2003 or Exchange 2000 as the partner Exchange server. The system is also configured for Cisco Unity failover.

Use this guide when any Cisco Unity subscriber mailboxes will be homed in Exchange 2003 and/or Exchange 2000, regardless of whether mailboxes will also be homed in Exchange 5.5.

The guide is available at [http://www.cisco.com/en/US/docs/voice\\_ip\\_comm/unity/405/installation/guide/cueum2k3fo/5ue2k3f.html](http://www.cisco.com/en/US/docs/voice_ip_comm/unity/405/installation/guide/cueum2k3fo/5ue2k3f.html).

## ***Installation Guide for Cisco Unity 4.0(5) and Later Unified Messaging with Microsoft Exchange 5.5 (With Failover Configured)***

This version of the guide is for a Cisco Unity Unified Messaging system running version 4.0(5) or later, and using Exchange 5.5 as the partner Exchange server. The system is also configured for Cisco Unity failover.

Use this guide only when all subscriber mailboxes will be homed in Exchange 5.5.

The guide is available at [http://www.cisco.com/en/US/docs/voice\\_ip\\_comm/unity/405/installation/guide/cueum55fo/5ue55f.html](http://www.cisco.com/en/US/docs/voice_ip_comm/unity/405/installation/guide/cueum55fo/5ue55f.html).

## ***Installation Guide for Cisco Unity 4.0(5) and Later Voice Messaging with Microsoft Exchange 2003/2000 (With Failover Configured)***

This version of the guide is for a Cisco Unity Voice Messaging system running version 4.0(5) or later, and using Exchange 2003 or Exchange 2000 as the message store. The system is also configured for Cisco Unity failover.

The guide is available at

[http://www.cisco.com/en/US/docs/voice\\_ip\\_comm/unity/405/installation/guide/cuevm2kfo/5ve2kf.html](http://www.cisco.com/en/US/docs/voice_ip_comm/unity/405/installation/guide/cuevm2kfo/5ve2kf.html).

## ***Installation Guide for Cisco Unity 4.0(5) and Later with IBM Lotus Domino (With Failover Configured)***

This version of the guide is for a Cisco Unity Unified Messaging or Voice Messaging system running version 4.0(5) or later, and using Domino as the message store. The system is also configured for Cisco Unity failover.

The guide is available at

[http://www.cisco.com/en/US/docs/voice\\_ip\\_comm/unity/405/installation/guide/cudfo/5udf.html](http://www.cisco.com/en/US/docs/voice_ip_comm/unity/405/installation/guide/cudfo/5udf.html).

---

CCVP, the Cisco logo, and Welcome to the Human Network are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0711R)

© 2006 Cisco Systems, Inc. All rights reserved.

