



Use the Installation Guide That Matches the Cisco Unity 7.x Configuration

Published May 21, 2008

There are six versions of the Cisco Unity installation guide, each containing instructions for a specific configuration. Use the list below to confirm that you are using the correct version of the guide for the Cisco Unity version 7.x configuration that you are installing.

For Release 7.x, the Cisco Unity installation guide was not updated. The URLs listed in this document are to Release 5.x versions of the installation guide. All 5.x content applies to Release 7.x. Information on new and changed features in 7.x—including any required procedures—can be found in 7.x release notes (http://www.cisco.com/en/US/products/sw/voicesw/ps2237/prod_release_notes_list.html).

All Cisco Unity installation guides are available at
http://www.cisco.com/en/US/products/sw/voicesw/ps2237/prod_installation_guides_list.html.

Installation Guide for Cisco Unity Release 5.x in a Unified Messaging Configuration with Microsoft Exchange (Without Failover)



Note

The following description (and URL) refers to a Release 5.x version of the guide; all 5.x content applies to version 7.x as well.

This version of the guide is for a Cisco Unity Unified Messaging system running version 5.x, and using Exchange 2007, Exchange 2003, or Exchange 2000 as the partner Exchange server. The system is not configured for Cisco Unity failover.

Use this guide when any Cisco Unity subscriber mailboxes will be homed in Exchange 2007, Exchange 2003, and/or Exchange 2000.

http://www.cisco.com/en/US/docs/voice_ip_comm/unity/5x/installation/guide/umexnofo/5xcuigumenofox.html



Americas Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

Installation Guide for Cisco Unity Release 5.x in a Voice Messaging Configuration with Microsoft Exchange (Without Failover)



Note

The following description (and URL) refers to a Release 5.x version of the guide; all 5.x content applies to version 7.x as well.

This version of the guide is for a Cisco Unity Voice Messaging system running version 5.x, and using Exchange 2003 or Exchange 2000 as the message store. The system is not configured for Cisco Unity failover.

http://www.cisco.com/en/US/docs/voice_ip_comm/unity/5x/installation/guide/vmexnofo/5xcuigvmexnofo.html

Installation Guide for Cisco Unity Release 5.x with IBM Lotus Domino (Without Failover)



Note

The following description (and URL) refers to a Release 5.x version of the guide; all 5.x content applies to version 7.x as well.

This version of the guide is for a Cisco Unity Unified Messaging or Voice Messaging system running 5.x, and using Domino as the message store. The system is not configured for Cisco Unity failover.

http://www.cisco.com/en/US/docs/voice_ip_comm/unity/5x/installation/guide/domnofo/5xcuigdomnofo.html

Installation Guide for Cisco Unity Release 5.x in a Unified Messaging Configuration with Microsoft Exchange (With Failover Configured)



Note

The following description (and URL) refers to a Release 5.x version of the guide; all 5.x content applies to version 7.x as well.

This version of the guide is for a Cisco Unity Unified Messaging system running version 5.x, and using Exchange 2007, Exchange 2003, or Exchange 2000 as the partner Exchange server. The system is also configured for Cisco Unity failover.

Use this guide when any Cisco Unity subscriber mailboxes will be homed in Exchange 2007, Exchange 2003, and/or Exchange 2000.

http://www.cisco.com/en/US/docs/voice_ip_comm/unity/5x/installation/guide/umexfo/5xcuigumexfo.html

Installation Guide for Cisco Unity Release 5.x in a Voice Messaging Configuration with Microsoft Exchange (With Failover Configured)



Note

The following description (and URL) refers to a Release 5.x version of the guide; all 5.x content applies to version 7.x as well.

This version of the guide is for a Cisco Unity Voice Messaging system running version 5.x, and using Exchange 2003 or Exchange 2000 as the message store. The system is also configured for Cisco Unity failover.

http://www.cisco.com/en/US/docs/voice_ip_comm/unity/5x/installation/guide/vmexfo/5xcuigvmefox.html

Installation Guide for Cisco Unity Release 5.x with IBM Lotus Domino (With Failover Configured)



Note

The following description (and URL) refers to a Release 5.x version of the guide; all 5.x content applies to version 7.x as well.

This version of the guide is for a Cisco Unity Unified Messaging or Voice Messaging system running version 5.x, and using Domino as the message store. The system is also configured for Cisco Unity failover.

http://www.cisco.com/en/US/docs/voice_ip_comm/unity/5x/installation/guide/domfo/5xcuigdfox.html

CCDE, CCENT, Cisco Eos, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, the Cisco logo, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn is a service mark; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0805R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

© 2008 Cisco Systems, Inc. All rights reserved.

