



## Preface

---

This preface describes who should read this guide, how it is organized, and its document conventions.

## Audience

This publication is designed for the installer and user with a working knowledge of Cisco Wireless LAN Controllers. Users of this publication might also include network administrators and other people responsible for setting up and maintaining these devices.

## Organization

The major sections of this publication are as follows:

Chapter	Description
1	Describes how to read a system or error message.
2	Contains new and changed system or error messages that first appear in a particular software release.
3	Contains message descriptions and recovery procedures.

## Related Documentation

These documents provide complete information about the Cisco Unified Wireless Network Solution:

- Quick Start Guide: Cisco 2000 Series Wireless LAN Controllers
- Quick Start Guide: Cisco 2100 Series Wireless LAN Controllers
- Quick Start Guide: Cisco 4400 Series Wireless LAN Controllers
- Cisco Wireless LAN Controller Command Reference
- Cisco Wireless Control System Configuration Guide

- Quick Start Guide: Cisco Wireless Control System
  - Quick start guide and hardware installation guide for your specific lightweight access point
- Click this link to browse to user documentation for the Cisco Unified Wireless Network Solution:  
[http://www.cisco.com/en/US/products/hw/wireless/tsd\\_products\\_support\\_category\\_home.html](http://www.cisco.com/en/US/products/hw/wireless/tsd_products_support_category_home.html)

## Conventions

Screen examples use the following conventions:

Convention	Description
<b>boldface font</b>	Commands and keywords are in <b>boldface</b> .
<i>italic font</i>	Arguments for which you supply values are in <i>italics</i> .
[ ]	Elements in square brackets are optional.
{ x   y   z }	Alternative keywords are grouped in braces and separated by vertical bars.
[ x   y   z ]	Optional alternative keywords are grouped in brackets and separated by vertical bars.
string	A nonquoted set of characters. Do not use quotation marks around the string or the string will include the quotation marks.
screen font	Terminal sessions and information the system displays are in <i>screen font</i> .
<b>boldface screen font</b>	Information you must enter is in <b>boldface screen font</b> .
<i>italic screen font</i>	Arguments for which you supply values are in <i>italic screen font</i> .
→	This pointer highlights an important line of text in an example.
^	The symbol ^ represents the key labeled Control—for example, the key combination ^D in a screen display means hold down the Control key while you press the D key.
< >	Nonprinting characters, such as passwords are in angle brackets.

Notes use the following conventions:



### Note

Means *reader take note*. Notes contain helpful suggestions or references to material not covered in the publication.

# Obtaining Documentation, Support, and Security Guidelines

For information on obtaining documentation, obtaining support, providing documentation feedback, security guidelines, and also recommended aliases and general Cisco documents, see the monthly What's New in Cisco Product Documentation, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

