

## End-of-Sale and End-of-Life Announcement for the Cisco 12000 Series -B Original Routers with Enhanced Power and Cooling

EOL5520 - Amended

Cisco® announces the end-of-sale and end-of life dates for the Cisco 12000 Series -B Original Routers with Enhanced Power and Cooling. The last day to order the affected product(s) is January 25, 2008. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available until the termination date of the contract, even if this date exceeds the Last Date of Support shown in Table 1.

**Table 1.** End-of-Life Milestones and Dates for the Cisco 12000 Series -B Original Routers with Enhanced Power and Cooling

Milestone	Definition	Date
<b>End-of-Life Announcement Date</b>	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	April 24, 2007
<b>End-of-Sale Date</b>	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	January 25, 2008
<b>Last Ship Date: HW</b>	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	April 25, 2008
<b>End of SW Maintenance Releases Date: OS SW</b>	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	January 25, 2011
<b>End of Routine Failure Analysis Date: HW</b>	The last-possible date a routine failure analysis may be performed to determine the cause of product failure or defect.	January 25, 2009
<b>End of New Service Attachment Date: HW</b>	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	January 25, 2009
<b>End of Service Contract Renewal Date: HW</b>	The last date to extend or renew a service contract for the product.	April 24, 2012
<b>Last Date of Support: HW</b>	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	January 23, 2013

HW = Hardware      OS SW = Operating System Software      App. SW = Application Software

**Table 2.** Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
ACS-10-BZX2=	Bezel extender kit for one GSR10 chassis	There is currently no replacement product available for this product.	
ACS-16-BZX2=	Bezel extender kit for one GSR16 line-card cage	There is currently no replacement product available for this product.	

ACS-GSR16-PLSTC=	GSR 12016 Plastic Covers Spare Kit	12000/16-BZL-BTTM=	Cisco 12000 16-slot Enhanced Bottom Bezel
ACS-GSR16-PLSTC=	GSR 12016 Plastic Covers Spare Kit	12000/16-BZL-TOP4=	Cisco 12000 16-slot Enhanced Top Bezel for AC4
ACS-GSR16-PLSTC=	GSR 12016 Plastic Covers Spare Kit	12000/16-BZL-TOP=	Cisco 12000 16-slot Enhanced Top Bezel
CHAS-GSR10=	GSR10 Chassis with Backplane, BUSBRD,MBUS, and metalware	12000/10-CHASSIS=	12000 10-slot Enhanced Mechanical Chassis, B/P, Rear Cover
GSR04-CHASSIS=	GSR4 Chassis with Backplane, BUSBRD,MBUS, and metalware	12000/4-CHASSIS=	12000 4-slot Enhanced Mechanical Chassis, BackPlane
GSR10-BEZEL-KIT=	GSR10 Bezel Kit	12000/10-BEZEL	Cisco 12000 10-slot Enhanced Bezel
GSR10-BEZEL-KIT=	GSR10 Bezel Kit	12000/10-BEZEL=	Cisco 12000 10-slot Enhanced Bezel
GSR10/200-AC-B	Legacy 12410 with enhanced AC and Blower	12000/10	Cisco 12000 10-slot Router
GSR10/200-AC-B	Legacy 12410 with enhanced AC and Blower	12000/10-AC	Cisco 12000 10-slot; 2Alarm, Blower, 2AC
GSR10/200-AC-B	Legacy 12410 with enhanced AC and Blower	12410/200	200Gbps Fabric Option with 5xSFC and 2xCSC for 12410 chassis
GSR10/200-DC-B	Legacy 12410 chassis with enhanced DC and Blower	12000/10	Cisco 12000 10-slot Router
GSR10/200-DC-B	Legacy 12410 chassis with enhanced DC and Blower	12000/10-DC	Cisco 12000 10-slot; 2Alarm, Blower, 2DC
GSR10/200-DC-B	Legacy 12410 chassis with enhanced DC and Blower	12410/200	200Gbps Fabric Option with 5xSFC and 2xCSC for 12410 chassis
GSR16-CHASSIS-8R=	GSR16 Chassis with Backplane, BUSBRD,MBUS, and metalware	12000/16-CHASSIS=	12000 16-slot Enhanced Mechanical Chassis, B/P, Rear Cover
GSR16/320-AC-B	Legacy 12416 chassis with enhanced 3xAC and Blowers	12000/16	Cisco 12000 16-slot Router
GSR16/320-AC-B	Legacy 12416 chassis with enhanced 3xAC and Blowers	12000/16-AC3	CISCO 12000 16-SLOT; 2Alarm, 2Blower, 3AC
GSR16/320-AC-B	Legacy 12416 chassis with enhanced 3xAC and Blowers	12416/320	320Gbps Fabric Option with 3xSFC and 2xCSC for 12416 chassis
GSR16/320-AC4-B	Legacy 12416 with enhanced 4xAC and Blowers	12000/16	Cisco 12000 16-slot Router
GSR16/320-AC4-B	Legacy 12416 with enhanced 4xAC and Blowers	12000/16-AC4	CISCO 12000 16-SLOT; 2Alarm, 2Blowers, 4AC (8Foot Rack)
GSR16/320-AC4-B	Legacy 12416 with enhanced 4xAC and Blowers	12416/320	320Gbps Fabric Option with 3xSFC and 2xCSC for 12416 chassis
GSR16/320-DC-B	Legacy 12416 with enhanced DC and Blowers	12000/16	Cisco 12000 16-slot Router
GSR16/320-DC-B	Legacy 12416 with enhanced DC and Blowers	12000/16-DC	Cisco 12000 16-slot; 2Alarm, 2Blower, 4DC
GSR16/320-DC-B	Legacy 12416 with enhanced DC and Blowers	12416/320	320Gbps Fabric Option with 3xSFC and 2xCSC for 12416 chassis
GSR6/120	Cisco 12406 120Gbps fabric with 3 SFC and 2 CSC	12000/6-CHASSIS	Cisco 12000 6-slot Enhanced Chassis
GSR6/120-AC-B	GSR6/120 w/1 PRP-1, 3SFC, 2CSC, 2Alarms and 2AC	12000/6	Cisco 12000 6-slot Router
GSR6/120-AC-B	GSR6/120 w/1 PRP-1, 3SFC, 2CSC, 2Alarms and 2AC	12000/6-AC	Cisco 12000 6-slot Chassis; 2Alarm, 1Blower, 2AC
GSR6/120-AC-B	GSR6/120 w/1 PRP-1, 3SFC, 2CSC, 2Alarms and 2AC	12406/120	120Gbps Fabric Option with 3xSFC and 2xCSC for 12406 chassis
GSR6/120-DC-B	GSR6/120 w/1 PRP-1, 3SFC, 2CSC, 2Alarms and 2DC	12000/6	Cisco 12000 6-slot Router
GSR6/120-DC-B	GSR6/120 w/1 PRP-1, 3SFC, 2CSC, 2Alarms and 2DC	12000/6-DC	Cisco 12000 6-slot Chassis; 2Alarm, 1Blower, 2DC

GSR6/120-DC-B	GSR6/120 w/1 PRP-1, 3SFC, 2CSC, 2Alarms and 2DC	12406/120	120Gbps Fabric Option with 3xSFC and 2xCSC for 12406 chassis
GSR6/120=	GSR6 Chassis with Backplane, BUSBRD,MBUS, and metalware	12000/6-CHASSIS=	12000 6-slot Enhanced Mechanical Chassis, B/P, Blower

### Product Migration Options

Customers are encouraged to migrate to the Cisco 12000 Series 4-slot,6-slot,10-slot,or 16-slot enhanced routers,fan trays,power supplies,and chassis accessories. Information about these products can be found at: <http://www.cisco.com/en/US/products/hw/routers/ps167/index.html>.

Note: Each top-level product ID includes power options,fabric options,route-processor options,and line-card options. A new version of Cisco IOS Software is required to support the enhanced chassis. Specifically,for the 12000/10 and 12000/16 chassis:

12.0(27)S5,12.0(28)S3,12.0(30)S1,12.0(31)S1,12.0(32)S,12.0(32)SY. For the 12000/6 and 12000/4 chassis: 12.0(30)S2,12.0(31)S1,12.0(32)S,12.0(32)SY.

Customers can use the Cisco Technology Migration Plan (TMP) to trade in products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, go to: <http://www.cisco.com/go/tradein/>. The Cisco TMP application requires all users to have a Cisco.com user ID.

Customers may be able to continue to purchase the end-of-sale product through the Cisco Certified Refurbished Equipment program. Refurbished units of the end-of-sale product are available in limited supply for sale in certain countries on a first-come, first-served basis. For information about the refurbished equipment program, go to: <http://cisco.com/go/remarketing>

### For More Information

For more information about the Cisco 12000 Series 4-Slot,6-Slot,10-Slot,16-Slot Enhanced Routers, visit <http://www.cisco.com/en/US/products/ps6342/index.html>, or contact your local account representative.

To request information about the Cisco 12000 Series 4-Slot,6-Slot,10-Slot,16-Slot Enhanced Routers, send an e-mail to [ask-gsr-pm@cisco.com](mailto:ask-gsr-pm@cisco.com).

For more information about the Cisco End-of-Life Policy, go to: [http://www.cisco.com/en/US/products/prod\\_end\\_of\\_life.html](http://www.cisco.com/en/US/products/prod_end_of_life.html)

To subscribe to receive end-of-life/end-of-sale information, go to: <http://www.cisco.com/cgi-bin/Support/FieldNoticeTool/field-notice>



**Americas Headquarters**  
Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
www.cisco.com  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 527-0883

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
168 Robinson Road  
#28-01 Capital Tower  
Singapore 068912  
www.cisco.com  
Tel: +65 6317 7777  
Fax: +65 6317 7799

**Europe Headquarters**  
Cisco Systems International BV  
Haarlerbergpark  
Haarlerbergweg 13-19  
1101 CH Amsterdam  
The Netherlands  
www-europe.cisco.com  
Tel: +31 0 800 020 0791  
Fax: +31 0 20 357 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

©2007 Cisco Systems, Inc. All rights reserved. CCVP, the Cisco logo, and Welcome to the Human Network are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, IQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0710R)