



End-of-Sale and End-of-Life Announcement for the Cisco 3700 Series

Cisco Systems® announces the end-of-sale and end-of life dates for the Cisco® 3700 Series routers. The last day to order the affected product is March 27, 2007. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) until March 25, 2012.

Table 1 describes the end-of-life milestones, definitions, and dates for the affected products. Table 2 lists the product part numbers affected by this announcement.

Cisco encourages customers to migrate to the Cisco integrated services routers which are engineered for secure, wire-speed delivery of concurrent data, voice, video, and wireless services. An integrated systems approach to embedded services speeds application deployment to help reduce operating costs and complexities. Cisco is the first in the industry to embed security and voice services into a single routing system for fast, scalable delivery of mission-critical business applications to organizations of all sizes. For more information about integrated services routers, visit

<http://www.cisco.com/go/isr>.

Table 1. End-of-Life Milestones and Dates for the Cisco 3700 Series

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	27-MAR-2006
End-of-Sale Date	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	27-MAR-2007
Last Shipment Date	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	26-JUN-2007
End of Software Maintenance Releases Date	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	27-MAR-2010
End of Routine Failure Analysis Date	The last-possible date a routine failure analysis may be performed to determine the cause of product failure or defect.	26-MAR-2008
End of New Service Attachment Date	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	26-MAR-2008
End of Service Contract Renewal Date	The last date to extend or renew a service contract for the product.	25-JUN-2011
Last Date of Support	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	25-MAR-2012

Table 2. Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
Cisco 3700 Series Base Chassis			
CISCO3725	3700 Series, 2-Slot, 2 FE, Multiservice Router 32F/256D	CISCO3825	3825 w/AC PWR, 2GE, 1SFP, 2NME, 4HWIC, IP Base, 64F/256D
CISCO3745	3700 Series, 4-Slot, Dual FE, Multiservice Router 32F/256D	CISCO3845	3845 w/AC PWR, 2GE, 1SFP, 4NME, 4HWIC, IP Base, 64F/256D
CISCO3725-DC-U	3725 router w/Universal Power Supply 24/48 volts 32F/256D	CISCO3825-DC	3825 w/DC PWR, 2GE, 1SFP, 2NME, 4HWIC, IP Base, 64F/256D
CISCO3725-RPS	3700 2-Slot, 2 FE, Router, IP Software—RPS ADPT 32F/256D	CISCO3845	3845 w/AC PWR, 2GE, 1SFP, 4NME, 4HWIC, IP Base, 64F/256D
Cisco 3700 Series Bundles			
C3725-VPN/K9	3725 VPN Bundle, AIM-VPN/EPII-PLUS, AdvancedIP, 64F/256D	CISCO3825-SEC/K9	3825 Security Bundle, Advanced Security, 64F/256D
C3745-VPN/K9	3745 VPN Bundle, AIM-VPN/HPII-PLUS, AdvancedIP, 64F/256D	CISCO3845-SEC/K9	3845 Security Bundle, Adv Security, 64F/256D
CISCO3725-V-CCME	3725, 48-phone CCME (96 max), 30-chan digital DSP, 64F/256D	CISCO3825-CCME/K9	3825 Voice Bundle w/PVDM2-64, FL-CCME-168, SP Serv, 64F/256D
CISCO3725-V-CCME-A	3725, 48-phone CCME (96 max), 8-chan analog DSP, 64F/256D	CISCO3825-CCME/K9	3825 Voice Bundle w/PVDM2-64, FL-CCME-168, SP Serv, 64F/256D
CISCO3745-V-CCME	Cisco 3745, 120-phone CCME, 30-chan digital DSP, 64F/256D	CISCO3845-CCME/K9	3845 Voice Bundle w/PVDM2-64, FL-CCME-240, SP Serv, 64F/256D
CISCO3745-V-CCME-A	Cisco 3745, 120-phone CCME, 8-chan analog DSP, 64F/256D	CISCO3845-CCME/K9	3845 Voice Bundle w/PVDM2-64, FL-CCME-240, SP Serv, 64F/256D
C3725-VPN-CE/K9	3725 VPN/CE/16FE Bundle, AIM-VPN/EPII-PLUS, NM-CE, NM-16ESW	CISCO3845, NM-CE, NM-16ESW	3825 w/AC PWR, 2GE, 1SFP, 2NME, 4HWIC, Advanced Security, 64F/256D. Also add Content Engine Network Module and 16-Port EtherSwitch Module
C3725-VPN-IDS/K9	3725 VPN/IDS/16FE Bundle, AIM-VPN/EPII-PLUS, NM-CIDS, NM-16ESW	CISCO3825 NM-CIDS, NM-16ESW	3825 w/AC PWR, 2GE, 1SFP, 2NME, 4HWIC, Advanced Security, 64F/256D. Also add Intrusion Detection Module and 16-Port EtherSwitch module
3725MBUNDLE-24DM	3725 Dial Bundle, NM-1CE1T1-PRI, NM-24DM, IPBASE, 32F/256D	CISCO3825, NM-1CE1T1-PRI, and NM-24DM	3825 w/AC PWR, 2GE, 1SFP, 2NME, 4HWIC, IP Base, 64F/256D. Also order 1-Port Channelized T1 Network Module and 24-port Digital Modem Network Module.
3725MBUNDLE-30DM-B	3725 Dial Bundle: NM-30DM, NM-1CE1T1-PRI, IPBASE, 32F/256D	CISCO3825, NM-1CE1T1-PRI, and NM-30DM	3825 w/AC PWR, 2GE, 1SFP, 2NME, 4HWIC, IP Base, 64F/256D. Also order 1-Port Channelized T1 Network Module and 30-port Digital Modem Network Module.
3725MBUNDLE-30DM-U	3725 Dial Bundle: NM-30DM, NM-1CE1T1-PRI, IPBASE, 32F/256D	CISCO3825, NM-1CE1T1-PRI, and NM-30DM	3825 w/AC PWR, 2GE, 1SFP, 2NME, 4HWIC, IP Base, 64F/256D. Also order 1-Port Channelized T1 Network Module and 30-port Digital Modem Network Module.

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
3725MBUNDLE-4B-S/T	3725 BRI Dial Bundle, NM-12DM, NM-4B-S/T, IPBASE, 32F/256D	CISCO3825, NM-12DM, and NM-4B-S/T	3825 w/AC PWR, 2GE, 1SFP, 2NME, 4HWIC, IP Base, 64F/256D. Also order 12-port Digital Modem Network Module and 4-Port ISDN BRI Module.
3725MBUNDLE-8B-S/T	3725 BRI Dial Bundle: NM-18DM, NM-8B-S/T, IPBASE, 32F/256D	CISCO3825, NM-18DM, and NM-8B-S/T	3825 w/AC PWR, 2GE, 1SFP, 2NME, 4HWIC, IP Base, 64F/256D. Also order 18-port Digital Modem Network Module and 8-Port ISDN BRI Module.
AS3745-E1-60	3700 Access Concentrator: 2x NM-30DM, IPBASE, 32F/256D	CISCO3825 and 2x NM-30DM	3825 w/AC PWR, 2GE, 1SFP, 2NME, 4HWIC, IP Base, 64F/256D. Also order two 30-Port Digital Network Modules.
AS3745-T1-48	3745 Dial Bundle 2x NM-24DM, NM-2CE1T1-PRI, IPBASE, 32F/256D	CISCO3825, 2x NM-24DM, and NM-2CE1T1-PRI	3825 w/AC PWR, 2GE, 1SFP, 2NME, 4HWIC, IP Base, 64F/256D. Also order 2-Port Channelized T1 Network Module and two 24-port Digital Modem Network Modules.

PRODUCT MIGRATION OPTIONS

Customers who are using the Cisco 3700 Series are encouraged to migrate to the Cisco 3800 Series for secure integrated services at wire speeds up to T3/E3. The award-winning Cisco 3800 Series routers help you simplify deployment and management, lower the costs and complexities of your network, and support mission-critical business applications, by providing a secure platform with secure T3/E3 wire-speed delivery of data, voice, video, wireless, and application optimization services. Cisco 3800 Series routers deliver the performance, availability, and reliability required for scaling mission-critical business applications in the most demanding enterprise environments. For more information about the Cisco 3800 Series, visit <http://www.cisco.com/en/US/products/ps5855/index.html>.

Table 3. Product Comparisons

Feature	Cisco 3700 Series	Cisco 3800 Series
Form factor	19 and 23 inch rack-mount	19 inch and NEBS/ETSI rack-mount
Integrated LAN ports	2 10/100	2 10/100/1000
Gigabit Ethernet SFP port	0	1
Interface slots	3 WIC	4 HWIC/WIC/VIC/VWIC
Network module slots	2 for Cisco 3725 and 4 for Cisco 3745	2 for Cisco 3825 and 4 for Cisco 3845
Advanced Integration Module (AIM) slots	2	2
USB ports	0	2 (v1.1)
Embedded cryptography processor	No	Yes
Default/maximum flash memory	32/128 MB	64/256 MB
Switch ports with optional inline power	Yes, up to 52 on Cisco 3725 and 72 on Cisco 3745	Yes, up to 88 on Cisco 3825 and 112 on Cisco 3845
VPN	Yes, with AIM	Yes, onboard
Network Admission Control (NAC) support	Yes	Yes
URL filtering support	Yes, Cisco IOS® software and content engine network module (NM-CE)-based	Yes, Cisco IOS® software and content engine network module (NM-CE)-based
Maximum VPN tunnels supported (with VPN	Up to 1800	Up to 2000 on Cisco 3825 and 2500 on

Feature	Cisco 3700 Series	Cisco 3800 Series
Encryption (AIM)		Cisco 3845
Intrusion prevention system	Yes, enabled through Cisco IOS Software security images	Yes, enabled through Cisco IOS Software security images
Digital signal processor (DSP) support	Yes, with voice network module	Yes, onboard 4 PVDM slots
Survivable Remote Site Telephony (SRST) Support	144 users on Cisco 3725 and 480 users on Cisco 3745	Yes, 336 users on Cisco 3825 and 720 on Cisco 3845
Cisco CallManager Express support	96 users on Cisco 3725 and 120 users on Cisco 3745	168 users on Cisco 3825 and 240 users on Cisco 3845
Cisco Unity Express support	Yes, up to 120 mailboxes	Yes, up to 120 mailboxes
Digital voice support	Up to 300 calls on Cisco 3725 and 540 calls on Cisco 3745	Up to 480 calls on Cisco 3825 and 720 calls on Cisco 3845
Analog Voice Support	Up to 24 FXS or 16 FXO on Cisco 3725 and up to 48 FXS or 32 FXO on Cisco 3845	Up to 52 FXS or 36 FXO on Cisco 3825 and up to 88 FXS or 56 FXO on Cisco 3845
Local conferencing and transcoding Support	Yes, requires network module	Yes, use onboard PVDMs

Customers can use the Cisco Technology Migration Plan (TMP) to trade in products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, go to <http://www.cisco.com/go/tradein/>. The Cisco TMP application requires all users to have a Cisco.com user ID.

Customers may be able to continue to purchase the end-of-sale product through Cisco's Authorized Refurbished Equipment program. Refurbished units of the end-of-sale product are available in limited supply for sale in certain countries on a first-come, first-served basis. For information about the refurbished equipment program, go to http://www.cisco.com/en/US/ordering/or6/or17/order_refurbished_equipment_program_description.html.

FOR MORE INFORMATION

For more information about the Cisco 3700 Series, visit <http://www.cisco.com/en/US/products/hw/routers/ps282/index.html> or contact your local Cisco account representative.

For more information about the Cisco End-of-Life Policy, go to: http://www.cisco.com/en/US/products/prod_end_of_life.html

To subscribe to receive end-of-life/end-of-sale information, go to: <http://www.cisco.com/cgi-bin/Support/FieldNoticeTool/field-notice>

**Corporate Headquarters**

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 526-4100

European Headquarters

Cisco Systems International BV
Haarlerbergpark
Haarlerbergweg 13-19
1101 CH Amsterdam
The Netherlands
www-europe.cisco.com
Tel: 31 0 20 357 1000
Fax: 31 0 20 357 1100

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-7660
Fax: 408 527-0883

Asia Pacific Headquarters

Cisco Systems, Inc.
168 Robinson Road
#28-01 Capital Tower
Singapore 068912
www.cisco.com
Tel: +65 6317 7777
Fax: +65 6317 7799

Cisco Systems has more than 200 offices in the following countries and regions. Addresses, phone numbers, and fax numbers are listed on **the Cisco Website at www.cisco.com/go/offices.**

Argentina • Australia • Austria • Belgium • Brazil • Bulgaria • Canada • Chile • China PRC • Colombia • Costa Rica • Croatia • Cyprus
Czech Republic • Denmark • Dubai, UAE • Finland • France • Germany • Greece • Hong Kong SAR • Hungary • India • Indonesia • Ireland • Israel
Italy • Japan • Korea • Luxembourg • Malaysia • Mexico • The Netherlands • New Zealand • Norway • Peru • Philippines • Poland • Portugal
Puerto Rico • Romania • Russia • Saudi Arabia • Scotland • Singapore • Slovakia • Slovenia • South Africa • Spain • Sweden • Switzerland • Taiwan
Thailand • Turkey • Ukraine • United Kingdom • United States • Venezuela • Vietnam • Zimbabwe

Copyright © 2006 Cisco Systems, Inc. All rights reserved. CCSP, CCVP, the Cisco Square Bridge logo, Follow Me Browsing, and StackWise are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, and iQuick Study are service marks of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, LightStream, Linksys, MeetingPlace, MGX, the Networkers logo, Networking Academy, Network Registrar, Packet, PIX, Post-Routing, Pre-Routing, ProConnect, RateMUX, ScriptShare, SlideCast, SMARTnet, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0601R)

