

End-of-Sale and End-of-Life Announcement for the Cisco 7606 and 7609 Chassis

EOL6598 - Amended

Cisco announces the end-of-sale and end-of life dates for the Cisco 7606 and 7609 Chassis. The last day to order the affected product(s) is March 15, 2010. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available until the termination date of the contract, even if this date exceeds the Last Date of Support shown in Table 1.

Table 1. End-of-Life Milestones and Dates for the Cisco 7606 and 7609 Chassis

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	March 15, 2009
End-of-Sale Date	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	March 15, 2010
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	June 14, 2010
End of SW Maintenance Releases Date: HW	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	March 14, 2015
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	March 15, 2011
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	March 15, 2011
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	June 13, 2014
Last Date of Support: HW	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	March 31, 2015

HW = Hardware OS SW = Operating System Software App. SW = Application Software

Table 2. Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
7606-2SUP7203B-2PS	Cisco 7606 Chassis, 6-slot, 2 SUP7203B, 2 Power Supply	7606S-SUP720B-R	Cisco 7606S Chassis, 6-slot, Redundant System, 2SUP720-3B, 2PS	--
7606-2SUP720XL-2PS	Cisco 7606 6-slot, Redundant System, 2 SUP720-3BXL and 2 PS	7606S-SUP720BXL-R	Cisco 7606S Chassis, 6-slot, Redundant System, 2 SUP720-3BXL, 2 PS	--
7606-RSP720C-P	Cisco 7606 Chassis, 6-slot, RSP720-3C, PS	7606S-RSP720C-P	Cisco 7606S Chassis, 6-slot, RSP720-3C, PS	--
7606-RSP720C-R	Cisco 7606 Chassis, 6-slot, Redundant System, 2RSP720-3C, 2PS	7606S-RSP720C-R	Cisco 7606S Chassis, 6-slot, Redundant System, 2RSP720-3C, 2PS	--
7606-RSP720CXL-P	Cisco 7606 Chassis, 6-slot, RSP720-3CXL, PS	7606S-RSP720CXL-P	Cisco 7606S Chassis, 6-slot, RSP720-3CXL, PS	--

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
7606-RSP720CXL-R	Cisco 7606 Chassis, 6-slot, Redundant System, 2RSP720-3CXL, 2PS	7606S-RSP720CXL-R	Cisco 7606S Chassis, 6-slot, Redundant System, 2RSP720-3CXL, 2PS	--
7606-S323B-10G-P	Cisco 7606 Chassis, 6-slot, SUP32-2X10GE-3B, PS	7606S-S32-10G-B-P	Cisco 7606S Chassis, 6-slot, SUP32-2X10GE-3B, PS	--
7606-S323B-10G-R	Cisco 7606 Chassis, 6-slot, Redundant SUP32-2X10GE-3B and PS	7606S-S32-10G-B-R	Cisco 7606S Chassis, 6-slot, Redundant SUP32-2X10GE-3B, PS	--
7606-S323B-8G-P	Cisco 7606 Chassis, 6-slot, SUP32-8GE-3B, PS	7606S-S32-8G-B-P	Cisco 7606S Chassis, 6-slot, SUP32-8GE-3B, PS	--
7606-S323B-8G-R	Cisco 7606 Chassis, 6-slot, Redundant SUP32-8GE-3B and PS	7606S-S32-8G-B-R	Cisco 7606S Chassis, 6-slot, Redundant SUP32-8GE-3B, PS	--
7606-SUP7203B-PS	Cisco 7606 Chassis, 6-slot, SUP7203B, Power Supply	7606S-SUP720B-P	Cisco 7606S Chassis, 6-slot, SUP720-3B, PS	--
7606-SUP720XL-PS	Cisco 7606 6-slot, SUP720-3BXL and PS	7606S-SUP720BXL-P	Cisco 7606S Chassis, 6-slot, SUP720-3BXL, PS	--
7606-VPN+-K9	Cisco 7606 IPsec VPN System Bundle	7600-SSC-400	Cisco 7600 / Catalyst 6500 Services SPA Carrier Card	--
7606-VPN+-K9	Cisco 7606 IPsec VPN System Bundle	CISCO7606-S	Cisco 7606-S Chassis	--
7606-VPN+-K9	Cisco 7606 IPsec VPN System Bundle	SPA-IPSEC-2G	Cisco 7600 / Catalyst 6500 IPsec VPN SPA - DES/3DES/AES	--
7609-2SUP7203B-2PS	Cisco 7609 Chassis, 9-slot, 2 SUP7203B, 2 Power Supply	7609S-SUP720B-R	Cisco 7609S Chassis, 9-slot, Redundant System, 2SUP720-3B, 2PS	--
7609-2SUP720XL-2PS	Cisco 7609 9-slot, Redundant System, 2 SUP720-3BXL and 2 PS	7609S-SUP720BXL-R	Cisco 7609S Chassis, 9-slot, Redundant System, 2SUP720-3BXL, 2PS	--
7609-RSP720C-P	Cisco 7609 Chassis, 9-slot, RSP720-3C, PS	7609S-RSP720C-P	Cisco 7609S Chassis, 9-slot, RSP720-3C, PS	--
7609-RSP720C-R	Cisco 7609 Chassis, 9-slot, Redundant System, RSP720-3C, 2PS	7609S-RSP720C-R	Cisco 7609S Chassis, 9-slot, Redundant System, 2RSP720-3C, 2PS	--
7609-RSP720CXL-P	Cisco 7609 Chassis, 9-slot, RSP720-3CXL, PS	7609S-RSP720CXL-P	Cisco 7609S Chassis, 9-slot, RSP720-3CXL, PS	--
7609-RSP720CXL-R	Cisco 7609 Chassis, 9-slot, Redundant System, 2RSP720-3CXL, 2PS	7609S-RSP720CXL-R	Cisco 7609S Chassis, 9-slot, Redundant System, 2RSP720-3CXL, 2PS	--
7609-S323B-10G-P	Cisco 7609 Chassis, 9-slot, SUP32-2X10GE-3BB, PS	7609S-S32-10G-B-P	Cisco 7609S Chassis, 9-slot, SUP32-2X10GE-3B, PS	--
7609-S323B-10G-R	Cisco 7609 Chassis, 9-slot, Redundant SUP32-2X10GE-3B and PS	7609S-S32-10G-B-R	Cisco 7609S Chassis, 9-slot, Redundant SUP32-2X10GE-3B, PS	--
7609-S323B-8G-P	Cisco 7609 Chassis, 9-slot, SUP32-8GE-3B, PS	7609S-S32-8G-B-P	Cisco 7609S Chassis, 9-slot, SUP32-8GE-3B, PS	--
7609-S323B-8G-R	Cisco 7609 Chassis, 9-slot, Redundant SUP32-8GE-3B and PS	7609S-S32-8G-B-R	Cisco 7609S Chassis, 9-slot, Redundant SUP32-8GE-3B, PS	--
7609-SUP7203B-PS	Cisco 7609 Chassis, 9-slot, SUP7203B, Power Supply	7609S-SUP720B-P	Cisco 7609S Chassis, 9-slot, SUP720-3B, PS	--
7609-SUP720XL-PS	Cisco 7609 9-slot, SUP720-3BXL and PS	7609S-SUP720BXL-P	Cisco 7609S Chassis, 9-slot, SUP720-3BXL, PS	--
7609-VPN+-K9	Cisco 7609 IPsec VPN System Bundle	7600-SSC-400	Cisco 7600 / Catalyst 6500 Services SPA Carrier Card	--
7609-VPN+-K9	Cisco 7609 IPsec VPN System Bundle	CISCO7609-S	Cisco 7609-S Chassis including fans	--
7609-VPN+-K9	Cisco 7609 IPsec VPN System Bundle	SPA-IPSEC-2G	Cisco 7600 / Catalyst 6500 IPsec VPN SPA - DES/3DES/AES	--
CISCO7606	Cisco 7606 Chassis	CISCO7606-S	Cisco 7606-S Chassis	--

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
CISCO7606-CHASS	Cisco 7606 Chassis	CISCO7606-S=	Cisco 7606-S Chassis	--
CISCO7606=	7606 chassis spare	CISCO7606-S=	Cisco 7606-S Chassis	--
CISCO7609	Cisco 7609 Chassis	CISCO7609-S	Cisco 7609-S Chassis including fans	--
CISCO7609=	Cisco 7609 Chassis Spare	CISCO7609-S=	Cisco 7609-S Chassis including fans	--
FAN-MOD-6HS	High Speed Fan Module for CISCO7606 Chassis	FAN-MOD-6SHS	High Speed Fan Module for CISCO7606-S Chassis	--
FAN-MOD-6HS=	High Speed Fan Module for CISCO7606 Chassis	FAN-MOD-6SHS=	High Speed Fan Module for CISCO7606-S Chassis	--

Product Migration Options

The recommended replacements for the Cisco 7606 and Cisco 7609 Chassis are the Cisco 7606-S and Cisco 7609-S Chassis. The Cisco 7606-S and 7609-S Chassis maintain the same form factor as their predecessors and provide better high-availability, power, and cooling capabilities.

Customers can use the Cisco Technology Migration Program (TMP) to trade-in products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, customers should work with their Cisco Partner or Cisco account team. Cisco Partners can find additional TMP information on Partner Central at <http://www.cisco.com/web/partners/pr11/incentive/tmp/index.html>

Customers may be able to continue to purchase the Cisco 7606 and 7609 Chassis through the Cisco Certified Refurbished Equipment program. Refurbished units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Certified Refurbished Equipment program, go to: www.cisco.com/go/eos

Service prices for Cisco products are subject to change after the product End of Sale date.

The Cisco Takeback and Recycle program helps businesses dispose properly of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

http://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html

For More Information

For more information about the Cisco 7606-S and 7609-S Chassis, visit http://www.cisco.com/en/US/prod/collateral/routers/ps368/ps371/product_data_sheet0900aecd8057f3c8.html and http://www.cisco.com/en/US/prod/collateral/routers/ps368/ps367/product_data_sheet0900aecd8057f3d2.html, or contact your local account representative.

For more information about the Cisco End-of-Life Policy, go to:

http://www.cisco.com/en/US/products/prod_end_of_life.html

To subscribe to receive end-of-life/end-of-sale information, go to:

<http://www.cisco.com/cisco/support/notifications.html>

Subscribe for RSS Notifications for End-of-Life and End-of-Sale Notices

To subscribe to the End-of-Life and End-of-Sale RSS Feed, insert the following URL into your RSS application:

http://www.cisco.com/web/feeds/products/end_of_life_rss.xml



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

CCDE, CCENT, CCSI, Cisco Eos, Cisco Explorer, Cisco HealthPresence, Cisco IronPort, the Cisco logo, Cisco Nurse Connect, Cisco Pulse, Cisco SensorBase, Cisco StackPower, Cisco StadiumVision, Cisco TelePresence, Cisco TrustSec, Cisco Unified Computing System, Cisco WebEx, DCE, Flip Channels, Flip for Good, Flip Mino, Flipshare (Design), Flip Ultra, Flip Video, Flip Video (Design), Instant Broadband, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn, Cisco Capital, Cisco Capital (Design), Cisco-Financed (Stylized), Cisco Store, Flip Gift Card, and One Million Acts of Green are service marks; and Access Registrar, Aironet, AllTouch, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Lumin, Cisco Nexus, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, Continuum, EtherFast, EtherSwitch, Event Center, Explorer, Follow Me Browsing, GainMaker, iLYNX, IOS, iPhone, IronPort, the IronPort logo, Laser Link, LightStream, Linksys, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, PCNow, PIX, PowerKEY, PowerPanels, PowerTV, PowerTV (Design), PowerVu, Prisma, ProConnect, ROSA, SenderBase, SMARTnet, Spectrum Expert, StackWise, WebEx, and the WebEx logo are registered trademarks of Cisco and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1002R)

Printed in USA

C51-525383-01 05/10