

Cisco ASR 1000 Series Aggregation Services Routers

PB447657

The Cisco® ASR 1000 Series Aggregation Services Routers are designed to optimize service provider edge and enterprise aggregation solutions. The innovative hardware and software design of these routers integrates powerful resiliency and intelligent services into a single router platform (Figure 1).

Figure 1. Cisco ASR 1000 Series Aggregation Services Routers



Hardware

The system is composed of a chassis, a route processor (RP), embedded services processors (ESPs), and SPA interface processors (SIPs). For interfaces it supports common Cisco shared port adapters (SPAs) that are shipping with other Cisco high-end routing platforms. Because of the modular design of the hardware, you can order many combinations to fit various price and performance requirements.

Three form-factor chassis are available: 2, 4, and 6 rack units (RUs). All chassis come equipped with dual power supplies. Most hardware components are interchangeable among different chassis; the exceptions are the 2RU and 2RU-Fixed models, which have a fixed SIP and route processor in the chassis because of its compact form factor, and the SIP and route processor are not upgradable. Additionally, the 2RU-Fixed has an integrated embedded service processor with throughput of 2.5-Gbps. The modular route processors supported on the 4- and 6RU chassis ship with default 2-GB DRAM (ASR1000-RP1) or 8-GB DRAM (ASR1000-RP2), which can be upgraded to 4-GB DRAM (ASR1000-RP1) or 16-GB DRAM (ASR1000-RP2). The 2RU and 2RU-Fixed chassis do not support field-upgradable route processor memory, but they do ship by default with 4-GB DRAM route processor memory. The 2RU and 2RU-Fixed models also offer 4 built-in Gigabit Ethernet ports in the route processor by default. The 6RU chassis is the only one that supports a redundant physical configuration of dual route processors (RPs) and dual embedded service processor (ESPs). The SIPs can house 4 half-height or 2 double-height SPAs with no limitation of interface types. Table 1 outlines hardware component compatibility.

Table 1. Hardware Support Compatibility

Chassis Part Number	Route Processor	ESP	SIP
ASR1002-F	<ul style="list-style-type: none"> • Cisco ASR 1000 Series Route Processor 1 (RP1) integrated in the chassis with 4-GB DRAM (memory is neither factory-nor field-upgradeable) • Four built-in Gigabit Ethernet ports with Small Form-Factor Pluggable (SFP) support • Integrated Route Processor 1 (RP1) is not upgradeable 	<ul style="list-style-type: none"> • 2.5-Gbps Cisco ASR 1000 Series Embedded Services Processor (ESP) integrated in the chassis. • Integrated ESP is not upgradeable. 	<ul style="list-style-type: none"> • 10-Gbps Cisco ASR 1000 Series ESP (ASR1000-SIP10) integrated in the chassis and not upgradeable
ASR1002	<ul style="list-style-type: none"> • Cisco ASR 1000 Series Route Processor 1 (RP1) integrated in the chassis with 4-GB DRAM (memory is neither factory-nor field-upgradeable) • Four built-in Gigabit Ethernet ports with Small Form-Factor Pluggable (SFP) support • Integrated Route Processor 1 (RP1) is not upgradeable 	<ul style="list-style-type: none"> • 5-, and 10-Gbps Cisco ASR 1000 Series Embedded Services Processors (ASR1000-ESP5, ASR1000-ESP10, and ASR1000-ESP10-N)) 	<ul style="list-style-type: none"> • 10-Gbps Cisco ASR 1000 Series ESP (ASR1000-SIP10) integrated in the chassis and not upgradeable
ASR1004	<ul style="list-style-type: none"> • Support for modular route processor with 2- or 4-GB DRAM (ASR1000-RP1) or with 8- or 16-GB DRAM (ASR1000-RP2) • One route processor per chassis • Upgradeable 	<ul style="list-style-type: none"> • 10-Gbps Cisco ASR 1000 Series ESP (ASR1000-ESP10) • 10-Gbps Cisco ASR 1000 Series ESP noncrypto (ASR1000-ESP10-N) • 20-Gbps Cisco ASR 1000 Series ESP (ASR1000-ESP20) • Support for single ESP per chassis • Upgradeable 	<ul style="list-style-type: none"> • Upgradeable
ASR1006	<ul style="list-style-type: none"> • Support for modular route processor with 2- or 4-GB DRAM (ASR1000-RP1) or with 8- or 16-GB DRAM (ASR1000-RP2) • Support for single or dual route processor(s) per chassis • In case of dual route processor support: The same route processor is required per one ASR1006: either dual ASR1000-RP1 or dual ASR1000-RP2 • Upgradeable 	<ul style="list-style-type: none"> • 10-Gbps Cisco ASR 1000 Series ESPs • 10-Gbps Cisco ASR 1000 Series ESP noncrypto (ASR1000-ESP10-N) • 20-Gbps Cisco ASR 1000 Series ESP (ASR1000-ESP20) • Support for single or dual ESP(s) per chassis • In case of dual ESP processor support: The same ESP is required per one ASR1006: either dual ASR1000-RP1 or dual ASR1000-RP2 • Upgradeable 	<ul style="list-style-type: none"> • Upgradeable

Table 2 lists the available hardware components. For the list of the product numbers of the supported SPAs including the Cisco WebEx™ node on the Cisco ASR 1000 Series¹, please check the [Cisco ASR 1000 Series SPA Data Sheet](#).

¹Target availability for the Cisco WebEx node for the Cisco ASR 1000 Series is June 2009 (date is subject to change).

Table 2. Cisco ASR 1000 Series Hardware Components

Product Number	Product Description
Cisco ASR 1000 Series Chassis	
ASR1002-F	Cisco ASR1002 System, Fixed ESP, Crypto, 4 built-in GE, 4GB DRAM
ASR1002	Cisco ASR1002 Chassis, 4 built-in GE, Dual P/S, 4GB DRAM
ASR1002=	Cisco ASR1002 Chassis, 4 built-in GE, Dual P/S, 4GB DRAM, spare

Product Number	Product Description
ASR1004	Cisco ASR1004 Chassis, Dual P/S
ASR1004=	Cisco ASR1004 Chassis, Dual P/S, spare
ASR1006	Cisco ASR1006 Chassis, Dual P/S
ASR1006=	Cisco ASR1006 Chassis, Dual P/S, spare
Cisco ASR 1000 Series Embedded Services Processor	
ASR1000-ESP5	ASR1K Embedded Services Processor,5Gbps,Crypto,ASR1002 only
ASR1000-ESP5=	ASR1K Embedded Services Processor,5G,Crypto,1002 only,spare
ASR1000-ESP10	Cisco ASR1000 Embedded Services Processor, 10G,Crypto
ASR1000-ESP10=	Cisco ASR1000 Embedded Services Processor, 10G,Crypto,Spare
ASR1000-ESP10-N	Cisco ASR1K Embedded Services Processor,10G,Non Crypto
ASR1000-ESP10-N=	Cisco ASR1K Embedded Services Processor,10G,Non Crypto,Spare
ASR1000-ESP20	Cisco ASR1000 Embedded Services Processor, 20G,Crypto
ASR1000-ESP20=	Cisco ASR1000 Embedded Services Processor, 20G,Crypto,Spare
Cisco ASR 1000 Series Route Processor	
ASR1000-RP1	Cisco ASR1000 Route Processor 1, 2GB DRAM
ASR1000-RP1=	Cisco ASR1000 Route Processor 1, 2GB DRAM, spare
ASR1000-RP2	Cisco ASR1000 Route Processor 2, 8GB DRAM
ASR1000-RP2=	Cisco ASR1000 Route Processor 2, 8GB DRAM, spare
Cisco ASR 1000 Series SPA Interface Processor	
ASR1000-SIP10	Cisco ASR1000 SPA Interface Processor 10
ASR1000-SIP10=	Cisco ASR1000 SPA Interface Processor 10, spare
Cisco ASR 1000 Series USB Memory Options	
MEMUSB-1024FT	1GB USB Flash Token for Cisco ASR 1000 Series
MEMUSB-1024FT=	1GB USB Flash Token for Cisco ASR 1000 Series, spare

Software

Cisco ASR 1000 Series Routers introduce the Cisco IOS[®] XE Software as their software architecture. Based on Cisco IOS Software, the Cisco IOS XE Operating System is designed to provide modular packaging, feature velocity, and powerful resiliency. Because of the extreme flexibility and robust performance of ESPs based on Cisco QuantumFlow Processor technology, network security, deep packet inspection, firewall, and many other advanced features are implemented in the Cisco IOS XE Operating System without the need of a service blade. One of the most innovative features is support for dual Cisco IOS Software consolidated packages in a single route processor for software redundancy in the 2RU and 4RU chassis systems. Information about compatibility of supported dual software consolidated packages is available in the release notes. Note that with the redundant hardware route processor (RP) and embedded service processor (ESP) configuration in the 6RU model, Cisco IOS Software redundancy in a single route processor in a redundant 6RU system is not supported.

A Cisco IOS XE consolidated package is composed of different software subpackages that you can download from Cisco.com as one consolidated package. You can upgrade the whole package or each of the subpackages individually. Information about the compatibility of various subpackages is outlined in each release note.

The following are the seven subpackages:

- Route processor
 - RPBase: Route-processor operating system
 - RPControl: Control-plane processes that interface between Cisco IOS Software and the rest of the platform
 - RPIOS
 - RPAccess: Software required for router access; two versions are available: one that contains open Secure Shell (SSH) Protocol and Secure Sockets Layer (SSL) and one without (RPAccess-K9 and RPAccess, respectively)
- SIPBase: SIP operating system + Control processes
- SIPSPA: SPA drivers and field-programmable device (FPD) (SPA FPGA image)
- ESP
 - ESPBase: ESP operating system + Control processes + Cisco Packet Processor client, driver, and ucode

Table 3 lists the software subpackages that each consolidated package consists of, and Table 4 gives ordering information for the software consolidated package spares. Table 5 lists the Cisco WebEx node SPA software. Table 6 lists the Cisco IOS XE Software consolidated package spares.

Table 3. Software Subpackages for Each Cisco IOS XE Software Consolidated Package

Consolidated Package	Subpackages
Cisco ASR 1000 Series RP1 OR RP2 IP BASE W/O CRYPTO	Consists of RPBase, RPControl, RPAccess, RPIOS-ipbase, ESPBase, SIPSPA, and SIPBase
Cisco ASR 1000 Series RP1 OR RP2 IP BASE	Consists of RPBase, RPControl, RPAccess-K9, RPIOS- ipbasek9, ESPBase, SIPSPA, and SIPBase
Cisco ASR 1000 Series RP1 OR RP2 ADVANCED IP SERVICES K9	Consists of RPBase, RPControl, RPAccess-K9, RPIOS-advipservicesk9, ESPBase, SIPSPA, and SIPBase
Cisco ASR 1000 Series RP1 OR RP2 ADV ENTERPRISE SERVICES K9	Consists of RPBase, RPControl, RPAccess-K9, RPIOS-adventservicesk9, ESPBase, SIPSPA, and SIPBase
Cisco ASR 1000 Series RP1 OR RP2 ADV ENTERPRISE SERVICES non crypto	Consists of RPBase, RPControl, RPAccess-nonK9, RPIOS-adventservices, ESPBase, SIPSPA, and SIPBase

Table 4. Cisco IOS XE Software Consolidated Package

Product Number	Product Description
Cisco ASR 1000 Series Consolidated Packages	
SASR1R1-IPB	Cisco ASR 1000 Series RP1 IP BASE W/O CRYPTO
SASR1R1-IPBK9	Cisco ASR 1000 Series RP1 IP BASE
SASR1R1-AISK9	Cisco ASR 1000 Series RP1 ADVANCED IP SERVICES
SASR1R1-AESK9	Cisco ASR 1000 Series RP1 ADVANCED ENTERPRISE SERVICES
SASR1R1-AES	Cisco ASR 1000 Series RP1 ADVANCED ENTERPRISE SERVICES Non-Crypto
SASR1R2-IPB	Cisco ASR 1000 Series RP2 IP BASE W/O CRYPTO
SASR1R2-IPBK9	Cisco ASR 1000 Series RP2 IP BASE
SASR1R2-AISK9	Cisco ASR 1000 Series RP2 ADVANCED IP SERVICES
SASR1R2-AESK9	Cisco ASR 1000 Series RP2 ADVANCED ENTERPRISE SERVICES
SASR1R2-AES	Cisco ASR 1000 Series RP2 ADVANCED ENTERPRISE SERVICES Non-Crypto

Table 5. Cisco WebEx Node SPA Software

Product Number	Product Description
SASR1R1-WMAK9	Cisco ASR 1000 Series RP1 WebEx node
SASR1R2-WMAK9	Cisco ASR 1000 Series RP2 WebEx node

Table 6. Cisco IOS XE Software Consolidated Package Spares

Product Number	Product Description
ASR1000-SW-SPARECD	Cisco ASR 1000 Series Software Spare CD
CDASR1000R1-IPB=	Cisco ASR 1000 RP1 IP Base without crypto, spare
CDASR1000R1-IPBK9=	Cisco ASR 1000 RP1 IP Base, spare
CDASR1000R1-AISK9=	Cisco ASR 1000 RP1 Advanced IP Services W/ CRYPTO, spare
CDASR1000R1-AESK9=	Cisco ASR 1000 RP1 Advanced Enterprise Services W/ CRYPTO, spare
CDASR1000R1-AES=	Cisco ASR 1000 RP1 Advanced Enterprise Services W/O CRYPTO, spare
CDASR1000R2-IPB=	Cisco ASR 1000 RP2 IP Base without crypto, spare
CDASR1000R2-IPBK9=	Cisco ASR 1000 RP2 IP Base, spare
CDASR1000R2-AISK9=	Cisco ASR 1000 RP2 Advanced IP Services W/ CRYPTO, spare
CDASR1000R2-AESK9=	Cisco ASR 1000 RP2 Advanced Enterprise Services W/ CRYPTO, spare
CDASR1000R2-AES=	Cisco ASR 1000 RP2 Advanced Enterprise Services W/O CRYPTO, spare

Software License

If you are planning to deploy advanced features, you should purchase a license along with a consolidated package. Currently, the following features will be licensed separately: IP Security (IPsec) encryption, firewall, Flexible Packet Inspection (including Network Based Application Recognition [NBAR] and Flexible Packet Matching), Broadband Aggregation, and Cisco Unified Border Element (SP Edition) (also known as Session Border Control [SBC]).

Table 7 gives ordering information for Cisco ASR 1000 Series software licenses.

Table 7. Ordering Information for the Cisco ASR 1000 Series Software Licenses

Cisco ASR 1000 Licenses-Security	
FLASR1-IPSEC-RTU	Encryption Right-To-Use Feature Lic for ASR1000 Series
FLASR1-FW-RTU	Firewall Right-To-Use Feature Lic for ASR1000 Series
FLASR1-FPI-RTU	Flex. Pack. Insp. Right-To-Use Feat Lic for ASR1000 Series
FLASR1-IOSRED-RTU	SW Redundancy Right-To-Use Feat Lic for ASR1000 Series
Cisco ASR 1000 Licenses-Broadband	
FLASR1-BB-RTU	Broadband Right-To-Use Feature Lic for ASR1000 Series
FLASR1-BB-4K	Broadband 4K Sessions Feature Lic for ASR1000 Series
FLASR1-BB-16K	Broadband 16K Sessions Feature Licfor ASR1000 Series
FLASR1-BB-32K	Broadband 32K Sessions Feature Lic for ASR1000 Series
Cisco ASR 1000 Licenses-Cisco Unified Border Element (SP Edition)	
FLASR1-CUBES-250P	CUBE(SP) 250 Calls Perpetual Lic for ASR 1000 Series
FLASR1-CUBES-2KP	CUBE(SP) 2K Calls Perpetual Lic for ASR 1000 Series
FLASR1-CUBES-4KP	CUBE(SP) 4K Calls Perpetual Lic for ASR 1000 Series
FLASR1-CUBES-16KP	CUBE(SP) 16KCalls Perpetual Lic for ASR 1000 Series
FLASR1-CUBES-32KP	CUBE(SP) 32K Calls Perpetual Lic for ASR 1000 Series
FLASR1-CUBES-TPEX	CUBE(SP) Perpetual Lic for ASR 1000 Series in B2BTP Exchange

For detailed and up-to-date information regarding the Cisco ASR 1000 Series software release strategy, software order guide, and software license plan, please refer to <http://www.cisco.com/go/asr1000>.

Upgrade Paths

Cisco ASR 1000 Series Routers are included in the standard Cisco Technology Migration Program (TMP).

Refer to <http://www.cisco.com/go/TMP> and contact your local Cisco account representative for program details.

Ordering Information

To place an order, visit the Cisco Ordering Home Page at <http://www.cisco.com/en/US/ordering/index.shtml> and refer to Tables 2, 4, 5, and 6.

To download software, visit the Cisco Software Center at <http://www.cisco.com/public/sw-center/index.shtml>; click "Router Software" and go to Cisco ASR 1000 Series Aggregation Services Routers.

Cisco Services for the Enterprise WAN Edge

Cisco and our partners help make your enterprise WAN edge deployment a success with a broad portfolio of services based on proven methodologies. We can help you establish a secure, resilient WAN architecture and successfully integrate Cisco® Unified Communications, Cisco TelePresence™, security, and mobility technologies with bandwidth to support video, collaboration, branch solutions, and growth in alignment with your business goals. Planning and design services align technology with business goals and can increase the accuracy, speed, and efficiency of deployment. Technical services help maintain operational health, strengthen software application functionality, solve performance issues, and lower expenses. Optimization services are designed to continually improve performance and help your team succeed with new technologies. For more information, visit <http://www.cisco.com/go/services>.

For More Information

For more information about the Cisco ASR 1000 Series, visit <http://www.cisco.com/go/asr1000> or contact your local Cisco account representative.



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

CCDE, CCSI, CCENT, Cisco Eos, Cisco HealthPresence, the Cisco logo, Cisco Lumin, Cisco Nexus, Cisco Nurse Connect, Cisco Stackpower, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSF, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0903R)