

## End-of-Sale and End-of-Life Announcement for the Dell PowerEdge 2400, Cisco Unity 2.46 and Dell Optiplex G1

1509

Cisco announces the end-of-sale and end-of life dates for the Dell PowerEdge 2400, Cisco® Unity 2.46 and Dell Optiplex G1. The last day to order the affected products is August 24, 2001. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available until the termination date of the contract, even if this date exceeds the Last Date of Support shown in Table 1.

**Table 1.** End-of-Life Milestones and Dates for the Dell PowerEdge 2400, Cisco Unity 2.46 and Dell Optiplex G1

Milestone	Definition	Date
<b>End-of-Life Announcement Date</b>	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	August 24, 2001
<b>End-of-Sale Date</b>	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	August 24, 2001
<b>End of Routine Failure Analysis Date: HW</b>	The last-possible date a routine failure analysis may be performed to determine the cause of product failure or defect.	August 24, 2002
<b>Last Date of Support: HW, App. SW</b>	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	August 24, 2004

HW = Hardware      OS SW = Operating System Software      App. SW = Application Software

**Table 2.** Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
<b>DSL1U12T2246</b>	Unity Dual/PBX with Dell G1, 200 Users UM, 12 Ports, 2 TTS	See Product Migration Options section for details.	See Product Bulletin
<b>DSL1U4T2246</b>	Unity Dual/PBX with Dell G1, 50 Users, 4 Ports UM, 2 TTS	See Product Migration Options section for details.	See Product Bulletin
<b>DSL1V12246</b>	Unity Dual/PBX with Dell G1, 200 Users VM, 12 Ports	See Product Migration Options section for details.	See Product Bulletin
<b>DSL1V4246</b>	Unity Dual/PBX with Dell G1, 50 users, 4 ports VM	See Product Migration Options section for details.	See Product Bulletin
<b>IPL1U12T2246</b>	Unity IP with Dell G1, 200 Users UM, 12 Ports, 2 TTS	See Product Migration Options section for details.	See Product Bulletin
<b>IPL1U4T2246</b>	Unity IP with Dell G1, 50 Users, 4 Ports UM, 2 TTS	See Product Migration Options section for details.	See Product Bulletin
<b>IPL1U8T2246</b>	Unity 2.46 IP; Dell G1; 100 Users, 8 Ports UM, 2 TTS	See Product Migration Options section for details.	See Product Bulletin
<b>IPL1V12246</b>	Unity IP with Dell G1, 200 Users VM, 12 Ports	See Product Migration Options section for details.	See Product Bulletin
<b>IPL1V4246</b>	Unity IP with Dell G1, 50 users, 4 ports VM	See Product Migration Options section for details.	See Product Bulletin
<b>IPL1V8246</b>	Unity 2.46 IP; Dell G1; 100 Users, 8 Ports VM	See Product Migration Options section for details.	See Product Bulletin
<b>IPL2ARMU16T4246</b>	Unity IP; Dell 2400RM, 512MB RAM; 300Users, 16Ports UM, 4TTS	See Product Migration Options section for details.	See Product Bulletin

<b>IPL2ARMU24T4246</b>	Unity IP; Dell 2400RM,512MB RAM; 500Users,24Ports UM, 4TTS	See Product Migration Options section for details.	See Product Bulletin details.
<b>IPL2AV16246</b>	Unity 2.46 IP; Dell 2400,512MB RAM; 300 Users, 16 ports VM	See Product Migration Options section for details.	See Product Bulletin details.
<b>IPL2AV24246</b>	Unity 2.46 IP; Dell2400, 512MB RAM; 500 Users, 24ports VM	See Product Migration Options section for details.	See Product Bulletin details.
<b>IPMCSU12T2246</b>	Unity 2.46 IP with MCS-7835; 200 Users UM, 12 Ports, 2 TTS	See Product Migration Options section for details.	See Product Bulletin details.
<b>IPMCSU16T4246</b>	Unity IP with MCS-7835; 300 Users,16 Ports UM, 4 TTS	See Product Migration Options section for details.	See Product Bulletin details.
<b>IPMCSU24T4246</b>	Unity IP with MCS-7835; 500 Users, 24 Ports UM, 4 TTS	See Product Migration Options section for details.	See Product Bulletin details.
<b>IPMCSU8T2246</b>	Unity 2.46 IP with MCS-7835; 100 Users, 8 Ports UM, 2 TTS	See Product Migration Options section for details.	See Product Bulletin details.
<b>IPMCSV12246</b>	Unity 2.46 IP with MCS-7835; 200 Users VM, 12 Ports	See Product Migration Options section for details.	See Product Bulletin details.
<b>IPMCSV16246</b>	Unity 2.46 IP with MCS-7835; 300 Users, 16 Ports VM	See Product Migration Options section for details.	See Product Bulletin details.
<b>IPMCSV24246</b>	Unity 2.46 IP with MCS-7835; 500 Users, 24 Ports VM	See Product Migration Options section for details.	See Product Bulletin details.
<b>IPMCSV8246</b>	Unity 2.46 IP; MCS-7835; 100 Users, 8 Ports VM	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L1</b>	Dell G1 (3 PCI slots, 2 shared ISA/PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L1=</b>	Dell G1 (3 PCI slots, 2 shared ISA/PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2A-NRM</b>	Dell 2400; 512MB RAM (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2A-NRM=</b>	Dell 2400; 512MB RAM (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2A-RM</b>	Dell 2400; rack mount, 512MB RAM (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2A-RM=</b>	Dell 2400 rack mount; 512MB RAM (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2B-NRMf</b>	Dell 2400; 512MB RAM; RAID 5 (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2B-NRM=</b>	Dell 2400; 512MB RAM; RAID 5 (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2B-RM</b>	Dell 2400; rack mount, 512MB RAM; RAID 5 (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2B-RM=</b>	DELL 2400 rack mount; 512MB RAM; RAID 5 (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2C-NRM</b>	Dell 2400; 1GB RAM; RAID 5, 2nd CPU (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2C-NRM=</b>	Dell 2400; 1GB RAM; RAID 5, 2nd CPU (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2C-RM</b>	Dell 2400; rack mnt, 1GB RAM; RAID5, 2nd CPU (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.
<b>UNITY-SVR-L2C-RM=</b>	Dell 2400 rack mount; 1GB RAM; RAID 5, 2nd CPU (5 PCI slots)	See Product Migration Options section for details.	See Product Bulletin details.

## Product Migration Options

Customers can use the Cisco Technology Migration Plan (TMP) to trade in products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, go to: <http://www.cisco.com/go/tradein/>. The Cisco TMP application requires all users to have a Cisco.com user ID.

Customers may be able to continue to purchase the Dell PowerEdge 2400 through the Cisco Certified Refurbished Equipment program. Refurbished units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Certified Refurbished Equipment program, go to: <http://www.cisco.com/go/eos>.

Service prices for Cisco products are subject to change after the product End of Sale date.

## Services and Support

Hardware support for the Dell PowerEdge 2400 and Dell Optiplex servers will continue to be delivered directly by Dell or one of its service providers throughout the associated warranty period. The Dell Optiplex servers shipped by Active Voice or Cisco included warranty support of three years for parts and one year for on-site labor, with next business day response time. The Dell PowerEdge 2400 servers shipped by Active Voice or Cisco included warranty support of three years parts and three years for on-site labor, with next business day response time.

The Dell PowerEdge 2400 and Dell Optiplex platform will continue to support Cisco Unity 3.0 and later versions until further notice.

Customers with SAS or SASU contracts will continue to receive software support from Cisco TAC. SAS customers will only receive support on Unity up to version 2.46. Beginning with the shipment of Cisco Unity 3.0, SASU will be the only software support offering.

## For More Information

For more information about the Cisco End-of-Life Policy, go to:

[http://www.cisco.com/en/US/products/prod\\_end\\_of\\_life.html](http://www.cisco.com/en/US/products/prod_end_of_life.html).

To subscribe to receive end-of-life/end-of-sale information, go to:

<http://www.cisco.com/cgi-bin/Support/FieldNoticeTool/field-notice>.



Americas Headquarters  
Cisco Systems, Inc.  
San Jose, CA

Asia Pacific Headquarters  
Cisco Systems (USA) Pte. Ltd.  
Singapore

Europe Headquarters  
Cisco Systems International BV  
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

CCDE, CCSI, CCENT, Cisco Eos, Cisco HealthPresence, the Cisco logo, Cisco Lumin, Cisco Nexus, Cisco Nurse Connect, Cisco Stackpower, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0903R)