

CISCO IOS SOFTWARE RELEASE 12.3(7)JX

WARNING: ALL CISCO AIRONET ACCESS POINTS RECEIVING CISCO IOS SOFTWARE RELEASE 12.3(7)JX WILL ONLY FUNCTION IN CONJUNCTION WITH A CISCO WIRELESS LAN CONTROLLER. THEY WILL NO LONGER BE ABLE TO FUNCTION AS CISCO AIRONET AUTONOMOUS ACCESS POINTS.

This product bulletin describes the content and delivery information for Cisco IOS® Software Release 12.3(7)JX. This is a Cisco Lightweight Access Point Protocol (LWAPP) upgrade and recovery support software image supporting Cisco Aironet 1230AG Series access points, Cisco Aironet 1130AG Series access points and selected Cisco Aironet 1200 Series access points.


OVERVIEW

Cisco IOS Software Release 12.3(7)JX provides the capability for selected Cisco Aironet autonomous access points to become Cisco Aironet lightweight access points.. Access points running Cisco IOS Software Release 12.3(7)JX implement a partial LWAPP implementation allowing them to communicate with a Cisco Wireless LAN Controller to receive the full LWAPP software image from the controller. All Cisco Aironet access points receiving Cisco IOS Software Release 12.3(7)JX will only function in conjunction with a Cisco Wireless LAN Controller. They will no longer be able to function as a Cisco Aironet autonomous access point.

- This Cisco IOS Software release is available as a free software upgrade for Cisco Aironet 1230AG Series, 1200 Series (with AIR-MP21G-x-K9 radio and/or AIR-RM21A-x-K9 or AIR-RM22A-x-K9 radio), and 1130AG Series access points. This software should only be loaded onto the Cisco Aironet access points specified in this document. Do not load this software onto any *non-specified* Cisco Aironet access point.

Figure 1 displays the release train and recommended migration path for Cisco IOS Software Release 12.3(7)JX.

Figure 1. Release Train and Recommended Migration Path for Cisco IOS Software Release 12.3(7)JX



NEW FEATURES IN CISCO IOS SOFTWARE RELEASE 12.3(7)JX

Table 1 lists the new features delivered in Cisco IOS Software Release 12.3(7)JX. The feature is supported in this release for the platforms noted.

Table 1. Cisco IOS Software Release 12.3(7)JX New Feature

New Features	Cisco Aironet 1130AG Series Access Point	Cisco Aironet 1200 Series Access Point	Cisco Aironet 1230AG Series Access Point
LWAPP Upgrade and Recovery Support	X	X*	X

CISCO IOS SOFTWARE RELEASE 12.3(7)JX NEW FEATURE

LWAPP Upgrade And Recovery Support

This feature allows a Cisco autonomous access point to communicate with a Cisco Wireless LAN Controller in order to receive a full Lightweight Access Point Protocol (LWAPP) image. Access points shipping with LWAPP or selected autonomous access points upgraded from autonomous to lightweight mode use the LWAPP upgrade and recovery support feature to receive their full LWAPP image from the controller. The LWAPP upgrade and recovery support feature is also used as a recovery image if the full LWAPP image becomes corrupted. Access points using the LWAPP upgrade and recovery support feature have limited functionality and their radios are disabled until the Cisco Wireless LAN Controller sends them the full LWAPP image.

Special Notes

The following are special notes about Cisco IOS Software release 12.3(7)JX upgrade and recovery software image:

- Only use this image when upgrading a Cisco Aironet autonomous access point to operate as a lightweight access point using LWAPP and communicating with a Cisco Wireless LAN Controller.
- Use the “Autonomous To Lightweight Mode” upgrade tool to load this image onto Cisco Aironet autonomous access points currently running Cisco IOS Software version 12.3(7)JA or later.
- This release only contains a partial LWAPP image. The full LWAPP software image must be downloaded from the Cisco Wireless LAN Controller to the access point after it has been converted in order for it to operate as a Cisco Aironet lightweight access point. A connection between the access point and Cisco Wireless LAN Controller is required to download the full LWAPP image.
- This image is also shipping with orderable Cisco Aironet lightweight access points.

Release Notes

For more information about the platforms and features delivered in Cisco IOS Software Release 12.3(7)JX, release notes are available at:

<http://www.cisco.com/en/US/products/hw/wireless/index.html>

Support

Cisco IOS Software Release 12.3(7)JX follows the standard Cisco support policy. For more information, visit:

http://www.cisco.com/en/US/products/products_end-of-life_policy.html

PRODUCT FEATURES AND MODEL NUMBERS

Cisco IOS Software Release 12.3(7)JX feature sets, images, and memory recommendations are listed in Table 2.

Table 2. Cisco IOS Software Release 12.3(7)JX Feature Sets, Images, and Memory Recommendations

Platform	Software Feature Set	Product Code	Image	Flash	DRAM
Cisco Aironet 1130AG Series Access Point	Wireless LAN	S113RK9W-12307JX	c1130-rcvk9w8-tar.123-7.JX.tar	16 MB	32 MB
Cisco Aironet 1200 Series Access Point**	Wireless LAN	S12RK9W-12307JX	c1200-rcvk9w8-tar.123-7.JX.tar	8 MB	16 MB
Cisco Aironet 1230AG Series Access Point	Wireless LAN	S12RK9W-12307JX	c1200-rcvk9w8-tar.123-7.JX.tar	8 MB	16 MB

The products supported by this release are listed in Table 3.

Table 3. Products Supported By Cisco IOS Software Release 12.3(7)JX

Platform	Model Number
Cisco Aironet 1230AG Series Access Point	AP1232AG
Cisco Aironet 1200 Series Access Point***	AP1200
Cisco Aironet 1130AG Series Access Point	AP1131AG

DOWNLOAD INFORMATION

Cisco IOS Software Release 12.3(7)JX can be downloaded from the following Cisco.com locations:

- <http://www.cisco.com/public/sw-center/sw-wireless.shtml>
- <http://www.cisco.com/public/sw-center/sw-ios.shtml>

* With AIR-RM21A-x-K9 or AIR-RM22A-x-K9 and/or AIR-MP21G-X-K9 radio

** With AIR-RM21A-x-K9 or AIR-RM22A-x-K9 and/or AIR-MP21G-X-K9 radio

*** With AIR-RM21A-x-K9 or AIR-RM22A-x-K9 and/or AIR-MP21G-X-K9 radio



Corporate Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 526-4100

European Headquarters

Cisco Systems International BV
Haarlerbergpark
Haarlerbergweg 13-19
1101 CH Amsterdam
The Netherlands
www-europe.cisco.com
Tel: 31 0 20 357 1000
Fax: 31 0 20 357 1100

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-7660
Fax: 408 527-0883

Asia Pacific Headquarters

Cisco Systems, Inc.
168 Robinson Road
#28-01 Capital Tower
Singapore 068912
www.cisco.com
Tel: +65 6317 7777
Fax: +65 6317 7799

Cisco Systems has more than 200 offices in the following countries and regions. Addresses, phone numbers, and fax numbers are listed on **the Cisco Website at www.cisco.com/go/offices.**

Argentina • Australia • Austria • Belgium • Brazil • Bulgaria • Canada • Chile • China PRC • Colombia • Costa Rica • Croatia • Cyprus
Czech Republic • Denmark • Dubai, UAE • Finland • France • Germany • Greece • Hong Kong SAR • Hungary • India • Indonesia • Ireland • Israel
Italy • Japan • Korea • Luxembourg • Malaysia • Mexico • The Netherlands • New Zealand • Norway • Peru • Philippines • Poland • Portugal
Puerto Rico • Romania • Russia • Saudi Arabia • Scotland • Singapore • Slovakia • Slovenia • South Africa • Spain • Sweden • Switzerland • Taiwan
Thailand • Turkey • Ukraine • United Kingdom • United States • Venezuela • Vietnam • Zimbabwe

Copyright © 2005 Cisco Systems, Inc. All rights reserved. CCSP, CCVP, the Cisco Square Bridge logo, Follow Me Browsing, and StackWise are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, and iQuick Study are service marks of Cisco Systems, Inc.; and Access Registrar, Aironet, ASIST, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Empowering the Internet Generation, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, LightStream, Linksys, MeetingPlace, MGX, the Networkers logo, Networking Academy, Network Registrar, Packet, PIX, Post-Routing, Pre-Routing, ProConnect, RateMUX, ScriptShare, SlideCast, SMARTnet, StrataView Plus, TeleRouter, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0502R) 205327.BD_ETMG_LS_8.05