

Cisco IOS Software Release 12.2(11)YU

Document ID: 29880

Please provide your feedback on this document.

| Description of the Release | Cisco IOS® Software Release 12.2(11)YU is an ED release (XED) optimized for the 826, 827, 827H, 828, 1700, 1710, soho7x, ics7700. This release is based upon the Cisco IOS 12.2(11)T Software maintenance release. Any early deployment (ED) release of software should be used in a test network before being deployed in a production network. | | |
|------------------------------------|--|--|---------------------|
| Product and Feature Support | Cisco IOS Software Release 12.2(11)YU will support the following platforms: | | |
| | Product/Feature | Image Name | Memory Requirements |
| | c1700-bk8no3r2sv3y7-mz | <ul style="list-style-type: none">• 1750 /1751 /1760 | See Release Notes |
| | c1700-bk8no3r2sv8y7-mz | <ul style="list-style-type: none">• 1751 /1760 | See Release Notes |
| | c1700-bk8no3r2sy7-mz | <ul style="list-style-type: none">• 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| | c1700-bk9no3r2sv3y7-mz | <ul style="list-style-type: none">• 1750 /1751 /1760 | See Release Notes |
| | c1700-bk9no3r2sv8y7-mz | <ul style="list-style-type: none">• 1751 /1760 | See Release Notes |
| | c1700-bk9no3r2sy7-mz | <ul style="list-style-type: none">• 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| | c1700-bnr2sy7-mz | <ul style="list-style-type: none">• 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| | c1700-bnr2y-mz | <ul style="list-style-type: none">• 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| | c1700-k8o3sv3y7-mz | <ul style="list-style-type: none">• 1750 /1751 /1760 | See Release Notes |
| | c1700-k8o3sv8y7-mz | <ul style="list-style-type: none">• 1751 /1760 | See Release Notes |
| c1700-k8o3sy7-mz | | See Release Notes | |

| | | |
|--------------------|--|-------------------|
| | <ul style="list-style-type: none"> • 1720 /1721 /1750 /1751 /1760 | |
| c1700-k8sv3y7-mz | <ul style="list-style-type: none"> • 1750 /1751 /1760 | See Release Notes |
| c1700-k8sv8y7-mz | <ul style="list-style-type: none"> • 1751 /1760 | See Release Notes |
| c1700-k8sy7-mz | <ul style="list-style-type: none"> • 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| c1700-k9o3sv3y7-mz | <ul style="list-style-type: none"> • 1750 /1751 /1760 | See Release Notes |
| c1700-k9o3sv8y7-mz | <ul style="list-style-type: none"> • 1751 /1760 | See Release Notes |
| c1700-k9o3sy7-mz | <ul style="list-style-type: none"> • 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| c1700-k9sv3y7-mz | <ul style="list-style-type: none"> • 1750 /1751 /1760 | See Release Notes |
| c1700-k9sv8y7-mz | <ul style="list-style-type: none"> • 1751 /1760 | See Release Notes |
| c1700-k9sy7-mz | <ul style="list-style-type: none"> • 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| c1700-no3sv3y7-mz | <ul style="list-style-type: none"> • 1750 /1751 /1760 | See Release Notes |
| c1700-no3sv8y7-mz | <ul style="list-style-type: none"> • 1751 /1760 | See Release Notes |
| c1700-no3sy7-mz | <ul style="list-style-type: none"> • 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| c1700-ny-mz | <ul style="list-style-type: none"> • 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| c1700-o3sv3y7-mz | <ul style="list-style-type: none"> • 1750 /1751 /1760 | See Release Notes |
| c1700-o3sv8y7-mz | <ul style="list-style-type: none"> • 1751 /1760 | See Release Notes |
| c1700-o3y-mz | | See Release Notes |

| | | |
|---------------------|--|-------------------|
| | <ul style="list-style-type: none"> • 1720 /1721 /1750 /1751 /1760 | |
| c1700–sv3y–mz | <ul style="list-style-type: none"> • 1750 /1751 /1760 | See Release Notes |
| c1700–sv3y7–mz | <ul style="list-style-type: none"> • 1750 /1751 /1760 | See Release Notes |
| c1700–sv8y–mz | <ul style="list-style-type: none"> • 1750 /1751 /1760 | See Release Notes |
| c1700–sv8y7–mz | <ul style="list-style-type: none"> • 1751 /1760 | See Release Notes |
| c1700–sy–mz | <ul style="list-style-type: none"> • 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| c1700–sy7–mz | <ul style="list-style-type: none"> • 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| c1700–y–mz | <ul style="list-style-type: none"> • 1720 | See Release Notes |
| c1700–y–mz | <ul style="list-style-type: none"> • 1721 | See Release Notes |
| c1700–y–mz | <ul style="list-style-type: none"> • 1750 | See Release Notes |
| c1700–y–mz | <ul style="list-style-type: none"> • 1751 /1760 | See Release Notes |
| c1700–y7–mz | <ul style="list-style-type: none"> • 1720 /1721 /1750 /1751 /1760 | See Release Notes |
| c1710–bk9no3r2sy–mz | <ul style="list-style-type: none"> • 1710 | See Release Notes |
| c1710–k9o3sy–mz | <ul style="list-style-type: none"> • 1710 | See Release Notes |
| c820–k9osv6y6–mz | <ul style="list-style-type: none"> • 827–4V | See Release Notes |
| c820–k9osy6–mz | <ul style="list-style-type: none"> • 827H /826 /827 | See Release Notes |
| c820–ov6y6–mz | <ul style="list-style-type: none"> • 827–4V | See Release Notes |
| c820–oy6–mz | <ul style="list-style-type: none"> • 827H /826 /827 | See Release Notes |
| c820–sv6y6–mz | <ul style="list-style-type: none"> • 827–4V | See Release Notes |
| c820–sy6–mz | | See Release Notes |

| | | |
|-------------------------|---------------------------------|-------------------|
| | • 827H /826 /827 | |
| c820-v6y6-mz | • 827-4V | See Release Notes |
| c820-y6-mz | • 827H /826 /827 | See Release Notes |
| c828-k9osy6-mz | • 828 | See Release Notes |
| c828-oy6-mz | • 828 | See Release Notes |
| c828-sy6-mz | • 828 | See Release Notes |
| c828-y6-mz | • 828 | See Release Notes |
| ics7700-bk8no3r2sv3y-mz | • ICS7700 | See Release Notes |
| ics7700-bk9no3r2sv3y-mz | • ICS7700 | See Release Notes |
| ics7700-bnr2sv3y-mz | • ICS7700 | See Release Notes |
| ics7700-k8o3sv3y-mz | • ICS7700 | See Release Notes |
| ics7700-k9o3sv3y-mz | • ICS7700 | See Release Notes |
| ics7700-sv12y10-mz | • ICS7700 | See Release Notes |
| ics7700-sv3y-mz | • ICS7700 | See Release Notes |
| ics7700-sv3y10-mz | • ICS7700 | See Release Notes |
| soho70-oy1-mz | • SOHO76 /SOHO77 /SOHO77H | See Release Notes |
| soho70-y1-mz | • SOHO76 /SOHO77 | See Release Notes |
| soho78-y1-mz | • SOHO78 | See Release Notes |

Note: The features delivered with this XED release will be immediately incorporated into Cisco IOS Software Release 12.2(11)T and subsequent Cisco IOS 12.3T software releases.

Support Pages

For more information, consult the following web pages:

Release Documentation

- 12.2(11)YU Product Bulletin
- 12.2(11)YU Release Notes for 800 Series
- 12.2(11)YU Release Notes for 1700 Series

| | <ul style="list-style-type: none"> • 12.2(11)YU Release Notes for 7700 Series • 12.2(11)YU Release Notes for SOHO 70 Series <p>Parent Release Documentation</p> <ul style="list-style-type: none"> • Cisco 12.2T Release Notes <p>Other Links</p> <ul style="list-style-type: none"> • Cisco IOS General Information • Cisco IOS Software Release Field Notices • Cisco IOS Software Release Reference Guide • Projected Release Dates | | | | | | | | | | | | | | | | | | |
|---|---|---------------------|----------------|---|----------------------------|--|--|----------------------------|--|--|------|-----|-------------|------|--|--|------|--|--|
| Target Market | Cisco Systems, Inc. released Cisco IOS Software Release 12.2(11)YU as a short-lived release for the Cisco 826, 827, 827H, 828, 1700, 1710, soho7x, and ics7700 platforms. It is targeted for the Enterprise market. | | | | | | | | | | | | | | | | | | |
| Lifecycle of Release | <p>Cisco IOS Software Release Reference Guide</p> <table border="1" data-bbox="440 848 1449 1213"> <thead> <tr> <th data-bbox="440 848 919 894">Milestones</th> <th data-bbox="919 848 1179 894">Y2K Compliance</th> <th data-bbox="1179 848 1449 894">Release Designation</th> </tr> </thead> <tbody> <tr> <td data-bbox="440 894 919 940">CCO FCS: December 23, 2002</td> <td data-bbox="919 894 1179 940"></td> <td data-bbox="1179 894 1449 940"></td> </tr> <tr> <td data-bbox="440 940 919 987">MFG FCS: December 30, 2002</td> <td data-bbox="919 940 1179 987"></td> <td data-bbox="1179 940 1449 987"></td> </tr> <tr> <td data-bbox="440 987 919 1033">EOS:</td> <td data-bbox="919 987 1179 1033">Yes</td> <td data-bbox="1179 987 1449 1033">XED Release</td> </tr> <tr> <td data-bbox="440 1033 919 1079">EOE:</td> <td data-bbox="919 1033 1179 1079"></td> <td data-bbox="1179 1033 1449 1079"></td> </tr> <tr> <td data-bbox="440 1079 919 1125">EOL:</td> <td data-bbox="919 1079 1179 1125"></td> <td data-bbox="1179 1079 1449 1125"></td> </tr> </tbody> </table> | Milestones | Y2K Compliance | Release Designation | CCO FCS: December 23, 2002 | | | MFG FCS: December 30, 2002 | | | EOS: | Yes | XED Release | EOE: | | | EOL: | | |
| Milestones | Y2K Compliance | Release Designation | | | | | | | | | | | | | | | | | |
| CCO FCS: December 23, 2002 | | | | | | | | | | | | | | | | | | | |
| MFG FCS: December 30, 2002 | | | | | | | | | | | | | | | | | | | |
| EOS: | Yes | XED Release | | | | | | | | | | | | | | | | | |
| EOE: | | | | | | | | | | | | | | | | | | | |
| EOL: | | | | | | | | | | | | | | | | | | | |
| Maintenance Releases | <p>It is highly recommended that Release Notes are used to determine if a maintenance release should be used. Release Notes provide announcements of new features and a summary of known caveats at the time of the renumber.</p> <table border="1" data-bbox="440 1381 1449 1810"> <thead> <tr> <th data-bbox="440 1381 911 1432">Maintenance Cycle</th> <th data-bbox="911 1381 1449 1432">Download Image</th> </tr> </thead> <tbody> <tr> <td data-bbox="440 1432 911 1810">12.2(11)YU – No maintenance plans for an X release.</td> <td data-bbox="911 1432 1449 1810"></td> </tr> </tbody> </table> <p>Important Notes: N/A</p> | Maintenance Cycle | Download Image | 12.2(11)YU – No maintenance plans for an X release. | | | | | | | | | | | | | | | |
| Maintenance Cycle | Download Image | | | | | | | | | | | | | | | | | | |
| 12.2(11)YU – No maintenance plans for an X release. | | | | | | | | | | | | | | | | | | | |

Interim Builds

Short-lived X releases do not provide interim builds.

Recommended Customer Migration Path

To view the projected release date of the Cisco IOS Software Release 12.2(11)YU, see the Projected Release Dates for Cisco IOS Software Release Product Bulletin.

All contents are Copyright ©1992--2002 Cisco Systems Inc. All rights reserved. Important Notices and Privacy Statement.

Updated: Jan 02, 2003

Document ID: 29880
