

Cisco IOS Software Release 12.2(13)ZE

Document ID: 40460

Please provide your feedback on this document.

Description of the Release	<p>Cisco IOS® Software Release 12.2(13)ZE is an ED release (XED) optimized for the Charlotte project. This release is based upon the Cisco IOS Software 12.2(13)T maintenance release. This release introduces Cisco IOS support for the dual OC-3/STM-1 Packet over SONET/SDH PA on 7200, 7400 and RSP7000/7500 platforms. The dual OC-3 POS PA was built to address the performance limitations of the existing OC-3 port adapter on the Cisco 7200 and to provide the additional benefit of dual OC-3 on the same card connectivity on the above-mentioned platforms. Any early deployment (ED) release of software should be used in a test network before being deployed in a production network.</p>											
Product and Feature Support	<p>Cisco IOS Software Release 12.2(13)ZE will support the following platforms:</p>											
	<table border="1"> <thead> <tr> <th data-bbox="438 808 896 877">Product/Feature</th> <th data-bbox="903 808 1193 877">Image Name</th> <th data-bbox="1193 808 1442 877">Memory Requirements</th> </tr> </thead> <tbody> <tr> <td data-bbox="438 877 896 1797">7200</td> <td data-bbox="903 877 1193 1797"> <ul style="list-style-type: none"> • c7200-a3jk8s-mz • c7200-a3jk9s-mz • c7200-a3js-mz • c7200-dk8o3s-mz • c7200-dk8s-mz • c7200-dk9o3s-mz • c7200-do3s-mz • c7200-ds-mz • c7200-g4js-mz • c7200-g5jk8s-mz • c7200-g5js-mz • c7200-ik8o3s-mz • c7200-ik8s-mz • c7200-ik9o3s-mz • c7200-ik9s-mz • c7200-io3s-mz • c7200-is-mz • c7200-jk8o3s-mz • c7200-jk8s-mz • c7200-jk9o3s-mz • c7200-jk9s-mz • c7200-jo3s-mz • c7200-js-mz • c7200-jx2-mz • c7200-p-mz </td> <td data-bbox="1193 877 1442 1797">See Release Notes</td> </tr> <tr> <td data-bbox="438 1797 896 1997">7400</td> <td data-bbox="903 1797 1193 1997"> <ul style="list-style-type: none"> • c7400-a3jk8s-mz • c7400-a3jk9s-mz • c7400-a3js-mz • c7400-dk8o3s-mz </td> <td data-bbox="1193 1797 1442 1997">See Release Notes</td> </tr> </tbody> </table>	Product/Feature	Image Name	Memory Requirements	7200	<ul style="list-style-type: none"> • c7200-a3jk8s-mz • c7200-a3jk9s-mz • c7200-a3js-mz • c7200-dk8o3s-mz • c7200-dk8s-mz • c7200-dk9o3s-mz • c7200-do3s-mz • c7200-ds-mz • c7200-g4js-mz • c7200-g5jk8s-mz • c7200-g5js-mz • c7200-ik8o3s-mz • c7200-ik8s-mz • c7200-ik9o3s-mz • c7200-ik9s-mz • c7200-io3s-mz • c7200-is-mz • c7200-jk8o3s-mz • c7200-jk8s-mz • c7200-jk9o3s-mz • c7200-jk9s-mz • c7200-jo3s-mz • c7200-js-mz • c7200-jx2-mz • c7200-p-mz 	See Release Notes	7400	<ul style="list-style-type: none"> • c7400-a3jk8s-mz • c7400-a3jk9s-mz • c7400-a3js-mz • c7400-dk8o3s-mz 	See Release Notes		
Product/Feature	Image Name	Memory Requirements										
7200	<ul style="list-style-type: none"> • c7200-a3jk8s-mz • c7200-a3jk9s-mz • c7200-a3js-mz • c7200-dk8o3s-mz • c7200-dk8s-mz • c7200-dk9o3s-mz • c7200-do3s-mz • c7200-ds-mz • c7200-g4js-mz • c7200-g5jk8s-mz • c7200-g5js-mz • c7200-ik8o3s-mz • c7200-ik8s-mz • c7200-ik9o3s-mz • c7200-ik9s-mz • c7200-io3s-mz • c7200-is-mz • c7200-jk8o3s-mz • c7200-jk8s-mz • c7200-jk9o3s-mz • c7200-jk9s-mz • c7200-jo3s-mz • c7200-js-mz • c7200-jx2-mz • c7200-p-mz 	See Release Notes										
7400	<ul style="list-style-type: none"> • c7400-a3jk8s-mz • c7400-a3jk9s-mz • c7400-a3js-mz • c7400-dk8o3s-mz 	See Release Notes										

		<ul style="list-style-type: none"> • c7400-dk8s-mz • c7400-dk9o3s-mz • c7400-do3s-mz • c7400-ds-mz • c7400-g4js-mz • c7400-ik8o3s-mz • c7400-ik8s-mz • c7400-ik9o3s-mz • c7400-ik9s-mz • c7400-io3s-mz • c7400-is-mz • c7400-jk8o3s-mz • c7400-jk8s-mz • c7400-jk9o3s-mz • c7400-jk9s-mz • c7400-jo3s-mz • c7400-js-mz • c7400-jx2-mz • c7400-p-mz 	
	RSP7000/7500	<ul style="list-style-type: none"> • rsp-a3jk8sv-mz • rsp-a3jk9sv-mz • rsp-a3jsv-mz • rsp-dk8o3sv-mz • rsp-dk8sv-mz • rsp-dk9o3sv-mz • rsp-do3sv-mz • rsp-dsv-mz • rsp-ik8o3sv-mz • rsp-ik8sv-mz • rsp-ik9o3sv-mz • rsp-ik9sv-mz • rsp-io3sv-mz • rsp-isv-mz • rsp-jk8o3sv-mz • rsp-jk8sv-mz • rsp-jk9o3sv-mz • rsp-jk9sv-mz • rsp-jo3sv-mz • rsp-jsv-mz • rsp-p-mz • rsp-pv-mz 	See Release Notes
<p>Note: The features delivered with this XED release will be immediately incorporated into Cisco IOS Software Release 12.2(3)T and subsequent Cisco IOS 12.3 software releases.</p>			
<p>Support Pages</p>	<p>For more information, consult the following web pages:</p> <p>Release Documentation</p> <ul style="list-style-type: none"> • 12.2(13)ZE Product Bulletin • 12.2(13)ZE Release Notes 		

	<p>Parent Release Documentation</p> <ul style="list-style-type: none"> • Cisco 12.2T Release Notes <p>Other Links</p> <ul style="list-style-type: none"> • Cisco IOS General Information • Cisco IOS Software Release Field Notices • Cisco IOS Software Release Reference Guide • Projected Release Dates 																		
Target Market	Cisco Systems, Inc. released Cisco IOS Software Release 12.2(13)ZE as a short-lived or release for the 7000 Cisco platforms. It is targeted for the Enterprise market.																		
Lifecycle of Release	<p>Cisco IOS Software Release Reference Guide</p> <table border="1" data-bbox="440 743 1445 1108"> <thead> <tr> <th data-bbox="440 743 919 789">Milestones</th> <th data-bbox="919 743 1177 789">Y2K Compliance</th> <th data-bbox="1177 743 1445 789">Release Designation</th> </tr> </thead> <tbody> <tr> <td data-bbox="440 789 919 835">CCO FCS: January 27, 2003</td> <td data-bbox="919 789 1177 835"></td> <td data-bbox="1177 789 1445 835"></td> </tr> <tr> <td data-bbox="440 835 919 882">MFG FCS: February 3, 2003</td> <td data-bbox="919 835 1177 882"></td> <td data-bbox="1177 835 1445 882"></td> </tr> <tr> <td data-bbox="440 882 919 928">EOS:</td> <td data-bbox="919 882 1177 928">Yes</td> <td data-bbox="1177 882 1445 928">XED Release</td> </tr> <tr> <td data-bbox="440 928 919 974">EOE:</td> <td data-bbox="919 928 1177 974"></td> <td data-bbox="1177 928 1445 974"></td> </tr> <tr> <td data-bbox="440 974 919 1020">EOL:</td> <td data-bbox="919 974 1177 1020"></td> <td data-bbox="1177 974 1445 1020"></td> </tr> </tbody> </table>	Milestones	Y2K Compliance	Release Designation	CCO FCS: January 27, 2003			MFG FCS: February 3, 2003			EOS:	Yes	XED Release	EOE:			EOL:		
Milestones	Y2K Compliance	Release Designation																	
CCO FCS: January 27, 2003																			
MFG FCS: February 3, 2003																			
EOS:	Yes	XED Release																	
EOE:																			
EOL:																			
Maintenance Releases	<p>It is highly recommended that Release Notes are used to determine if a maintenance release should be used. Release Notes provide announcements of new features and a summary of known caveats at the time of the renumber.</p> <table border="1" data-bbox="440 1276 1445 1705"> <thead> <tr> <th data-bbox="440 1276 911 1327">Maintenance Cycle</th> <th data-bbox="911 1276 1445 1327">Download Image</th> </tr> </thead> <tbody> <tr> <td data-bbox="440 1327 911 1705">12.2(13)ZE – No maintenance plans for an X release.</td> <td data-bbox="911 1327 1445 1705"></td> </tr> </tbody> </table> <p>Important Notes: N/A</p>	Maintenance Cycle	Download Image	12.2(13)ZE – No maintenance plans for an X release.															
Maintenance Cycle	Download Image																		
12.2(13)ZE – No maintenance plans for an X release.																			

Interim Builds

Short-lived X releases do not provide interim builds.

Recommended Customer Migration Path

To view the projected release date of the Cisco IOS Software Release 12.2(13)ZE, see the Projected Release Dates for Cisco IOS Software Release Product Bulletin.

All contents are Copyright ©1992—2003 Cisco Systems Inc. All rights reserved. Important Notices and Privacy Statement.

Updated: Feb 07, 2003

Document ID: 40460
